

10/21/98
10/23/98
WPI + house
Comm
SAID

PERMIT

SEWAGE DISPOSAL SYSTEM

DEPARTMENT OF HEALTH AND MENTAL HYGIENE

P 570656-13

A 58125

DISTRICT: 4th

04-361180

DATE 9-1-98

HOWARD COUNTY HEALTH DEPARTMENT
BUREAU OF ENVIRONMENTAL HEALTH
~~XXXXXXXX~~ 410-313-2640

DATE SYSTEM APPROVED 10/23/98

INSPECTOR KM

INDEXED

Fyock Septic Service, Inc. IS PERMITTED TO INSTALL ALTER

ADDRESS P.O. Box 89 Triadelphia Road Glenelg, MD 21737 PHONE 410-988-9270

SUBDIVISION Clarks Woods, Sec I LOT 3 ROAD 14401 Dorsey Mill Road

PROPERTY OWNER Tradition Home Builders, Inc.

ADDRESS _____

SEPTIC TANK CAPACITY 1250 GALLONS

NUMBER OF BEDROOMS 4

180 SQUARE FEET PER BEDROOM

LINEAR FEET OF TRENCH REQUIRED 180

TRENCHES - Trench to be 2 feet wide. Inlet 2.5 feet below original grade. Bottom maximum depth 6.5 feet below original grade. Effective area begins at 2.5 feet below original grade. 4 feet of stone below distribution pipe.

LOCATION - Place the distribution box 80 feet off the 252.52' lot line and 125 feet off the 140.00' lot line as seen when facing the lot from the pipe stem. Run the first trench on contour towards the 252.52' lot line and then in both directions.

NOTES - No trench to exceed 100 feet in length. Provide 6" - 8" diameter cleanout and cap to grade or above on septic tank.

PP 7/20/98

PLANS APPROVED BY Kimberly A. Maiste DATE 7/15/98

COVER NO WORK UNTIL INSPECTED AND APPROVED

NEITHER THE HOWARD COUNTY COUNCIL NOR THE HEALTH DEPARTMENT IS RESPONSIBLE FOR THE SUCCESSFUL OPERATION OF ANY SYSTEM

NOTE: CLEANOUT REQUIRED EVERY 70 FEET OF SEWER LINE AND/OR AT 90° SWEEPS IN LINES FROM HOUSE TO DRAIN FIELDS. 90° ELBOWS NOT ACCEPTABLE.

NOTE: ALL PARTS OF SEPTIC SYSTEMS (I.E. TANK, DISTRIBUTION BOX TRENCHES) TO BE 100 FEET FROM WELL (UNLESS OTHERWISE SPECIFICALLY AUTHORIZED)

NOTE: IF DEEP TRENCH(ES) ARE USED CALL FOR INSPECTION BEFORE AND AFTER PLACING GRAVEL IN TRENCH(ES)

NOTE: NO DRY WELL SHALL EXCEED 15 FOOT IN DIAMETER NO ABSORPTION TRENCH TO EXCEED 100 FEET IN LENGTH

NOTE: ALL PIPE FROM HOUSE TO SEPTIC TANK MUST BE CAST IRON OR SCHEDULE 35/40 PVC OR ABS

CALL BEFORE START
AND RETURNED 2-1-99
Serial # B0119063

PERMIT VOID AFTER TWO YEARS


NOTE: INSTALL STAND PIPE ON SEPTIC TANK AND DRY WELL STAND PIPES MUST BE 6 INCHES IN DIAMETER CAST IRON, CONCRETE OR TERRA COTTA OR PVA OR ABS ACCEPTED. IF TOP OF SEPTIC TANK IS DEEPER THAN 3 FEET, MANHOLE TO GRADE REQUIRED.

NOTE: DISTRIBUTION BOXES MUST HAVE BAFFLES

*Screened pond
& basement interior
allow*

***INSTALLER IS RESPONSIBLE FOR OBTAINING FINAL APPROVAL ON THIS PERMIT**

58125



INDICATE NORTH - NAME ADJOINING ROADWAY AS BASE LINE

Dorsey Mill Road

SEPTIC TANK LEVEL 1250 gallons CLEANOUTS 1 on tank

DISTRIBUTION BOX LEVEL ok

DRAIN FIELD/TILE DEPTH 6.5 FT. TRENCH WIDTH 2 FT. INLET DEPTH 2.5 FT.

EFFECTIVE GRAVEL DEPTH 4.0 FT. TOTAL LENGTH 2x90 FT. → 180

NUMBER OF TRENCHES 2 ONE SIDEWALL/BOTTOM AREA 720 SQ. FT.

DRYWALL INSIDE DIAMETER — FT. EFFECTIVE DEPTH BELOW INLET — FT.

ABSORBENT AREA — SQ. FT.

REMARKS: 10/21/98 ok to cover all work, leave open from tank to house to verify house connection (Km)

10/23/98 ok to cover all work, has house connection Km

DATE SYSTEM APPROVED 10/23/98

INSPECTOR Kim Maisto

APPLICATION

PERCOLATION TESTING

A 58125
P _____

HOWARD COUNTY HEALTH DEPARTMENT
BUREAU OF ENVIRONMENTAL HEALTH
PO BOX 476 ELLICOTT CITY, MARYLAND 21043
TELEPHONE 461-9933

DISTRICT _____

DATE 5/2/97

TO: THE COUNTY HEALTH OFFICER
ELLICOTT CITY, MARYLAND

I, HEREBY, APPLY FOR THE NECESSARY TEST IN ORDER TO CONSTRUCT (OR RECONSTRUCT) A SEWAGE DISPOSAL SYSTEM.

PROPERTY OWNER Edgewood Farms Inc. Tradition Home Builders

ADDRESS P.O. Box 189 Glenelg, MD PHONE 410-531-3455

PROSPECTIVE BUYER Developer: Land marketing Consultants, Inc. / Tim Feaga

ADDRESS 3243 Bethany Lane Ellicott City, MD 21042 PHONE 410-313-8808

PROPERTY LOCATION:

SUBDIVISION edgewood I (Clark Property) LOT NO 3-4B

ROAD AND DESCRIPTION Dorsey Mill Road, Intersection of Dorsey Mill and Triadelphia Roads

Woods behind Church and graveyard (14401 Dorsey Mill Road)

TAX MAP 22 PARCEL # 97

SIZE OF LOT 1 Acre Cluster TYPE BLDG _____
(SINGLE FAMILY DWELLING OR COMMERCIAL)

THE SYSTEM INSTALLED UNDER THIS APPLICATION IS ACCEPTABLE ONLY UNTIL PUBLIC FACILITIES BECOME AVAILABLE. I FULLY UNDERSTAND THE FEE CONNECTED WITH THE FILING OF THIS PERC TEST APPLICATION IS NON-REFUNDABLE UNDER ANY CIRCUMSTANCES. I ALSO AGREE TO COMPLY WITH ALL M.O.S.H.A. REQUIREMENTS IN TESTING THIS LOT.

Harold S. Clark
(SIGNATURE OF APPLICANT)

APPROVED BY _____ FOR _____ DATE _____

REJECTED BY _____ FOR _____ DATE _____

HOLD PENDING FURTHER TESTS _____ DATE _____

REASONS FOR REJECTION OR HOLDING _____

HD-216

THIS IS NOT A PERMIT

58125

COUNTY #

Lot 3

SOIL PROFILE

(ALL)

0'
1'
3'
11.5'


topsoil
red org
brn
cl lm

pale
org
brn
si sa lm

10%
rock
frags

SOIL PROFILE

0'



INDICATE NORTH - NAME ADJOINING ROADWAY AS BASE LINE.

Dorsey Mill Road

DATE	TEST NO.	DEPTH	PRE-WET		TEST - 1" DROP		TIME
			START	STOP	START	STOP	
5-28-97	409	3.5'S	11:17	11:19	11:19	11:22	3
		11.5'D	Visual	OK			
	410	11.0'D	Visual	OK			
	411	3'8"S	11:01	11:02	11:02	11:04	2
		10.5'D	Visual	OK			
	412	10'8"D	Visual	OK			

REMARKS holes tested as stated

TYPE OF SOIL

TESTED BY D. Soe

ALSO PRESENT T. Fenga

TRENCH DESIGN DATA: AVERAGE PERCOLATION TIME 2+

TRENCH WIDTH 2'

INLET DEPTH 2.5'

MAXIMUM BOTTOM DEPTH 6.5'

SQ. FT./BEDROOM 180'




DORSEY MILL ROAD (LOCAL ROAD)

LAND TO BE DEDICATED TO HOWARD COUNTY, MARYLAND FOR THE PURPOSE OF A PUBLIC ROADWAY (0.152 Ac.±)

E 398938.281
(METRIC)
E 1308850
N 177058.676
(METRIC)
N 580900

RESIDUE PROPERTY OF EDGEWOOD FARM, INC. LIBER 4174, FOLIO 446



PRIVATE 25' WIDE USE-IN-COMMON ACCESS EASEMENT ACROSS LOTS 2 AND 3 FOR THE USE AND BENEFIT OF LOTS 1, 2 AND 3. MAINTENANCE AGREEMENT RECORDED AMONG THE LAND RECORDS OF HOWARD COUNTY, MARYLAND.

PROPERTY OF EDGEWOOD FARM, INC. LIBER 1046, FOLIO 48

E 398938.281
(METRIC)
E 1308850
N 176891.036
(METRIC)
N 580350

Clarks Woods I
LOTS 1-3
F-98-28

EX. CENT. OF R.

N 17
(ME
N 5:

OWNER AND DEVELOPER

THIS SUBD THE PARCE

Total linear feet of trench
required 180 feet

Width of trench (as) 2 feet

Depth of trench (as) 6.5 feet

GENERAL NOTES


Depth of stone required below
distribution pipe 4.0 feet

- ELEVATIONS
A. BASEMENT: 577.5'
B. FIRST FLOOR: 586.5'
C. INVERT OUT OF HOUSE: 580.0'
D. INVERT INTO SEPTIC TANK: 579.5'
E. INVERT OUT OF SEPTIC TANK: 579.2'
F. INVERT INTO DISTRIBUTION BOX: 579.0'
G. INVERT INTO TRENCH: 578.7'
H. EXISTING GRADE AT SEPTIC TANK: 582.0'
I. EXISTING GRADE AT DISTRIBUTION BOX: 581.2'
J. EXISTING GRADE AT TRENCH: 581.2'
K. ELEVATION AT WELL AT GRADE: 585.6'
- PROPERTY INFO.: CLARKS WOODS I
LOT 3
ZONING RC-DEO

BUILDER: TRADITION HOME BUILDERS INC.
4540 TEN OAKS ROAD
DAYTON, MARYLAND, 21036
410-531-9203

PREPARED BY:
MARKS & ASSOCIATES
4531 COLLEGE AVENUE
ELLCOTT CITY, MARYLAND 21043
PLAN SCALE: 1" = 60'

410-747-8738
Eric Marks



Approved Septic System Plan
Howard County Health Department

Kimberly Maisto 7.15.98
Signature Date

C1 **9547** SEQUENCE NO. (MDE USE ONLY)
 (THIS NUMBER IS TO BE PUNCHED IN EGLS 3-6 ON ALL CARDS.)
 ST/CO USE ONLY DATE RECEIVED **012098**
 DATE WELL COMPLETED **121197**

STATE OF MARYLAND WELL COMPLETION REPORT
 FILL IN THIS FORM COMPLETELY PLEASE PRINT OR TYPE
 Depth of Well **225** (TO NEAREST FOOT)

THIS REPORT MUST BE SUBMITTED WITHIN 45 DAYS AFTER WELL IS COMPLETED.
 COUNTY NUMBER **A58125**
 PERMIT NO. FROM "PERMIT TO DRILL WELL" **H0-94-1283**

OWNER **Land marketing consultants**
 STREET OR RFD **Dorsey Mill Rd** TOWN **Greenely**
 SUBDIVISION **Clark Property** SECTION _____ LOT **3**

WELL LOG
 Not required for driven wells
 STATE THE KIND OF FORMATIONS PENETRATED, THEIR COLOR, DEPTH, THICKNESS AND IF WATER BEARING
 DESCRIPTION (Use additional sheets if needed) FEET FROM TO check if water bearing
 Overburden 0 38
 Gray Rock 38 225 x
 water was encountered at 60 & 210'

GROUTING RECORD
 WELL HAS BEEN GROUTED (Circle Appropriate Box) **Y** **N**
 TYPE OF GROUTING MATERIAL (Circle one)
 CEMENT **CM** BENTONITE CLAY **BC**
 NO. OF BAGS **10** NO. OF POUNDS **1000**
 GALLONS OF WATER **600**
 DEPTH OF GROUT SEAL (to nearest foot)
 from **0** ft. to **40** ft.
 (enter 0 if from surface)

CASING RECORD
 casing types insert appropriate code below
ST STEEL **CO** CONCRETE
PL PLASTIC **OT** OTHER

MAIN CASING TYPE
 Nominal diameter (nearest inch)! Total depth of main casing (nearest foot)
PL **6** **45**

OTHER CASING (if used)
 diameter inch depth (feet) from to

SCREEN RECORD
 screen type or open hole insert appropriate code below
ST STEEL **BR** BRASS BRONZE **HO** OPEN HOLE
PL PLASTIC **OT** OTHER

NUMBER OF UNSUCCESSFUL WELLS: **0**
 WELL HYDROFRACTURED **Y** **N**

CIRCLE APPROPRIATE LETTER
A A WELL WAS ABANDONED AND SEALED WHEN THIS WELL WAS COMPLETED
E ELECTRIC LOG OBTAINED
P TEST WELL CONVERTED TO PRODUCTION WELL
 I HEREBY CERTIFY THAT THIS WELL HAS BEEN CONSTRUCTED IN ACCORDANCE WITH COMAR 26.04.04 "WELL CONSTRUCTION" AND IN CONFORMANCE WITH ALL CONDITIONS STATED IN THE ABOVE CAPTIONED PERMIT, AND THAT THE INFORMATION PRESENTED HEREIN IS ACCURATE AND COMPLETE TO THE BEST OF MY KNOWLEDGE

TYPE: **MWD/MSD/MGD 309**
 DRILLERS LIC. NO. **Paul M. [Signature]**
 DRILLERS SIGNATURE (MUST MATCH SIGNATURE ON APPLICATION)
 LIC. NO. **MWD009**
Allen Capta


C2
 DEPTH (nearest ft.)
H0 **45** **225**
 SLOT SIZE 1 _____ 2 _____ 3 _____
 DIAMETER OF SCREEN _____ (NEAREST INCH)

GRAVEL PACK IF WELL DRILLED WAS FLOWING WELL INSERT F IN BOX 68

MDE USE ONLY (NOT TO BE FILLED IN BY DRILLER)
 T (E.R.O.S.) W Q
 70 _____ 72 _____ 74 75 76 _____
 TELESCOPE CASING LOG INDICATOR OTHER DATA

C3
PUMPING TEST
 HOURS PUMPED (nearest hour) **3**
 PUMPING RATE (gal. per min.) **11.1**
 METHOD USED TO MEASURE PUMPING RATE **Submersible**
 WATER LEVEL (distance from land surface)
 BEFORE PUMPING **7** ft.
 WHEN PUMPING **8** ft.
 TYPE OF PUMP USED (for test)
A air **P** piston **T** turbine
C centrifugal **R** rotary **O** other (describe below)
J jet **S** submersible

PUMP INSTALLED
 DRILLER WILL INSTALL PUMP (CIRCLE) (YES or NO) **NO**
 IF DRILLER INSTALLS PUMP, THIS SECTION MUST BE COMPLETED FOR ALL WELLS.
 TYPE OF PUMP INSTALLED PLACE (A,C,J,P,R,S,T,O) IN BOX 29
 CAPACITY: GALLONS PER MINUTE (to nearest gallon) _____
 PUMP HORSE POWER _____
 PUMP COLUMN LENGTH (nearest ft.) _____
 CASING HEIGHT (circle appropriate box and enter casing height)
+ above LAND SURFACE (nearest foot)
- below _____



B 1 0628

SEQUENCE NO. (MDE USE ONLY)

STATE OF MARYLAND PERMIT TO DRILL WELL please print or type

STATE PERMIT NUMBER

HO-94-1283 fill in this form completely

(THIS NUMBER IS TO BE PUNCHED IN CQLS. 3-6 ON ALL CARDS)

Date Received (APA)

09/16/97

OWNER INFORMATION

Land Marketing Cons. Hants

3243 Bethany Lane

Elliott City MD 21043

B 3 LOCATION OF WELL

Howard

Clark Property

SECTION 44 46 LOT 3 48 50

Celeneg

MILES FROM TOWN (enter 0 if in town) 1 MI

DRILLER INFORMATION


Paul M. Fabiszak MW D 399

G. Edgar Harr Sons' Corp

12047 Falls Rd Cockeysville 21030

Signature Date 9/15/97

B 4 DIRECTION OF WELL FROM TOWN (CIRCLE BOX)



Dorsey Mill Road

ON WHICH SIDE OF ROAD (CIRCLE APPROPRIATE BOX)

400 DISTANCE FROM ROAD

TAX MAP: BLK: PARCEL

B 2 WELL INFORMATION

APPROX. PUMPING RATE (GAL. PER MIN.) 5

AVERAGE DAILY QUANTITY NEEDED (GAL. PER DAY) 750

USE FOR WATER (CIRCLE APPROPRIATE BOX)

- Home (single or double household unit only)
Farming (livestock watering & agricultural irrigation)
Industrial, commercial, state and federal gov. other
Public or private water company
Test, observation, monitoring

NOT TO BE FILLED IN BY DRILLER HEALTH DEPARTMENT APPROVAL

Howard A 58125 COUNTY NAME COUNTY NO.

DATE ISSUED 9/18/97 CO SIGNATURE EXP. DATE

NORTH GRID 521 000 EAST GRID 0793 000

APPROXIMATE DEPTH OF WELL 250 FEET

APPROXIMATE DIAMETER OF WELL 6 INCH NEAREST INCH

METHOD OF DRILLING (circle one)

- Bored (or Augered) JETTED Jetted & DRIVEN
AIR-ROTARY AIR-PERCussion ROTARY (Hydraulic Rotary)
CABLE REVERSE-ROTARY DRIVE-POINT

REPLACEMENT OR DEEPEMED WELLS (CIRCLE APPROPRIATE BOX)

- This well will not replace an existing well
This well will replace a well that will be abandoned and sealed
This well will replace a well that will be used as a standby-contact local approving authority for policy on standby wells
This well will deepen an existing well


PERMIT NUMBER OF WELL TO BE REPLACED OR DEEPEMED (IF AVAILABLE): 41

Not to be filled in by driller (MDE OR COUNTY USE ONLY)


APPROX. PERMIT NUMBER FORCE DS PERMIT No. HO-94-1283


SPECIAL CONDITIONS

NOTE - APPROVING AUTHORITIES SHOULD USE SEPARATE SHEET IF NEEDED



DRAW A SKETCH BELOW SHOWING LOCATION OF WELL IN RELATION TO NEARBY TOWNS AND ROADS AND GIVE DISTANCE FROM WELL TO NEAREST ROAD JUNCTION





HOWARD COUNTY HEALTH DEPARTMENT
Bureau of Environmental Health
3525-H Ellicott Mills Drive
Ellicott City, MD 21043
461-9933

APPLICATION FOR PITLESS ADAPTER, WELL PUMP AND PRESSURE TANK INSTALLATION

New Installation
Replacement

Receipt # _____
Date 11-28-98

Name of Installer Master Mechanical

Telephone 410-746-8583

License Number 3260

Certified Well Pump Installer _____ Well Driller _____ Registered Plumber _____

Name of Property Owner Tradition Home Bldrs Telephone 410 531 9203

Subdivision Clarks Wood Lot # 3/Sec Well Tag # HO-94-1283

Site Address 14401 Dorsey Mill Rd

Pump

- Type
 - Deep well jet _____
 - Shallow well jet _____
 - Submersible
- Make Jacuzzi
- Model # TSS4513 B-52
- Capacity 5 GPM

Motor

- Horsepower 1/2
- RPM 3450
- Voltage _____
 - 110 _____
 - 220

Pitless Adapter

- Make Hayward
- Model # PT 800
- Depth 48"

- Pump exceeds well capacity Yes _____ No
- If Yes, is low pressure cutoff switch installed? Yes _____ No _____
- What methods are used to protect the pump and electrical wiring from vibrations? Torque arrestors Cable guards Other _____

Tank

- Capacity 80 gallon
- Pressure relief valve? Yes

Piping

- Type Polyethylene
- Size 1"
- NSF and/or BOCA Code approved Yes
- Depth of supply line 48"

Well data

- Depth 225 ft.
- Yield 11.5 GPM
- Static water level 70 ft.
- Will water supply be disinfected by installer? Yes

I understand that it is my responsibility to notify the Howard County Health Department when the installation is ready for inspection (otherwise this permit is null and void).

All information given above is true to the best of my knowledge.

Signature of Applicant: [Signature]

Date: 11-28-98

Note: A sticker indicating approval/status of the installation will be placed on the well casing at the time of the inspection.

KM
10/23/98 P.A. 4.5' B.G.
CASING 1' A.G.
NEEDS 2-PC CAP & CONDUIT PIPE
REPAIRED PER BLDG 4/16/99

A 58125 - NOT IN FILE
 3607IC SYSTEM
 SET SITE PLAN WAS OBTAINED FROM THIS OFFICE

APPLICATION

HOWARD COUNTY

PERMIT APPLICATION

DEPARTMENT OF INSPECTIONS, LICENSES & PERMIT
 3430 COURT HOUSE DRIVE, ELLICOTT CITY, MARYLAND 21043

SERIAL NUMBER
 B00119063

14401

4825
 32
 59
 TOTAL

BUILDING ADDRESS (HOUSE NO., STREET, TOWN OR AREA)
 14401 Dorsey Mill Road
 Glenwood, MD 21738

GRADING/SEDIMENT CONTROL YES NO
 SDP #

DESCRIPTION OF WORK AUTHORIZED
 Screened porch ^{16x20} addition, (basement finishing to create rec room - dry wall)

LOT NO.	PARCEL NO.	SEC.	AREA	BLOCK NO.	LIBER	FOLIO
3	8123	-	-	17	-	-
SUB DIVISION		ZONE	ZONE MAP	ELEC. DIST.	CENSUS TR.	
Clarks Woods I		R-21		4	6040	

OWNER NAME AND ADDRESS
 Eugene & Caroline Willis
 14410 Dorsey Mill Road
 Glenwood, MD 21738

SIZE OF BLDG.	FRONT	DEPTH	HEIGHT
Screen porch	16'	20'	15'

OCCUPANT'S NAME AND ADDRESS
 Same as Owner

TYPE OF BLDG.	AREA	VOLUME	ROOF
B. ROOMS ROOMS BATHS FIREPLACES	320		

ARCHITECT OR ENGINEER'S NAME AND ADDRESS
 GMA&D, Inc.
 PO Box 1522
 Columbia, MD 21044

FOOTINGS	FOUNDATION	S. WALLS
Conc.	Conc	

CONTRACTOR'S NAME AND ADDRESS
 Bob Lobel

UTILITIES				
WATER	WELL	SEWER	SEPTIC	AC

EXISTING USE
 Residence

PROPOSED USE
 Residence

I have carefully examined and read this application and know the same is true and correct, and that is doing this work, all provisions of Howard County Ordinances and the State Laws of Maryland will be complied with, whether specified or not; and I will notify the Department of Inspections, and Permits twenty-four hours in advance when I am ready for the inspections called for elsewhere in the application; and that no work will be covered up until such inspections have been completed with.

Agent *[Signature]*
 TITLE SIGNATURE DATE
 6/30/99

EST. CONSTRUCTION COST
 \$25,000 EXEMPT ITEMS

LICENSE NUMBER

PERMIT FEE
 732

FOR OFFICE USE ONLY

W/S CODE

DISTANCE IN FEET FROM RW LINE TO FRONT BUILDING LINE 1-3

SIDE YARD (DISTANCE IN FEET FROM SIDE BLDG. LINE TO SIDE PROPERTY LINE)

TO SIDE BUILDING LINE

DISTANCE IN FEET, REAR YD. REQUIRING SET

BACK (CORNER LOT ONLY)

SDP #

Check payable to: DIRECTOR OF FINANCE OF HOWARD COUNTY

FUNCTION	DATE	SIGNATURE APPROVAL
ZONING/PLANNING	X	
SHA		
SEDIMENT/GRADING		
BUILDING OFFICIAL	7/1/99	<i>[Signature]</i>
WATER & SEWER		
HEALTH DEPT.	7/1/99	<i>[Signature]</i>
FIRE PROTECTION		
STORM WATER MGM.	X	

CAUTION
 To begin construction before a permit placard has been issued and displayed on the job is a violation of the law.
 Use and occupancy permit must be applied for two weeks before it will be issued.

IMPORTANT: PLEASE SHOW ZIP CODES AND AREA CODES WHEREVER REQUIRED.

LP-69-591

APPROVED DATE

Distribution of Copies:
 White - Building Official
 Green - Planning & Zoning
 Yellow - Engineering
 Pink - Health Dept
 Gold - S.H.A.

