

WR-W-6 (7)

3347
SEQUENCE NO. (DWR USE ONLY)
IS (SEQ. NO.)
(THIS NUMBER IS TO BE PUNCHED IN COLS. 29 ON ALL CARDS)

STATE OF MARYLAND
WATER RESOURCES ADMINISTRATION
TAWES STATE OFFICE BLDG., ANNAPOLIS, MD. 21401
WELL COMPLETION REPORT

THIS REPORT MUST BE SUBMITTED WITHIN 30 DAYS AFTER WELL COMPLETION
FILL IN THIS FORM COMPLETELY
COUNTY NUMBER

DATE RECEIVED (DWR USE ONLY)
8-13

DATE WELL COMPLETED Mar 27, 73
DEPTH OF WELL 130
22 (TO NEAREST FOOT) 26

PERMIT NO. FROM "PERMIT TO DRILL WELL"
40-23-0402
28 29 30 31 32 33 34 35 36 37
DRILLERS IDENTIFICATION NO. 238

OWNER Holmes LAST NAME Stephens FIRST NAME
STREET OR RFD Washington Blvd. POST OFFICE Lanham, Md.

WELL LOG
STATE THE KIND OF FORMATIONS PENETRATED, THEIR COLOR, DEPTH, THICKNESS AND IF WATER BEARING

DESCRIPTION (USE ADDITIONAL SHEETS NECESSARY)	FEET		CHECK IF WATER BEARING
	FROM	TO	
<u>Brownstone</u>	<u>0</u>	<u>20</u>	
<u>gray granite</u>	<u>20</u>	<u>130</u>	

GROUTING RECORD YES NO
WELL HAS BEEN GROUTED (CIRCLE APPROPRIATE BOX) Y N
TYPE OF GROUTING MATERIAL (CIRCLE BOX)
CEMENT C M BENTONITE CLAY B C
NO. OF BAGS 6 NO. OF POUNDS 564
GALLONS OF WATER 3.0
DEPTH OF GROUT SEAL (TO NEAREST FOOT)
FROM 0 FT. TO 12 FT.
(ENTER 0 IF FROM SURFACE)

CASING RECORD
(INSERT APPROPRIATE CODE BELOW)
STEEL S T CONCRETE C O
PLASTIC P L OTHER O T
MAIN CASING TYPE ST NOMINAL DIAMETER TOP (MAIN) CASING (NEAREST INCH) 6.4 TOTAL DEPTH OF MAIN CASING (NEAREST FOOT) 25
60 61 63 64 66 70

OTHER CASING (IF USED)
DIAMETER (INCH) DEPTH (FEET) FROM TO

SCREEN RECORD
(INSERT APPROPRIATE CODE BELOW)
STEEL S T BRASS B R OPEN HOLE H O
OR BRONZE PL PLASTIC P L OTHER O T

DEPTH (NEAREST WHOLE FOOT)
FROM TO
1 2 3 (SEQ. NO.) 6
EACH SCREEN
1 8 9 1 15 17 21
2 23 24 26 30 32 36
3 38 39 41 45 47 51
SLOTSIZE 1. 2. 3.

CIRCLE APPROPRIATE BOXES
 A WELL WAS ABANDONED AND SEALED WHEN THIS WELL WAS COMPLETED
 E ELECTRIC LOG OBTAINED
 P TEST WELL CONVERTED TO PRODUCTION WELL

I HEREBY CERTIFY THAT I HAVE COMPLIED WITH ALL CONDITIONS STATED ON THE ABOVE-CAPTIONED "PERMIT TO DRILL WELL", AND THAT INFORMATION CONTAINED IN THIS REPORT IS TRUE, ACCURATE, AND COMPLETE TO THE BEST OF MY KNOWLEDGE, INFORMATION AND BELIEF.
DRILLERS NAME Joseph M. Myer
(PLEASE PRINT)
SIGNATURE Joseph M. Myer

DIAMETER OF SCREEN 56 (NEAREST INCH) FROM TO
GRAVEL PACK
IF WELL DRILLED WAS A FLOWING WELL CIRCLE BOX F
DWR USE ONLY (NOT TO BE FILLED IN BY DRILLER) (E.R.O.S.)
70 72 74 75 76
TELESCOPE CASING LOG INDICATOR OTHER DATA AVAILABLE

PUMPING TEST
1 2 3 (SEQ. NO.) 6
HOURS PUMPED (TO NEAREST HOUR) 2
PUMPING RATE (GALLONS PER MINUTE TO NEAREST GALLON) 30
METHOD USED TO MEASURE PUMPING RATE 11111
WATER LEVEL: (DISTANCE FROM LAND SURFACE)
BEFORE PUMPING 17 (NEAREST FOOT) 45
WHEN PUMPING 22 (NEAREST FOOT) 45
TYPE OF PUMP USED (CIRCLE APPROPRIATE BOX) (FOR PUMPING TEST)
A AIR 27 P PISTON 27 T TURBINE 27
C CENTRIFUGAL 27 R ROTARY 27 O OTHER (DESCRIBE BELOW) 27
J JET 27 S SUBMERSIBLE 27

PUMP INSTALLED
TYPE OF PUMP (WRITE APPROPRIATE LETTER IN BOX - SEE ABOVE: A, C, J, P, R, S, T, O)
YES NO
DRILLER WILL INSTALL PUMP (CIRCLE APPROPRIATE BOX) Y N
CAPACITY: GALLONS PER MINUTE (TO NEAREST GALLON) 31 38
PUMP HORSE POWER 37 41
PUMP COLUMN LENGTH (NEAREST FOOT) 43 47

CASING HEIGHT (CIRCLE APPROPRIATE BOX AND ENTER CASING HEIGHT)
+ ABOVE LAND SURFACE (NEAREST FOOT)
- BELOW 2 (NEAREST FOOT)
49 50 51

LOCATION OF WELL ON LOT
SHOW PERMANENT STRUCTURE SUCH AS BUILDINGS, SEPTIC TANKS, AND/OR OTHER LAND MARKS AND INDICATE NOT LESS THAN TWO DISTANCES (MEASUREMENTS TO WELL).

Handwritten notes and signatures: Holmes, Back, Stephens