

C1 7698

SEQUENCE NO. (DENV USE ONLY)

STATE OF MARYLAND WELL COMPLETION REPORT

FILL IN THIS FORM COMPLETELY PLEASE PRINT OR TYPE

THIS REPORT MUST BE SUBMITTED WITHIN 45 DAYS AFTER WELL IS COMPLETED.

COUNTY NUMBER A-49612

ST/CO USE ONLY DATE Received

DATE WELL COMPLETED

Depth of Well

PERMIT NO. FROM "PERMIT TO DRILL WELL"

DATE Received grid

DATE WELL COMPLETED grid: 040813

Depth of Well grid: 245 (TO NEAREST FOOT)

PERMIT NO. grid: 10-72-0334

OWNER: MOLNER last name, RUDY first name; STREET OR RFD: ED WARFIELD RD; TOWN: LISBON; SUBDIVISION: AFRICAN PROPERTY; SECTION: ; LOT: 1

WELL LOG Not required for driven wells

STATE THE KIND OF FORMATIONS PENETRATED, THEIR COLOR, DEPTH, THICKNESS AND IF WATER BEARING

Table with columns: DESCRIPTION (Use additional sheets if needed), FEET (FROM, TO), Check if water bearing. Includes handwritten entries: Brown sand 80, Blue rock 80, 245.

GROUTING RECORD

WELL HAS BEEN GROUTED (yes Y, no N); TYPE OF GROUTING MATERIAL: CEMENT CM, BENTONITE CLAY BC; NO. OF BAGS: 31; NO. OF POUNDS: 2114; GALLONS OF WATER: 136; DEPTH OF GROUT SEAL: from 0 to 50 ft.

CASING RECORD

MAIN CASING TYPE: ST (STEEL); Nominal diameter: 6 inches; Total depth: 84 feet; OTHER CASING: none.

Table for OTHER CASING (if used) with columns for diameter (inch) and depth (feet).

SCREEN RECORD

screen type or open hole: HO (OPEN HOLE); SLOT SIZE: 1, 2, 3; DIAMETER OF SCREEN: 6 inches; DEPTH OF SCREEN: 68 inches.

Table for DEPTH (nearest ft.) with columns for each casing and screen depth.

- A WELL WAS ABANDONED AND SEALED WHEN THIS WELL WAS COMPLETED
E ELECTRIC LOG OBTAINED
P TEST WELL CONVERTED TO PRODUCTION WELL

I HEREBY CERTIFY THAT THIS WELL HAS BEEN CONSTRUCTED IN ACCORDANCE WITH COMAR 26.04.04 "WELL CONSTRUCTION" AND IN CONFORMANCE WITH ALL CONDITIONS STATED IN THE ABOVE CAPTIONED PERMIT...

DRILLERS IDENT. NO. 237

DRILLERS SIGNATURE (MUST MATCH SIGNATURE ON APPLICATION)

SITE SUPERVISOR (sign. of driller or journeyman responsible for sitework if different from permittee)

GRAVEL PACK IF WELL DRILLED WAS FLOWING WELL INSERT F IN BOX 68

OEP USE ONLY (NOT TO BE FILLED IN BY DRILLER) T (E.R.O.S.), WQ (74, 75, 76)

TELESCOPE CASING LOG INDICATOR OTHER DATA

PUMPING TEST

HOURS PUMPED (nearest hour): 3; PUMPING RATE (gal. per min. to nearest gal.): 12; METHOD USED TO MEASURE PUMPING RATE: Bucket; WATER LEVEL (distance from land surface) BEFORE PUMPING: 35; WHEN PUMPING: 89; TYPE OF PUMP USED (for test): S (submersible)

PUMP INSTALLED

DRILLER WILL INSTALL PUMP (CIRCLE) (YES NO); TYPE OF PUMP INSTALLED: S; CAPACITY: GALLONS PER MINUTE; PUMP HORSE POWER; PUMP COLUMN LENGTH; CASING HEIGHT (circle appropriate box and enter casing height): + above, 21 below; LAND SURFACE: 21 (nearest foot)

LOCATION OF WELL ON LOT SHOW PERMANENT STRUCTURE SUCH AS BUILDING, SEPTIC TANKS, AND/OR LANDMARKS AND INDICATE NOT LESS THAN TWO DISTANCES (MEASUREMENTS TO WELL)

See Attached Well Location (handwritten note with arrow pointing to location)