

8/23/01 - Layout 11am

8/27/01 - pm

Final

ISSUE DATE: 8/22/2001

APPROVAL DATE: 8/27/01

# PERMIT

## INDEXED

P 515998-D

A 59868

### ON-SITE SEWAGE DISPOSAL SYSTEM HOWARD COUNTY HEALTH DEPARTMENT BUREAU OF ENVIRONMENTAL HEALTH **03-333973**

Fogles Septic Clean, Inc IS PERMITTED TO INSTALL  ALTER

ADDRESS: 580 Obrecht Road, Sykesville PHONE NUMBER: 410-795-5670

SUBDIVISION: The Paddocks LOT NUMBER: 28

ADDRESS: 13704 Bold Venture Drive PROPERTY OWNER: ARVINDER SINGH BAVATIA  
Pulte Home Co

SEPTIC TANK CAPACITY (GALLONS): 1250 (TOPSEAM)

PUMP CHAMBER CAPACITY (GALLONS): N/A

NUMBER OF BEDROOMS: 4

SQUARE FEET PER BEDROOM: 240 180

LINEAR FEET OF TRENCH REQUIRED: 320 180'

*FUTURE SYSTEMS SHALLOW*

TRENCHES: <i>8.0</i>	Trench to be <i>2</i> feet wide. Inlet 4.0 feet below original grade. Bottom maximum depth <i>6.5</i> feet below original grade. Effective area begins at 4.0 feet below original grade. <i>2.0</i> feet of stone below distribution pipe.
LOCATION:	Begin trenches 210 feet up the left lot line and 60 feet off that same lot line as seen when facing the lot from Bold Venture Drive. Run trenches on contour toward the left lot line.
NOTES:	

PLANS APPROVED: Amy Mc Millen ON SRK 6/25/01 DATE: 6-19-01

- NOTE: PERMIT VOID AFTER 2 YEARS
- NOTE: CONTRACTOR RESPONSIBLE FOR SCHEDULING A PRE-CONSTRUCTION INSPECTION FOR ALL INSTALLATIONS
- NOTE: WATERTIGHT SEPTIC TANKS REQUIRED
- NOTE: ALL PARTS OF SEPTIC SYSTEM SHALL BE 100 FEET FROM ANY WATER WELL
- NOTE: MANHOLE RISERS REQUIRED ON ALL SEPTIC TANKS AND PUMP CHAMBERS

**NEITHER THE HOWARD COUNTY COUNCIL NOR THE HEALTH DEPARTMENT IS RESPONSIBLE FOR THE SUCCESSFUL OPERATION OF ANY SYSTEM PERMITTEE RESPONSIBLE FOR OBTAINING FINAL APPROVAL ON THIS PERMIT CALL 410-313-2640 FOR INSPECTION OF SEPTIC SYSTEM**

**BUILDING PERMIT SIGNED AND RETURNED**

122/03 800 140065 DECK

P 515998-D

