

OWNER INFORMATION
 Date Received (APA) 020999
 8 MM DD YY 13
Patuxent Builders Inc
 15 Last Name Owner First Name 34
P.O. Box 906
 36 Street or RFD 55
Savage Md. 20763
 57 Town 70 State 72 Zip 76

DRILLER INFORMATION
Joseph L. Mayne M S D 024
 Driller's Name 76 License No. 81
Joseph L. Mayne Well Drilling
 Firm Name
5512 Ridge Rd. Mt. Airy Md 21111
 Address
Joseph L. Mayne 2/9/99
 Signature Date

WELL INFORMATION
 APPROX. PUMPING RATE 5
 (GAL. PER MIN.) 8 12
 AVERAGE DAILY QUANTITY NEEDED 500
 (GAL. PER DAY) 14 20

USE FOR WATER (CIRCLE APPROPRIATE BOX)

D DOMESTIC POTABLE SUPPLY & RESIDENTIAL IRRIGATION

F FARMING (LIVESTOCK WATERING & AGRICULTURAL IRRIGATION)

I INDUSTRIAL, COMMERCIAL, DEWATERING

P PUBLIC WATER SUPPLY WELL

T TEST, OBSERVATION, MONITORING

G GEO-THERMAL

APPROXIMATE DEPTH OF WELL 300 FEET
 24 28

APPROXIMATE DIAMETER OF WELL 6 INCH
 NEAREST

METHOD OF DRILLING (circle one)

BORED (or Augered) JETTED Jetted & DRIVEN

AIR-ROTary AIR-PERCussion ROTARY (Hydraulic Rotary)

CABLE REVERSE-ROTary DRIVE-POINT

other _____

REPLACEMENT OR DEEPEMED WELLS (CIRCLE APPROPRIATE BOX)

N THIS WELL WILL NOT REPLACE AN EXISTING WELL

Y THIS WELL WILL REPLACE A WELL THAT WILL BE ABANDONED AND SEALED

S THIS WELL WILL REPLACE A WELL THAT WILL BE USED AS A STANDBY-CONTACT LOCAL APPROVING AUTHORITY FOR POLICY ON STANDBY WELLS

D THIS WELL WILL DEEPEM AN EXISTING WELL

PERMIT NUMBER OF WELL TO BE REPLACED OR DEEPEMED (IF AVAILABLE) 41 _____ 52

Not to be filled in by driller (MDE OR COUNTY USE ONLY)

APPROP. PERMIT NUMBER 54 G A P 63

PERMIT No. HO-94-2130
 70 71 72 73 74 75 76 77 78 79

LOCATION OF WELL
Howard
 8 COUNTY 21
Rosebar
 23 SUBDIVISION 42
 SECTION _____ LOT 22
 44 46 48 50
Glennwood
 52 NEAREST TOWN 71
 MILES FROM TOWN (enter 0 if in town) 1 1/2 M I
 73 76 77 78

DIRECTION OF WELL FROM TOWN (CIRCLE BOX)

North Road
 11 NEAR WHAT ROAD 30

ON WHICH SIDE OF ROAD (CIRCLE APPROPRIATE BOX)

NORTH
 WEST
 EAST
 SOUTH

34 20 37
 DISTANCE FROM ROAD ENTER FT OR MI 38 39
FT

TAX MAP: _____ BLK: _____ PARCEL _____

NOT TO BE FILLED IN BY DRILLER HEALTH DEPARTMENT APPROVAL

Howard Co COUNTY NAME A57679K COUNTY NO.

STATE SIGNATURE _____ INSERT S → 41

DATE ISSUED 021799 A M J M L L 021700

43 MM DD YY 48 CO SIGNATURE _____ EXP. DATE

NORTH GRID 530 0 0 0 EAST GRID 790 0 0 0
 50 55 57 63


SHOW MAJOR FEATURES OF BOX & LOCATE WELL WITH AN X CANCELLED 3/26/99

SOURCES OF DRILLING WATER
 1. WELL
 2. _____
 3. _____

WRITE THE BOX NUMBER FROM THE MAP HERE

E 790
 N 530

000
 000



**HOWARD COUNTY HEALTH DEPARTMENT
BUREAU OF ENVIRONMENTAL HEALTH
WATER AND SEWERAGE PROGRAM
TEL: (410)313-2640 FAX: (410)313-2648**

Information Form for the Installation of the Well Pump, Pitless Adapter, and Supply Piping

NOTE: The installer is responsible for requesting an inspection prior to 9 am on the day of the desired inspection. No work is to be covered until approved by the Health Department. All installations must comply with the National Standard Plumbing Code (NSPC, as amended locally) and COMAR 26.04.04 (MD Well Construction Regulations). Submission of a complete form is required prior to Use and Occupancy approval.

Company Name: Baske P&H Inc Telephone #: 410-521-8139
Address: P.O. Box 1247
Supersville Md 21784

(Must circle one) Licensed Plumber Licensed Well Driller Licensed Well Pump Installer
License # and name of individual responsible for the field installation:
Name (Print): JOHN GASKE License# 3189

*A licensed individual must perform the actual installation. Apprentices must be under the supervision of a licensed journeyman or master plumber, pump installer or well driller. Licenses may be subjected to field verification. Unlicensed individuals may be reported to the appropriate licensing agency.

Name of Property Owner: Patuxent Builders Telephone #: 442-4691
Subdivision: 3010 Rosebar Lot #: 22 Well Tag #: HO-94-2130
Site Address: Hobbs Rd

<u>Submersible Pump Data</u>	<u>Pitless Adapter</u>	<u>Well Cap and Electric Conduit</u>
Make: <u>Goulds</u>	Make: <u>BX10</u>	Two piece watertight cap: <u>yes</u>
Model #: <u>5G507412</u>	Model#: <u>BX10</u>	Screened, vented well cap: <u>✓</u>
Pump Capacity <u>5</u> GPM	Depth: <u>42</u> 36" min)	Cap secured to casing: <u>✓</u>
Well Yield: <u>12</u> GPM	NSF/WSC approved: <u>yes</u>	Conduit min 18" B.G.: <u>✓</u>
Depth of well encountered at time of pump installation: _____ (feet)		Conduit secured to well cap: <u>✓</u>
If pump capacity exceeds well yield, a low water cut off switch is required by NSPC 1990 Section 17.8.4		
Torque arrestors, Cable guards, or other acceptable method used- Must circle one		
Safety rope, if used, attached to brass rope adapter or other acceptable method <u>inside of well casing</u>		

<u>Piping to house</u>	<u>House Connection</u>
Type: <u>Charter Plastic Inc</u>	PVC sleeve to undisturbed soil at wall penetration: <u>yes</u>
PSI: <u>160</u> (160 psi min)	Approximate length of sleeve: <u>5'</u>
Depth of supply line: <u>42"</u> (36" min)	Sleeve caulked and sealed properly: <u>yes</u>

The water supply line is required to be at least ten feet from the septic tank, pump chamber, sewage piping, distribution box, drainfields, and sewage reserve area. If this cannot be accomplished, contact this office for approval prior to installation.

Signature of John Gaske company representative responsible for installation date 5/03/01

For Health Department Use Only - Not to be completed by Installer

Date Insp. Requested: 5/4/01 Date Insp. Approved: 5/4/01 Inspector: DCC

Inspection Data: Pitless adapter watertight & water supply line at least 36" below grade	<u>✓</u>
Two piece cap installed and attached to casing securely	<u>✓</u>
Elec. conduit extends at least 18" below grade/attached to cap properly	<u>✓</u>
Safety rope not seen outside of well cap/casing	<u>✓</u>
Correct well tag attached properly and casing 8" above finished grade	<u>✓</u>
Water supply line sleeved adequately at house connection	<u>✓</u>
Adequate grout observed below pitless adapter	<u>✓</u>

DENNIS L. HUBBARD
1056/687
HUBBARD PROPERTY, LOT 1

JEFFREY PETER & MARY KATHERINE GILLIS
2665/644
GLENWOOD SPRINGS, LOT 13

STANTON & ANNE C. LEVINE
2025/429
HOBSON'S CHOICE, LOT 1

BGE354502

ANTHONY B. & REBECCA P. MCCLENNY
3015/194
WINDSOR FARM ESTATES, LOT 1

NOTE: WELLS ARE TO BE LOCATED
OF 15' FROM THE ROAD RIGHT

FRANCIS & PHYLLIS J. DONOHUE
1356/555
WINDSOR FARM ESTATES, LOT 1

ChA
(B)

ChB2
(B)

LOT 10

38°E
30' BRL

670.42'

S72°06'17"E 378.17' TRANSCO GAS

FILLER PIPES
GAS PUMPS
WELL

UNDG. ELEC.

6

BRICK HOUSE

LOT 22

LOT 21

LOT 20

5

*217129 well stacked
by 11/20/2002
No site map*

