

PERMIT

approved by
Skinner

P 32112
A 21514

SEWAGE DISPOSAL SYSTEM

MARYLAND STATE DEPARTMENT OF HEALTH

HOWARD COUNTY

ELLICOTT CITY

DISTRICT 4th

DATE August 18, 1982

8/24/82
afternoon please
8/30/82
p.m. please

INDEXED

Pat Lendrim IS PERMITTED TO INSTALL ALTER

ADDRESS 14010 Forsythe Road, Sykesville, Md. 21784 PHONE 442-2416

SUBDIVISION Forsythe Heights ROAD Off Monticello Dr. LOT 13C, 8A, 8B combine

PROPERTY OWNER RICHARD Thomas G. Cyster

ADDRESS 1186 PANAGER 2419 Reelis Drive, Wheaton, Maryland Millersville, Md. 21108

SPECIFICATIONS 3 Bedroom

SEPTIC TANK CAPACITY 1000 GALLONS

DRAIN FIELD _____ DEPTH _____ FEET, BOTTOM AREA _____ SQ. FT.

DEEP TRENCH _____ DEPTH _____ FEET, BOTTOM AREA _____ SQ. FT.

SEEPAGE PITS ABSORBENT SIDE-WALL AREA 161 SQ. FT. per bedroom ~~to begin in the first six to eight~~

INLET PIPE 4 1/2 FT. BELOW ORIGINAL GRADE. MAXIMUM DEPTH 9 1/2 FT. BELOW ORIGINAL GRADE

EFFECTIVE DEPTH AT _____ FT. BELOW ORIGINAL GRADE.

LOCATE DISPOSAL AREA 55 FT. FROM 273.12 ft. LOT LINE AND 40 FT. FROM 150' line LOT LINE AS SEEN WHEN

FACING LOT FROM

DRY WELL & TRENCH

Start the trench after a 5 foot earth buffer with the drywell and proceed to dig trench on level around the necessary distance. Call for inspection of trench before gravel is installed in trench.

PLANS APPROVED BY Frank Skinner DATE 6/29/82

COVER NO WORK UNTIL INSPECTED AND APPROVED.

NEITHER THE HOWARD COUNTY COUNCIL NOR THE HEALTH DEPARTMENT IS RESPONSIBLE FOR THE SUCCESSFUL OPERATION OF ANY SYSTEM.

NOTE: IF TRENCH IS USED CALL FOR INSPECTION BEFORE PLACING GRAVEL IN TRENCH.

NOTE: NO DRY WELL SHALL EXCEED 15 FOOT IN DIAMETER.

NOTE: ALL PIPE FROM HOUSE TO DISPOSAL AREA MUST BE CAST IRON.

PERMIT VOID AFTER THREE YEARS.

NOTE: INSTALL STAND PIPE ON SEPTIC TANK AND DRY WELL. STAND PIPES MUST BE 6 INCHES IN DIAMETER. CAST IRON, CONCRETE OR TERRA COTTA ACCEPTED.

***INSTALLER IS RESPONSIBLE FOR OBTAINING FINAL APPROVAL ON THIS PERMIT.**

BLDG. PERMIT SIGNED AND RETURNED 5/9/84
Serial # 58919
Garage

BLDG. PERMIT SIGNED AND RETURNED 9/13/83
Serial # 55684 - P.M.

21514

