

# PERMIT

17753

## SEWAGE DISPOSAL SYSTEM

### MARYLAND STATE DEPARTMENT OF HEALTH

HOWARD COUNTY

ELLICOTT CITY

DISTRICT 2nd

**INDEXED**

DATE 10/11/73

Willie Hopkins

IS PERMITTED TO INSTALL X ALTER

ADDRESS Jennings Chapel Road, Woodbine, Maryland

PHONE 489-4711

A SEWAGE DISPOSAL SYSTEM LOCATED AT

SUBDIVISION

ROAD behind 10304 Baltimore LOT  
National Pike

PROPERTY OWNER John A. Stump

ADDRESS 3140 Anthony Lane, Ellicott City, Md. Phone: 455-0945

SPECIFICATIONS 3 bedrooms

DRAIN FIELD \_\_\_\_\_ DEPTH \_\_\_\_\_ FEET, BOTTOM AREA \_\_\_\_\_ SQ. FT.

SEEPAGE PITS \_\_\_\_\_ ABSORBENT SIDE-WALL AREA \_\_\_\_\_ SQ. FT.

SEPTIC TANK CAPACITY 1000 GALLONS

FOR GARBAGE GRINDER, INCREASE DISPOSAL AREA 22% & TANK CAPACITY 50%.

OTHER DRY WELL - To have <sup>110</sup> 200 sq. ft. per bedroom. Inlet no deeper than 4 ft. and maximum depth 11 1/2 ft. unless water encountered. House must be at least 20 ft. in front of either front test hole. Locate dry well 100 ft. from rear lot line and 20 ft. from right side line as seen when facing lot from Cemetery Lane.

- NOTE: ALL PIPE FROM HOUSE TO DRY WELL MUST BE CAST IRON.
- PROFIT VOID AFTER THREE YEARS.
- NOTE: INSTALL STAND PIPE ON SEPTIC TANK AND DRY WELL.

PLANS APPROVED BY Charles E. Streaker & P. Frommelt DATE 6/21/73

FILL SEPTIC TANK AND DISTRIBUTION BOX WITH WATER BEFORE CALLING FOR AN INSPECTION. COVER NO WORK UNTIL INSPECTED AND APPROVED.

NEITHER THE HOWARD COUNTY COMMISSIONERS NOR THE HEALTH DEPARTMENT IS RESPONSIBLE FOR THE SUCCESSFUL OPERATION OF ANY SYSTEM.

A 17286



