

C 1 7196
THIS REPORT MUST BE SUBMITTED WITHIN 30 DAYS AFTER WELL COMPLETION
FILL IN THIS FORM COMPLETELY
COUNTY NUMBER 20/88

STATE OF MARYLAND
WATER RESOURCES ADMINISTRATION
TAYES STATE OFFICE BLDG., ANNAPOLIS, MD. 21401
WELL COMPLETION REPORT

DATE RECEIVED (FOR USE ONLY) 8/30/75
DATE WELL COMPLETED 8/30/75
DEPTH OF WELL 300
PERMIT NO. FROM "PERMIT TO DRILL WELL" HC-83-11113
DRILLER'S IDENTIFICATION NO. 209

OWNER TAILORED HOSES INC
LAST NAME FIRST NAME
ADDRESS 6169 Good Man Road
POST OFFICE Columbia, Maryland 21045

WELL LOG
STATE THE KIND OF FORMATIONS PENETRATED, THEIR COLOR, DEPTH, THICKNESS AND IF WATER BEARING

DESCRIPTION (USE ADDITIONAL SHEETS IF NECESSARY)	FEET		CHECK IF WATER BEARING
	FROM	TO	
Mica Sand	0	36	
Mica Schist Rock	36	300	X

Handwritten notes:
35' base
34' open
11 logs
10-3-75 RH
this date are original
well casing was sealed

GROUTING RECORD
WELL HAS BEEN GROUTED (CIRCLE APPROPRIATE BOX) Y N

TYPE OF GROUTING MATERIAL (CIRCLE BOX)
CEMENT CM BC
BENTONITE CLAY BC BC

NO. OF BAGS 10 NO. OF POUNDS 950
GALLONS OF WATER 100

DEPTH OF GROUT SEAL (TO NEAREST FOOT)
FROM 0 FT. TO 36 FT.

CASING RECORD
CASING TYPES (CIRCLE APPROPRIATE CODE BELOW)
STEEL ST CO
CONCRETE PL OT
PLASTIC PL OT

MAIN CASING TYPE S T
NOMINAL DIAMETER TOP MAIN CASING (NEAREST INCH) 6
TOTAL DEPTH OF MAIN CASING (NEAREST FOOT) 36

SCREEN RECORD
SCREEN TYPE (CIRCLE APPROPRIATE CODE BELOW)
STEEL ST BR HO
BRASS OR BRONZE PL OT
PLASTIC PL OT

DEPTH (NEAREST WHOLE FOOT)
FROM 36 TO 300

PUMPING TEST

HOURS PUMPED (TO NEAREST HOUR) 6
PUMPING RATE (GALLONS PER MINUTE TO NEAREST GALLON) 1
METHOD USED TO MEASURE PUMPING RATE TMC

WATER LEVEL: DISTANCE FROM LAND SURFACE BEFORE PUMPING 40 (NEAREST FOOT)
WHEN PUMPING 300 (NEAREST FOOT)

TYPE OF PUMP USED (CIRCLE APPROPRIATE BOX) (SEE PUMPING TEST)
 A AIR P PISTON V VERTICAL
 C CENTRIFUGAL S STAFF O OTHER (DESCRIBE BELOW)
 J JET S SUBMERSIBLE

PUMP INSTALLED

TYPE OF PUMP (WRITE APPROPRIATE LETTER IN BOX - SEE ABOVE) A, C, J, P, S, V, O

DRILLER WILL INSTALL PUMP (CIRCLE APPROPRIATE BOX) Y N

CAPACITY: GALLONS PER MINUTE (TO NEAREST GALLON) 51
PUMP HORSE POWER 37
PUMP COLUMN LENGTH (NEAREST FOOT) 48

CASING HEIGHT (CIRCLE APPROPRIATE BOX AND ENTER CASING HEIGHT)
 ABOVE LAND SURFACE
 BELOW

LOCATION OF WELL ON LOT
SHOW PERMANENT STRUCTURE SUCH AS BUILDINGS, SEPTIC TANKS, AND/OR OTHER LAND MARKS AND INDICATE NOT LESS THAN TWO DISTANCES (MEASUREMENTS TO WELL).

CIRCLE APPROPRIATE BOXES

A WELL WAS ABANDONED AND SEALED WHEN THIS WELL WAS COMPLETED
 E ELECTRIC LOG OBTAINED
 P VERY WELL CONVERTED TO PRODUCTION WELL

I HEREBY CERTIFY THAT I HAVE COMPLIED WITH ALL CONDITIONS STATE ON THE ABOVE CAPTIONED "PERMIT TO DRILL WELL", AND THAT INFORMATION CONTAINED IN THIS REPORT IS TRUE, ACCURATE, AND COMPLETE TO THE BEST OF MY KNOWLEDGE, INFORMATION AND BELIEF.

DRILLER'S NAME
PLEASE PRINT: [Signature]
SIGNATURE

SCREEN RECORD

DEPTH (NEAREST WHOLE FOOT) FROM 36 TO 300

DIAMETER OF SCREEN 55 (NEAREST INCH) FROM 55 TO 55

GRAVEL PACK

IF WELL DRILLED WAS A FLOWING WELL (CIRCLE BOX) F

HOW USE ONLY (DO NOT BE FILLED IN BY DRILLER)
TELEPHONE CASING Y N
LOG INDICATOR Y N
OTHER DATA AVAILABLE Y N