

8/30/85
N66W

PERMIT

P 15713
A 18970

SEWAGE DISPOSAL SYSTEM

MARYLAND STATE DEPARTMENT OF HEALTH

HOWARD COUNTY
BUREAU OF ENVIRONMENTAL HEALTH

ELLCOTT CITY
DISTRICT 4th
DATE 8/26/85

INDEXED

Ken Hatfield IS PERMITTED TO INSTALL ALTER

ADDRESS 11785 Burntwoods Road, Glenolo, MD 21737 PHONE 856-6172

SUBDIVISION Florence Farms ROAD 3120 Cabin Run Road LOT 5

PROPERTY OWNER Doug & Linda Gash

ADDRESS _____

IF GARBAGE GRINDER IS USED INCREASE SEPTIC TANK CAPACITY BY 50% AND ABSORPTION AREA BY 22%

GARBAGE GRINDER? YES _____ NO X

SEPTIC TANK CAPACITY 120 GALLONS NUMBER OF BEDROOMS 4

TRENCHES - 12" dia. 18" per foot. Trench to be 2 feet wide. 1.1st 4 feet below original grade. Bottom rest of Sept. 8 feet below original grade. 4 feet of stone below distribution pipe. LOCATION: Start the first trench 2.5 feet from the front lot line and 140 feet from the right lot line or see site plan for location from the Right-Of-Way. Each trench to be 120 feet long. No trench to exceed 160 feet in length. If more than one trench used, a riser pipe or is required. Call for inspection of trench before and after gravel is installed. Provide 6" diameter cleanout and cap to ground level on septic tank.

PLANS APPROVED BY C. Williams DATE 8/7/85

COVER NO WORK UNTIL INSPECTED AND APPROVED

NEITHER THE HOWARD COUNTY COUNCIL NOR THE HEALTH DEPARTMENT IS RESPONSIBLE FOR THE SUCCESSFUL OPERATION OF ANY SYSTEM.

NOTE IF TRENCH IS USED CALL FOR INSPECTION BEFORE AND AFTER PLACING GRAVEL IN TRENCH

NOTE NO DRY WELL SHALL EXCEED 15 FOOT IN DIAMETER NO ABSORPTION TRENCH TO EXCEED 160 FEET IN LENGTH

NOTE ALL PIPE FROM HOUSE TO SEPTIC TANK MUST BE CAST IRON OR SCHEDULE 40 PVC OR ABS

PERMIT VOID AFTER THREE YEARS

NOTE INSTALL STAND PIPE ON SEPTIC TANK AND DRY WELL STAND PIPES MUST BE 6 INCHES IN DIAMETER CAST IRON, CONCRETE OR TERRA COTTA OR PVC OR ABS ACCEPTED IF TOP OF SEPTIC TANK IS DEEPER THAN 3 FEET MANHOLE TO GRADE REQUIRED

PERMIT VOID
AND RETURNED 10/16/87
Level # 15732
TH

*INSTALLER IS RESPONSIBLE FOR OBTAINING FINAL APPROVAL ON THIS PERMIT