

FORM 814 6/71

3045
PERMIT NO. (WRA USE ONLY)
THIS NUMBER IS TO BE PUNCHED IN COLS. 3-6 ON ALL CARDS

STATE OF MARYLAND
WATER RESOURCES ADMINISTRATION
TAWES STATE OFFICE BLDG., ANNAPOLIS, MD. 21401
WELL COMPLETION REPORT

THIS REPORT MUST BE SUBMITTED WITHIN 30 DAYS AFTER WELL COMPLETION

FILL IN THIS FORM COMPLETELY

COUNTY NUMBER

DATE RECEIVED (WRA USE ONLY)

6/ 7/75

DATE WELL COMPLETED

DEPTH OF WELL

100

22 (TO NEAREST FOOT) 20

PERMIT NO. FROM "PERMIT TO DRILL WELL"

110-75-7097

28 29 30 31 32 33 34 35 36 37

DRILLERS IDENTIFICATION NO. 251

OWNER John Lee R.

LAST NAME

FIRST NAME

STREET OR RFD. 1669 Henryton Rd.

POST OFFICE Marriottsville Rd.

WELL LOG
STATE THE KIND OF FORMATIONS PENETRATED, THEIR COLOR, DEPTH, THICKNESS AND IF WATER BEARING

DESCRIPTION (USE ADDITIONAL SHEETS IF NECESSARY)

20 ft of dirt &
80 ft of Gray rock

WELL DESCRIPTION

GROUTING RECORD

WELL HAS BEEN GROUTED (CIRCLE APPROPRIATE BOX)

Y

N

TYPE OF GROUTING MATERIAL (CIRCLE BOX)

CEMENT C M

BENTONITE CLAY B C

NO. OF BAGS 900 NO. OF POUNDS 900

GALLONS OF WATER 95

DEPTH OF GROUT SEAL (TO NEAREST FOOT)

FROM 0 FT. TO 30 FT.

(ENTER 0 IF FROM SURFACE) 54 58

CASING RECORD

CASING TYPES

S T

C O

STEEL

CONCRETE

P L

O T

PLASTIC

OTHER

MAIN CASING TYPE

NOMINAL DIAMETER TOP (MAIN) CASING (NEAREST INCH)

TOTAL DEPTH OF MAIN CASING (NEAREST FOOT)

6

35

OTHER CASING (IF USED)

DIAMETER (INCH)

DEPTH (FEET) FROM TO

SCREEN RECORD

SCREEN TYPE OR OPEN HOLE

S T

B R

H O

STEEL

BRASS OR BRONZE

OPEN HOLE

P L

O T

PLASTIC

OTHER

C 3

PUMPING TEST

HOURS PUMPED (TO NEAREST HOUR) 2

PUMPING RATE (GALLONS PER MINUTE TO NEAREST GALLON) 6

METHOD USED TO MEASURE PUMPING RATE LOAD METER

WATER LEVEL (DISTANCE FROM LAND SURFACE)

BEFORE PUMPING 35 (NEAREST FOOT)

WHEN PUMPING 50 (NEAREST FOOT)

TYPE OF PUMP USED (CIRCLE APPROPRIATE BOX) (FOR PUMPING TEST)

A AIR

P PISTON

T TURBINE

C CENTRIFUGAL

R ROTARY

O OTHER (DESCRIBE BELOW)

J JET

S SUBMERSIBLE

PUMP INSTALLED

TYPE OF PUMP (WRITE APPROPRIATE LETTER IN BOX - SEE ABOVE: A, E, J, P, R, S, T, O)

DRILLER WILL INSTALL PUMP (CIRCLE APPROPRIATE BOX)

CAPACITY:

GALLONS PER MINUTE (TO NEAREST GALLON) 31 35

PUMP HORSE POWER 37 41

PUMP COLUMN LENGTH (NEAREST FOOT) 43 47

CASING HEIGHT (CIRCLE APPROPRIATE BOX AND ENTER CASING HEIGHT)

ABOVE

BELOW

LAND SURFACE (NEAREST FOOT) 2 51

LOCATION OF WELL ON LOT

SHOW PERMANENT STRUCTURE SUCH AS BUILDINGS, SEPTIC TANKS, AND/OR OTHER LAND MARKS AND INDICATE NOT LESS THAN TWO DISTANCES (MEASUREMENTS TO WELL).

HENRYTON RD

DIRT

CIRCLE APPROPRIATE BOXES

A WELL WAS ABANDONED AND SEALED WHEN THIS WELL WAS COMPLETED

E ELECTRIC LOG OBTAINED

P TEST WELL CONVERTED TO PRODUCTION WELL

I HEREBY CERTIFY THAT I HAVE COMPLIED WITH ALL CONDITIONS STATED ON THE ABOVE-CAPTIONED "PERMIT TO DRILL WELL", AND THAT INFORMATION CONTAINED IN THIS REPORT IS TRUE, ACCURATE, AND COMPLETE TO THE BEST OF MY KNOWLEDGE, INFORMATION AND BELIEF.

DRILLERS NAME

(PLEASE PRINT) Arthur P. Edmondson

SIGNATURE Arthur P. Edmondson

DIAMETER OF SCREEN 58 (NEAREST INCH)

FROM 58 TO 60

GRAVEL PACK

IF WELL DRILLED WAS A FLOWING WELL CIRCLE BOX 58 F

WRA USE ONLY (NOT TO BE FILLED IN BY DRILLER) (E.R.D.S.)

70 72

TELESCOPE CASING LOG INDICATOR

74 78 79 OTHER DATA AVAILABLE

HEALTH