



BUILDABLE
TION PARCEL B
OWNED HOLDER
MENT HOLDER

NON-BUILDABLE
PRESERVATION PARCE
DEDICATED TO HOWARD COUNTY,
PRESERVATION-EASEMEN
HOMEOWNERS ASSOCIATION EASEMEN
4.2.85 AC

copy of
signed PC

EDGEWOODS WAY

LOT 56
44,693 S.F.

LOT 57
45,521 S.F.

LOT 58
42,384 S.F.

LOT 60
42,086 S.F.

LOT 16
49,356 S.F.

LOT 15
49,277 S.F.

LOT 14
42,182 S.F.

LOT 13
45,334 S.F.

LOT 2
44,812 S.F.

PERC 229

PERC 320

PERC 237 NT

PERC 231 MT

PERC 234

PERC 235

PERC 236

PERC 237

PERC 238

PERC 239

PERC 240

PERC 228

PERC 321

PERC 232

PERC 233A

PERC 234

PERC 235

PERC 236

PERC 237

PERC 238

PERC 239

PERC 240

PERC 229

PERC 320

PERC 231 MT

PERC 233A

PERC 234

PERC 235

PERC 236

PERC 237

PERC 238

PERC 239

PERC 240

PERC 228

PERC 321

PERC 232

PERC 233A

PERC 234

PERC 235

PERC 236

PERC 237

PERC 238

PERC 239

PERC 240

PERC 229

PERC 320

PERC 231 MT

PERC 233A

PERC 234

PERC 235

PERC 236

PERC 237

PERC 238

PERC 239

PERC 240

PERC 228

PERC 321

PERC 232

PERC 233A

PERC 234

PERC 235

PERC 236

PERC 237

PERC 238

PERC 239

PERC 240

PERC 229

PERC 320

PERC 231 MT

PERC 233A

PERC 234

PERC 235

PERC 236

PERC 237

PERC 238

PERC 239

PERC 240

PERC 228

PERC 321

PERC 232

PERC 233A

PERC 234

PERC 235

PERC 236

PERC 237

PERC 238

PERC 239


PERC 240

518964
COUNTY #

SOIL-PROFILE

0' (245)
Strong brn CL Lm 2"
Strong brn si CL L 5 1/2"
Trace Rx 6"
str yellow magenta str brn si Lm Trace Rx 7 1/2"
8'
str yellow CL L layer 12 1/2"
13 1/2"
si Lm 14'
Fine gr SAND 14 1/2"

Massive Structure



SOIL-PROFILE

0' (242)
Strong brn y brn CLL
rd brn Lm 1 1/2"
SL magenta Rx frag ~ 10% 9'
y brn L sand sand Rx
10 1/2' Str. yellow Sand med. fine grained
Refusal @ 11 1/2'

INDICATE NORTH - NAME ADJOINING ROADWAY AS BASE LINE.

(244)
Strong brn CL Lm
No tx
str brn si Lm 6 1/2"
Strong yellow fine SL Trace Rx Frags 7 1/2"
12'
R ~ 5% H. Bottom 12 1/2'

Massive Structure

DATE	TEST NO.	DEPTH	PRE-WET		TEST - 1" DROP		TIME
			START	STOP	START	STOP	
6/26/03	(245)	8 S	7:26	7:37	7:37	7:53	10 min
	(244)	7 S 12 1/2 R	7:39	40	SEE ATTACHED SHEET		
	(243)	Middle hole - visual	SEE ATTACHED SHEET				
	(240)	4 1/2' 12' R	SEE ATTACHED SHEET				
	(241)	6 1/2' M 13'	SEE ATTACHED SHEET				
	(240)	will per @ 3 1/2'	SEE ATTACHED SHEET				

(243)
Strong brn wk org. brn CL Lm Trace Rx 5'
Strong brn Dense si CL Lm Ribbons 1 1/4" Trace Rx 8 1/2"
Strong brn hyl Ribbons ~ 1" 13'
SLoam

densely packed Massive Struct

REMARKS Trace Rx in area same Refusal @ 12' Holes
TYPE OF SOIL dig per plan
TESTED BY KN/FA ALSO PRESENT Bob Skuesey, Mark Johnson
TRENCH DESIGN DATA: AVERAGE PERCOLATION TIME _____ TRENCH WIDTH _____
INLET DEPTH 6 MAXIMUM BOTTOM DEPTH 8 SQ. FT./BEDROOM 210

EDGEWOOD FARMS

COUNTY #

SOIL PROFILE

0' (239)
 DK brn Sticky CLM
 2 1/2 - 3'
 Wk org brn S.L
 6'
 Wk org brn
 1 1/2' brn L.S. to Sand
 9 1/2'
 hard sandstone frags 10% H. Bottom
 10'

(238)

Strong brn wk org brn CLM 4'
 dk silm 6'
 beige dk brn wk org brn wk platy structure LS-5 Ex 2-10% 7 1/2'
 bluish, brn S blue shist frags 20% H.B 11 1/2'

237


DK Brn Silty loam 1 1/2'
 Red Brn Silty loam 2 1/2'
 Tan / Pink Silty loam 4'
 Tan / Yellow Silty loam w/ 5-10% Cobble 2 1/2'

SOIL PROFILE

0' (240)
 Red Brn Silty loam 3'
 Yellow / Red Silty loam 7 1/2'
 Brn Silty loam
 15-20 Rock
 11'

241

Brn / Red Brn Silty loam 3 1/2'
 Brn Silty loam 4'
 Yellow Brn Silty loam 25 to 30% 13'



INDICATE NORTH - NAME ADJOINING ROADWAY AS BASE LINE.

DATE	TEST NO.	DEPTH	PRE-WET		TEST - 1" DROP		TIME
			START	STOP	START	STOP	
6/26/03	(239)	6 1/2' / 10'R	9:01 ⁴⁰	9:04	9:04	9:12	6min P
	(238)	6 1/2' / 11' HB	9:28	9:31	9:31	9:35	4min P
	237	5 1/2' / 12 1/2' HB	9:42	9:45	9:45	9:49	4min P
	240	6 1/2' / 13'	8:28	8:44	8:44	9:00	10min
	241	6 1/2' / 13'	8:13	8:17	8:17	8:23	6min

REMARKS

TYPE OF SOIL CL LM to 6' deeper is SL

TESTED BY FA / KN

ALSO PRESENT Bob S. + Mark Johnson

TRENCH DESIGN DATA: AVERAGE PERCOLATION TIME

TRENCH WIDTH

INLET DEPTH

MAXIMUM BOTTOM DEPTH

SQ. FT/BEDROOM

APPLICATION

PERCOLATION TESTING

A 518964

P _____

HOWARD COUNTY HEALTH DEPARTMENT
BUREAU OF ENVIRONMENTAL HEALTH
3525-H ELLICOTT MILLS DRIVE/ELLICOTT CITY, MARYLAND 21043
TELEPHONE: 313-2640

DISTRICT _____

DATE _____

TO: THE COUNTY HEALTH OFFICER
ELLICOTT CITY, MARYLAND

I HEREBY APPLY FOR THE NECESSARY TEST PRIOR TO APPLICATION FOR PERMIT TO CONSTRUCT (OR RECONSTRUCT) A SEWAGE DISPOSAL SYSTEM.

PROPERTY OWNER EDGEWOOD FARMS INC.

ADDRESS _____ PHONE _____

AGENT OR PROSPECTIVE BUYER TOLL BROTHERS.

ADDRESS _____ PHONE (410)-872-9105

PROPERTY LOCATION:

SUBDIVISION _____ LOT NO. 55/57

LOAD AND DESCRIPTION _____

TAX MAP _____ PARCEL # _____

SIZE OF LOT _____ TYPE BLDG. _____
(SINGLE FAMILY DWELLING OR COMMERCIAL)

THE SYSTEM INSTALLED UNDER THIS APPLICATION IS ACCEPTABLE ONLY UNTIL PUBLIC FACILITIES BECOME AVAILABLE. I FULLY UNDERSTAND THE

FEE CONNECTED WITH THE FILING OF THIS PERC TEST APPLICATION IS NON-REFUNDABLE UNDER ANY CIRCUMSTANCES. I ALSO AGREE TO

COMPLY WITH ALL M.O.S.H.A. REQUIREMENTS IN TESTING THIS LOT. _____
(SIGNATURE OF APPLICANT)

APPROVED BY _____ FOR _____ DATE _____

DISAPPROVED BY _____ FOR _____ DATE _____

OLD PENDING FURTHER TESTS _____

REASONS FOR REJECTION OR HOLDING _____

PERCOLATION TEST PLAT/PRELIMINARY PLAT - TITLE OR I.D. # _____ DATE _____

FINAL DEVELOPMENT PLAN/FINAL PLAT - TITLE OR I.D. # _____ DATE _____

THIS IS NOT A PERMIT

164
COUNTY #

PROFILE
2

brn
L
3'
enta
ng yellow
L
ons = 3/4
7-
7 1/2'
Rx
ateral
its on
ces
10'
f.m
rain
Saprolite

brn
dbrn
rgbrn
L
3 1/2'



brn
nd-
gr
5 1/2'

Trace
Rx

bottom
13'

SOIL PROFILE

0'



INDICATE NORTH - NAME ADJOINING ROADWAY AS BASE LINE.

DATE	TEST NO.	DEPTH	PRE-WET		TEST - 1' DROP		TIME
			START	STOP	START	STOP	
6/26/03	245	8' 5" / 13' 1/2"	7:26	7:37	7:37	7:53	16min P
	244	7' 5" / 13'	7:35 ⁴⁰	8:02	8:02	TEST STOPPED	
		9' 5" / 13'	8:39	8:42	8:42	8:46	4min P
	242	7' 5" / 12'	8:01	8:24	TEST STOPPED	TESTED	F
		9' / 12'	8:52	9:02	9:02	9:18	16min
	241	6 1/2' / 13'	8:13	8:17	8:17	8:23	6min P
	240	6 1/2' / 13'	8:28	8:44	8:44	9:00	16min P
	243	Middle hole visual					P


REMARKS Holes dug per plan. Top accurate

TYPE OF SOIL Deco CLAY LOAM; SANDSTONE Refusal @ ~13'

TESTED BY FAI KN ALSO PRESENT Bob S. + Mark Jones

TRENCH DESIGN DATA: AVERAGE PERCOLATION TIME 10 min TRENCH WIDTH 3

INLET DEPTH 7 MAXIMUM BOTTOM DEPTH 9 SQ FT/BEDROOM 210



*Peric Cert Signed
3-26-07*

MAP SYMBOL	S
AdB2	
Co	
Ba	
ChB2	
CuB	
G1B2	
G1C2	
EkB2	
G1C3	
GnA	
GnB2	
M1B2	

CURVE	RADIUS	ARC	DELTA	TANGENT	CHORD
27-28	2000.00'	256.91'	07°21'35"	126.65'	170.25'
31-32	325.00'	172.57'	30°25'23"	88.37'	170.25'
34-35	350.00'	83.40'	12°54'31"	41.87'	83.24'
36-37	820.00'	135.62'	09°28'34"	67.86'	135.46'
38-39	25.00'	23.18'	53°07'48"	12.50'	22.35'
39-100	50.00'	108.43'	124°15'10"	84.54'	169.58' 16"
104-105	820.00'	198.99'	12°23'33"	99.88'	198.02' 09"
109-110	50.00'	69.07'	79°08'48"	41.32'	55.51' 24"
50-135	215.00'	228.10'	60°15'14"	124.77'	505' 28" 28"
85-193	265.00'	198.92'	45°45'37"	104.24'	112' 17" 29"

THE REQUIREMENTS OF THE LOCAL PROPERTY TAXES AND THE LOCAL GOVERNMENT AS WELL AS THE REQUIREMENTS OF THE FEDERAL GOVERNMENT AS FAR AS THEY RELATE TO THE MAPPING COMPLETED HEREIN.

Donald Mean
 DONALD A. MEAN
 REGISTERED PROFESSIONAL LAND SURVEYOR
 MARYLAND NO. 21320

William A. Allen
 WILLIAM A. ALLEN
 TOLL RD V LIMITED PARTNERSHIP

DATE: 5/18/07

AREA TABULATION CHART

TOTAL NUMBER OF LOTS AND/OR PARCELS TO BE RECORDED	14 AND P/O 1
OPEN SPACE	0
BUILDABLE PRESERVATION PARCELS	0
NON-BUILDABLE BULK PARCELS	0
TOTAL AREA OF LOTS AND/OR PARCELS TO BE RECORDED	15,584 AC.
BUILDABLE	N/A
BUILDABLE PRESERVATION PARCELS	1,074 AC.
NON-BUILDABLE BULK PARCELS	N/A
TOTAL AREA OF SUBDIVISION TO BE RECORDED	16,654 AC.

APPROVED: FOR PRIVATE WATER, PRIVATE SEWER AND SHARED SEWER CONNECTIONS WITH THE COUNTY LOCAL GOVERNMENT HEALTH DEPARTMENT

Barbara Peter Bileman
 BARBARA PETER BILEMAN
 HEALTH DEPARTMENT OFFICER

DATE: 6/18/2007

APPROVED: HOWARD COUNTY DEPARTMENT OF PLANNING AND ZONING

Paul L. Coyne
 PAUL L. COYNE
 DIRECTOR

DATE: 7/16/07

DATE: 7/16/07


DATE: 5/18/07

DATE: 5/18/07

DATE: 5/18/07

DATE: 5/18/07

DATE: 5/18/07



OWNER: TOLL RD V LIMITED PARTNERSHIP
 250 GILBERT ROAD
 HORSHORN, PONTIACVILLE 21044

MINIMUM LOT SIZE CHART

LOT NO.	GROSS AREA	PRESERVE AREA	MINIMUM LOT SIZE
12	59,461	1,925	57,736
13	51,432	2,582	49,470
14	51,471	1,570	49,901
15	49,997	684	49,033

OWNER'S CERTIFICATE

TOLL RD V LIMITED PARTNERSHIP, OWNER OF THE PROPERTY SHOWN HEREON, HEREBY ADOPTS THIS PLAN OF SUBDIVISION AND ESTABLISHES THE MINIMUM BUILDING RESTRICTIONS AND GRANTS UNLTD HOWARD COUNTY, MARYLAND, ITS SUCCESSORS AND ASSIGNS, (1) THE RIGHT TO LAY, CONSTRUCT AND MAINTAIN SEWER, DRAINAGE, WATER PIPES, AND OTHER UTILITIES; (2) THE RIGHT TO REQUIRE EDUCATION FOR PUBLIC USE OF THE STREETS; (3) THE RIGHT TO REQUIRE AND/OR ROAD, FLOODING AND OPEN SPACE WISE APPLICATION, AND FOR GOOD AND OTHER VALUABLE USES OF THE STREETS AND/OR ROADS AND FLOODING, STORM DRAINAGE FACILITIES AND OPEN SPACE WISE APPLICATION; (4) THE RIGHT TO REQUIRE DESIGNATION OF WATERWAYS AND DRAINAGE FACILITIES FOR THE SPECIFIC PROPERTY; AND (5) THE RIGHT TO REQUIRE DESIGNATION OF WATERWAYS AND DRAINAGE FACILITIES FOR THE SPECIFIC PROPERTY. ANY WORK SHALL BE COMPLETED ON OR OVER THE LAND EASEMENTS AND RIGHTS-OF-WAY, WITHIN OUR HANDS THIS DAY OF MAY, 2007.

RECEIVED JUL 27 2007
 FOR RECORD

RECEIVED 5/18/07

RECEIVED 5/18/07

RECEIVED 5/18/07

EDGWOOD FARM
 PHASE 2
 LOTS 8 - 60 AND
 NON-BUILDABLE PRESERVATION PARCELS 'H' AND 'Y'
 A RESUBDIVISION OF
 BULK PARCELS 'M', 'H'
 'H' AND 'H'
 PLAT NOS. 19267
 50-05-014 F-08-108
 50-05-014 F-08-108

RECORDED AS PLAT NO. 19267
 ON
 RECORDS OF HOWARD COUNTY, MARYLAND.

FOURTH ELECTION DISTRICT OF HOWARD COUNTY, MARYLAND
 TAX MAP: 21
 DATE: MAY, 2007
 PARCELS: 80
 SHEETS: 2 OF 4


F-07-054 2125 0702-2

F-07-054

F-07-054

F-07-054

Maryland State Archives



PLAN AREA
 TOTAL NUMBER OF LOTS AND/OR PARCELS TO BE RECORDED
 BUILDABLE: 17
 NON-BUILDABLE PRESERVATION PARCELS: 0
 NON-BUILDABLE BULK PARCELS: 0
 TOTAL: 17

AREA TABULATION CHART
 TOTAL NUMBER OF LOTS AND/OR PARCELS TO BE RECORDED
 BUILDABLE: 17
 NON-BUILDABLE PRESERVATION PARCELS: 0
 NON-BUILDABLE BULK PARCELS: 0
 TOTAL: 17

MINIMUM LOT SIZE CHART
 LOT NO. | GROSS AREA | PRESTEM AREA | MINIMUM LOT SIZE
 50 | 56,000 S.F. | 8,950 S.F. | 46,411 S.F.

CURVE DATA TABLE

CURVE	BACKS	ARC	DELTA	TANGENT	CHORD
66-69	1020.00'	169.54'	7°31'23"	84.96'	1027.00'±29" W
70-71	380.00'	377.17'	85°25'08"	205.76'	620'±39.53" W
145-74	50.00'	213.51'	244°40'05"	78.99'	181°42'28" E
74-75	25.00'	23.18'	83°08'35"	12.50'	52'±31.47" E
76-77	420.00'	418.87'	85°32'08"	272.42'	520'±39.53" E
78-79	980.00'	162.89'	9°31'23"	81.63'	983'±00.29" W

THE RECOMMENDATIONS & 3-108, THE REAL PROPERTY ABSTRACT, ANNOTATED GOAL OF MARYLAND, AND ANY NECESSARY VOLUMES OF THIS PLAN AND THE SETTING OF MARKERS HAVE BEEN COMPLETED WITHIN THE TIME FRAME OF THE PROJECT.

APPROVED: DONALD A. WATSON, REGISTERED PROFESSIONAL LAND SURVEYOR, MARYLAND NO. 21320
 DATE: 5/14/07

APPROVED: DONALD A. WATSON, REGISTERED PROFESSIONAL LAND SURVEYOR, MARYLAND NO. 21320
 DATE: 5/14/07

RECORDED AS PLAT NO. 19269
 COUNTY OF HOWARD COUNTY, MARYLAND.

EDGEWOOD FARM
 PHASE 2
 LOTS 8 - 60 AND
 NON-BUILDABLE PRESERVATION PARCELS 'H' AND 'Y'
 A RESUBDIVISION OF
 NON-BUILDABLE BULK PARCELS 'AA-'HH'
 PLAT NOS. 14655 - 14741
 5P-05-04 F-08-108 RE-06-10

FOURTH ELECTION DISTRICT OF HOWARD COUNTY, MARYLAND
 SCALE: AS SHOWN
 DATE: MAY, 2007
 SHEET: 4 OF 4

OWNER'S CERTIFICATE
 I HEREBY CERTIFY TO THE BEST OF MY KNOWLEDGE, INFORMATION AND BELIEF THAT THE INFORMATION SHOWN HEREON IS CORRECT, THAT IT IS ALL OF THE LAND ACQUIRED BY TOLL M.D.V. LIMITED PARTNERSHIP FROM THE PREVIOUS PLAT AND THAT ALL MONUMENTS ARE IN PLACE OR WILL BE IN PLACE WITHIN THE TIME FRAME OF THE PROJECT AND THAT ALL MONUMENTS ARE IN PLACE OR WILL BE IN PLACE WITHIN THE TIME FRAME OF THE PROJECT.

MDR PLAT NO. 19269
 RECEIVED: JUN 24 2007
 FOR RECORD

APPROVED: DONALD A. WATSON, REGISTERED PROFESSIONAL LAND SURVEYOR, MARYLAND NO. 21320
 DATE: 5/14/07

OWNER:
 TOLL M.D.V. LIMITED PARTNERSHIP
 250 GILBERT ROAD
 HORSHAM, PENNSYLVANIA 19044

BENCHMARK
 ENGINEERING, INC.
 6480 NEW MARKET ROAD
 BELLEVILLE, MARYLAND 21033
 PHONE: 410-462-1100 • FAX: 410-462-6444
 WWW.BENCHMARKENGINEERING.COM

APPROVED: DONALD A. WATSON, REGISTERED PROFESSIONAL LAND SURVEYOR, MARYLAND NO. 21320
 DATE: 5/14/07

APPROVED: DONALD A. WATSON, REGISTERED PROFESSIONAL LAND SURVEYOR, MARYLAND NO. 21320
 DATE: 5/14/07

APPROVED: DONALD A. WATSON, REGISTERED PROFESSIONAL LAND SURVEYOR, MARYLAND NO. 21320
 DATE: 5/14/07

APPROVED: DONALD A. WATSON, REGISTERED PROFESSIONAL LAND SURVEYOR, MARYLAND NO. 21320
 DATE: 5/14/07

APPROVED: DONALD A. WATSON, REGISTERED PROFESSIONAL LAND SURVEYOR, MARYLAND NO. 21320
 DATE: 5/14/07

F-141264
 F-141264-085-2135 8910-4

11/10/2007 09:00:00 AM, 19/03/07 14:08:00

CURVE DATA TABLE

CURVE	RADIUS	ARC	DELTA	TANGENT	CHORD	
25-26	340.00'	202.45'	19.28°11'	162.81'	163.39'±98"E	320.85'
27-28	2000.00'	206.81'	07°21'55"	128.63'	N70°04'55"E	326.73'
31-32	325.00'	172.50'	30°29'23"	88.37'	N09°00'50"E	170.55'
34-35	300.00'	83.40'	12°34'31"	41.87'	N82°07'21"W	83.24'
36-37	80.00'	135.62'	09°29'34"	67.86'	N85°42'20"W	135.48'
38-39	25.00'	23.18'	53°07'48"	12.80'	S7°29'03"W	22.36'
39-40	50.00'	248.81'	288°15'57"	32.50'	N11°01'52"E	60.00'
40-41	25.00'	23.18'	53°07'48"	12.80'	S85°42'08"E	22.36'
42-43	790.00'	129.00'	09°28'34"	64.65'	S85°42'08"E	128.85'
44-45	400.00'	92.18'	12°34'31"	44.84'	N72°54'52"E	92.00'
47-48	325.00'	68.34'	11°41'41"	33.28'	N02°55'03"W	68.21'
49-50	215.00'	200.29'	69°21'52"	148.37'	N02°55'03"W	324.68'
54-55	308.00'	300.87'	69°21'52"	183.37'	S02°55'03"E	501.58'
56-57	225.00'	278.34'	57°59'27"	182.41'	S04°46'04"W	326.61'

MDR PLAT NO. 19256
RECEIVED
FOR RECORD 19 2007



THE REQUIREMENTS 3-108, THE REAL PROPERTY ARTICLE, ANNOTATED CODE OF MARYLAND, AND THE REGULATORY VOLUME OF THIS PLAT AND THE SETTING OF MARKERS HAVE BEEN COMPLETED WITH

Stephen J. Wilson
REGISTERED PROFESSIONAL LAND SURVEYOR
MARYLAND NO. 19128

William M. Wilson
DATE

AREA TABULATION CHART

TOTAL NUMBER OF LOTS AND/OR PARCELS TO BE RECORDED 7

TOTAL BULIDABLE 0

OPEN SPACE 0

NON-BULIDABLE PRESERVATION PARCELS 4 P/O 2

NON-BULIDABLE PRESERVATION PARCELS 2 P/O 2

TOTAL AREA OF LOTS AND/OR PARCELS TO BE RECORDED 7514 AC.

OPEN SPACE N/A

NON-BULIDABLE PRESERVATION PARCELS 18250 AC.

TOTAL AREA OF ROADWAY TO BE RECORDED 2272 AC.

TOTAL AREA OF SUBDIVISION TO BE RECORDED 30234 AC.


APPROVED: FOR PRIVATE WATER AND PRIVATE SEWER SYSTEMS
HOWARD COUNTY HEALTH DEPARTMENT

APPROVED: FOR PLANNING AND ZONING
HOWARD COUNTY DEPARTMENT OF PLANNING

Robert S. Wilson
REGISTERED PROFESSIONAL LAND SURVEYOR
MARYLAND NO. 19128

Paul D. Cagle
DATE

Stephen J. Wilson
REGISTERED PROFESSIONAL LAND SURVEYOR
MARYLAND NO. 19128



SURVEYOR'S CERTIFICATE

I HEREBY CERTIFY TO THE BEST OF MY KNOWLEDGE, INFORMATION AND BELIEF THAT THE INFORMATION SHOWN HEREON IS CORRECT, THAT IT IS ALL OF LAND ACQUIRED BY TOLL AND V.P. AND THAT ALL NEIGHBORING LOTS ARE IN PLACE AND THAT THE BOUNDARIES OF THE LOTS ARE CORRECT AND THAT ALL NEIGHBORING LOTS ARE IN PLACE FROM THE ANNOTATED CODE OF MARYLAND, AS AMENDED.

OWNER'S CERTIFICATE

I, the undersigned, hereby certify that the information shown hereon is correct, that it is all of land acquired by TOLL AND V.P. and that all neighboring lots are in place and that the boundaries of the lots are correct and that all neighboring lots are in place from the annotated code of Maryland, as amended.

RECORDED AS PLAT NO. 19256 OF RECORDS OF HOWARD COUNTY, MARYLAND.

EDGEWOOD FARM
PHASE 1
NON-BULIDABLE BULK PARCELS A-C, H-I
NON-BULIDABLE PRESERVATION PARCELS X-G

9-05-014 RE-08-10 W.P.-06-60
FOURTH ELECTION DISTRICT OF HOWARD COUNTY, MARYLAND
SCALE: AS SHOWN
DATE: DECEMBER, 2006
SHEET 2 OF 7

William M. Wilson
DATE

Paul D. Cagle
DATE

Stephen J. Wilson
DATE