



**P376 BUILDABLE RESERVATION PARCEL A**  
 PRIVATELY OWNED  
 HOWARD COUNTY EASEMENT HOLDER  
 OWNERS ASSOCIATION EASEMENT HOLDER  
 7.41 AC.



**GENERAL NOTES:**

1. THIS AREA IS DESIGNATED A PRIVATE SEWAGE ARE OF AT LEAST 10,000 SQUARE FEET AS REQUIRED BY THE MARYLAND STATE DEPARTMENT OF THE ENVIRONMENT FOR DOMESTIC SEWAGE DISPOSAL. IMPROVEMENTS OF ANY NATURE IN THIS AREA ARE RESTRICTED UNTIL PUBLIC SEWERAGE IS AVAILABLE. SHALL NOT BE RECONSTRUCTED OR MODIFIED UNTIL PUBLIC SEWERAGE IS AVAILABLE.
2. THE AREA IDENTIFIED WITH HATCHING IS A FOREST CONSERVATION AREA. ANY CHANGES TO A PRIVATE SEWAGE ARE OR ANY OTHER CHANGES TO THE FOREST CONSERVATION AREA SHALL NOT BE MADE WITHOUT THE APPROVAL OF THE MARYLAND STATE DEPARTMENT OF THE ENVIRONMENT.
3. THE AREA IDENTIFIED WITH HATCHING IS A FOREST CONSERVATION AREA. ANY CHANGES TO A PRIVATE SEWAGE ARE OR ANY OTHER CHANGES TO THE FOREST CONSERVATION AREA SHALL NOT BE MADE WITHOUT THE APPROVAL OF THE MARYLAND STATE DEPARTMENT OF THE ENVIRONMENT.
4. ANY CHANGES TO A PRIVATE SEWAGE ARE OR ANY OTHER CHANGES TO THE FOREST CONSERVATION AREA SHALL NOT BE MADE WITHOUT THE APPROVAL OF THE MARYLAND STATE DEPARTMENT OF THE ENVIRONMENT.
5. THE LOT SHOWN HEREON WAS RECORDED ON THE PLAT # 1814 ET. SEQ. REFER TO PLAT FOR FOREST CONSERVATION AREA EASEMENT RESTRICTIONS, AND PROVISIONS.
6. THE EXISTING WELLS SHOWN ON THIS PLAN HAVE BEEN FIELD VERIFIED OR FIELD RUN.
7. THE EXISTING WELLS SHOWN ON THIS PLAN HAVE BEEN FIELD VERIFIED OR FIELD RUN.
8. TESTING AND RESULTS FOR GROSS ALPHA, GROSS BETA AND VOCs WILL BE REQUIRED PRIOR TO USE AND OCCUPANCY.

**SITE SPECIFIC NOTES**

1. B1302078 Rpt Part 4 # 3
2. ALL DRIVEWAY CULVERTS ARE TO BE 18" RCP OR HDPE WITH MINIMUM 9" COVER
3. ANY WELLS WITHIN 10' OF DRIVEWAY TO BE PROTECTED WITH TWO ROLLERS.
4. PAVING SPECIFICATIONS: ASPHALT OVER 4" CR-6 OR 2.5" ASPHALT OVER 1.5" OVERLAY

**PROPOSED ELEVATIONS:**

TOP OF BASEMENT SLAB:	GRADE AT HOUSE INVERT:
455.0	480.0
483.7	455.8
484.8	455.0
459.0	454.8
454.3	454.8
454.0	454.8
454.7	454.8

APPROVED FOR PRIVATE WATER AND PRIVATE SEWERAGE SYSTEMS IN CONFORMANCE WITH THE MASTER PLAN OF HOWARD COUNTY.

I certify that the information shown hereon is based on field work performed under my direct supervision and is correct, to the best of my knowledge and belief.

**OWNER:** Hunter  
**BUILDER:** Compass Homes  
 6206 Heather Glen Way  
 Clarksville, MD 21029  
 DATE: 12/21/10

**PROJECT NAME:** Hunter Residence  
**TITLE:** REVISION PERCOLATION CERTIFICATION PLAN REVISION  
 LOT #8  
 8214 Heather Glen Way  
 Clarksville, Maryland 21029

**PURPOSE:** CONSTRUCTION OF NEW SINGLE FAMILY DETACHED DWELLING AND WELL BOX RE-CERTIFICATION

**TAGGED WELL DATA**

TAG NUMBER:	HO-95-0225	2314 sq.ft.
NORTHING:	559833.3814	2907 sq.ft.
EASTING:	1329607.3006	5
WELL YIELD:	8.5 GPM	
WELL DEPTH:	320'	

**SEPTIC DESIGN PARAMETERS:**

1st Floor Sq. Ft.	2nd Floor Sq. Ft.	2907 sq.ft.
2314 sq.ft. <td>2907 sq.ft. <td></td> </td>	2907 sq.ft. <td></td>	
Basement Sq. Ft.	2907 sq.ft. <td></td>	
Number of Bedrooms	5	

**SCALE: 1:30**

**DATE:** 11/26/2013

**DATE:** 7/29/2013

**DATE:** 7/29/2013