



Building Permit Application

Howard County Maryland
Department of Inspections, Licenses and Permits
3430 Court House Drive
Permits: 410-313-2455
www.howardcountymd.gov

Date Received:

6-314

Permit No.:

B14001893

Building Address: 12122 Highland Farm Way
 City: Ellicott City State: Md Zip Code: 21042
 Suite/Apt. #: _____ SDP/WP/BA #: _____
 Census Tract: _____ Subdivision: Walnut Creek
 Section: _____ Area: _____ Lot: 26
 Tax Map: 28 Parcel: 49 Grid: _____
 Zoning: _____ Map Coordinates: _____ Lot Size: 36046

Existing Use: Vacant
 Proposed Use: SFD
 Estimated Construction Cost: \$ 200,000
 Description of Work: Garage

Occupant or Tenant: _____
 Was tenant space previously occupied? Yes No
 Contact Name: _____
 Address: _____
 City: _____ State: _____ Zip Code: _____
 Phone: _____ Fax: _____
 Email: _____

Property Owner's Name: Winchester Homes Inc.
 Address: 6905 Rockledge Dr #800
 City: Bethesda State: MD Zip Code: 20817
 Phone: (301) 803 7000 Fax: _____
 Email: _____

Applicant's Name & Mailing Address, (if other than stated herein)
 Applicant's Name: Steve Landell
 Address: 8838 Sweet Gum Lane
 City: Springfield State: MD Zip Code: 22153
 Phone: 703 703 7624 Fax: _____
 Email: Summitpermits@aol.com

Contractor Company: Winchester Homes Inc.
 Contact Person: Latoya
 Address: 6905 Rockledge Dr #800
 City: Bethesda State: MD Zip Code: 20817
 License No.: 2317
 Phone: (301) 803 7000 Fax: _____
 Email: _____

Engineer/Architect Company: _____
 Responsible Design Prof.: _____
 Address: _____
 City: _____ State: _____ Zip Code: _____
 Phone: _____ Fax: _____
 Email: _____

Commercial Building Characteristics	Residential Building Characteristics	
Height:	<input checked="" type="checkbox"/> SF Dwelling <input type="checkbox"/> SF Townhouse	
No. of stories:	Depth	Width
Gross area, sq. ft./floor:	1 st floor: <u>72</u>	<u>71</u>
	2 nd floor: <u>58</u>	<u>70</u>
Area of construction (sq. ft.):	Basement:	
	<input type="checkbox"/> Finished Basement	
Use group:	<input type="checkbox"/> Unfinished Basement	
	<input type="checkbox"/> Craw Space	
Construction type:	<input type="checkbox"/> Slab on Grade	
<input type="checkbox"/> Reinforced Concrete	No. of Bedrooms:	
<input type="checkbox"/> Structural Steel	<u>Multi-family Dwelling</u>	
<input type="checkbox"/> Masonry	No. of efficiency units:	
<input type="checkbox"/> Wood Frame	No. of 1 BR units:	
<input type="checkbox"/> State Certified Modular	No. of 2 BR units:	
	No. of 3 BR units:	
	Other Structure:	
	Dimensions:	
	Footings:	
	Roof:	
Roadside Tree Project Permit	<input type="checkbox"/> State Certified Modular	
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Manufactured Home	
Roadside Tree Project Permit #		

Utilities	
Water Supply	
<input type="checkbox"/> Public	
<input type="checkbox"/> Private	
Sewage Disposal	
<input type="checkbox"/> Public	
<input type="checkbox"/> Private	
Electric: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Gas: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Heating System	
<input type="checkbox"/> Electric <input type="checkbox"/> Oil	
<input type="checkbox"/> Natural Gas <input type="checkbox"/> Propane Gas	
<input type="checkbox"/> Other:	
Sprinkler System:	
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Grading Permit Number:	<u>GPI3000395</u>
Building Shell Permit Number:	

THE UNDERSIGNED HEREBY CERTIFIES AND AGREES AS FOLLOWS: (1) THAT HE/SHE IS AUTHORIZED TO MAKE THIS APPLICATION; (2) THAT THE INFORMATION IS CORRECT; (3) THAT HE/SHE WILL COMPLY WITH ALL REGULATIONS OF HOWARD COUNTY WHICH ARE APPLICABLE THERETO; (4) THAT HE/SHE WILL PERFORM NO WORK ON THE ABOVE REFERENCED PROPERTY NOT SPECIFICALLY DESCRIBED IN THIS APPLICATION; (5) THAT HE/SHE GRANTS COUNTY OFFICIALS THE RIGHT TO ENTER ONTO THIS PROPERTY FOR THE PURPOSE OF INSPECTING THE WORK PERMITTED AND POSTING NOTICES.

Applicant's Signature: [Signature] Print Name: Steve Landell
 Email Address: Summitpermits@aol.com Date: 6/2/14
 Title/Company: Summit Management

Checks Payable to: DIRECTOR OF FINANCE OF HOWARD COUNTY

PLEASE WRITE NEATLY & LEGIBLY
FOR OFFICE USE ONLY


AGENCY	DATE	SIGNATURE OF APPROVAL
State Highways		
Building Officials		
PSZA (Zoning)		
PSZA (Engineering)		

Control approval required for issuance? Yes No
 COMMENCING CONSTRUCTION START

DPZ SETBACK INFORMATION
Front:
Rear:
Side:
Side St.:
All minimum setbacks met? <input type="checkbox"/> Yes <input type="checkbox"/> No
Is Entrance Permit Required? <input type="checkbox"/> Yes <input type="checkbox"/> No
Historic District? <input type="checkbox"/> Yes <input type="checkbox"/> No
Lot Coverage for New Town Zone:
SDP/Red-line approval date:

Filing Fee	\$	100
Permit Fee	\$	
Tech Fee	\$	
Excise Tax	\$	
PSFS	\$	
Guaranty Fund	\$	50
Add'l per Fee	\$	
Total Fees	\$	
Sub-Total Paid	\$	
Balance Due	\$	
Check	#	27064

Distribute: White: Building Officials Green: PSZA,Zoning Yellow: PSZA,Engineering Pink: Health Gold: SHA
 Operations/Updates Building applmp 8.2012.docx



Approved Septic System Plan
Howard County Health Department
[Signature]
Signature
6/18/14
Date

PLAN
SCALE: 1" = 30'

B14001893

OWNER
BV BUSINESS TRUST
P.O. BOX 482
LISBON, MARYLAND 21765-0482

BUILDER
CAMBERLEY HOMES
6905 ROCKLEDGE DRIVE
BETHESDA, MARYLAND 20817
PH. 301-803-4800


PERMIT SITE PLAN
LOT 26
12122 HAYLAND FARM WAY
WALNUT CREEK

FISHER, COLLINS & CARTER, INC.
CIVIL ENGINEERING CONSULTANTS & LAND SURVEYORS
CENTENNIAL SQUARE OFFICE PARK - 10272 BALTIMORE NATIONAL PIKE
ELLCOTT CITY, MARYLAND 21042
(410) 461 - 2855

WELL CERTIFICATION:
THE EXISTING WELL, TAG NO. HO-95-2309, HAS BEEN
FIELD LOCATED AND IS ACCURATELY SHOWN.

ZONED: RC-DEO
TAX MAP NO.: 28 PARCEL NO. 49 GRID NO.: 17 & 18
SIXTH ELECTION DISTRICT HOWARD COUNTY, MARYLAND
SCALE: 1" = 30' DATE: MARCH, 2014

I:\2004\04001\dwg\PHASE 1\W0_FINALS\Permits\SitePlans\04001-3001 Lot 26 (Camberley).dwg, Model, 4/4/2014 11:24:53 AM, 1:1:0




KEY NOTES

- A-39.2 HVAC CONTRACTOR TO SUPPLY AND INSTALL HIGH AND LOW VENTS PER CODE AT UTILITY ROOM
- A-39.2 DRIP CLG DUE TO STEEL BEAMS
- A-48 WOOD HALL
- A-50.1 ALL WALLS WITH CEMENT BOARD AND TILE ARE TO BE FRAMED AT 16\"/>
- A-55.1 REFER TO BATH LAYOUTS FOR ADDITIONAL BATH CABINET INFO. DIMENSIONS AT RECESSED LIGHT FIXTURES SHOULD BE HELD TO AS CLOSE AS POSSIBLE, BUT MAY VARY DUE TO FIELD CONDITIONS.
- E-12 ALL OUTLETS TO BE PLACED IN ACCORDANCE WITH AND ALL APPLICABLE STATE AND LOCAL ELECTRICAL CODES.
- G-4 CONTINUOUS HANDRAILS IN STAIRWELLS AS REQUIRED BY LOCAL JURISDICTIONS.
- G-7 SHADED AREAS INDICATE CEILING TO BE FRAMED TO A HEIGHT OF NO LESS THAN 8' UNO.
- G-8 SOLID LINES BETWEEN ANY ROOM OR HALL INDICATE DOORING CHANGES UNLESS OTHERWISE NOTED.
- G-22 ALL INT. WALLS INDICATED ARE TO BE 2x4 WOOD STUDS @24\"/>
- G-23 FRAMING DIMENSIONS NOTED (TYP.) UNLESS OTHERWISE NOTED WITH FND. CONDITIONS
- H-6 2 PLY 2x6 SYP#2 W/ (1) JACK EACH END
- H-19 HEADER IN FLOOR

NSO NOTES

- ASYAC80A Expand the optional basement Recreation room under the 6-foot expanded Study.
- ASYAC81A Expand the optional basement Recreation room under the 6-foot expanded Kitchen/Breakfast room.
- ASYAZ24B Expand the optional finished basement Recreation room 2 feet to the side below the expanded Foyer and Study above, and expand 1-foot to the front below the expanded Foyer above. Includes detailing the bottom stair landing, adding one riser to the stair and finishing the lower level hall to the new front Foyer wall.
- ASYHM07B Install a 20x16 Guest suite on the side, connected through a hallway behind the Study. Includes a bedroom with walk-in closet, and a 3-piece bath with shower/seat, standard toilet, and vanity cabinet with cultured marble integral sink, rectangular wallmirror with strip light above, and medicine cabinet. New Bath includes 4x4 whitebone ceramic tile wall surround at shower, and standard bath hardware. Bedroom includes standard carpetpad, electric outlets per code and one switched outlet. Walk-in closet includes a standard ceiling mounted light fixture on a single switch and standard wire shelving. Basement below to be unfinished. Includes an additional HVAC system to supply the Guest suite.
- ASY4C80C Expand the Study, including the second floor above and unfinished basement below. 8 feet to the rear. Expanded space on the 2nd floor to be divided between Bedroom 2 and Bedroom 4, installing a walk-in closet in Bedroom 2 in lieu of the standard closet. Side windows of Family room deleted to accommodate.
- ASYVZ00E Expand and re-design the Family Room, Kitchen/Breakfast Room, and Owner's Suite above to be similar to the Randall, squaring off the rear wall to align with the rear Family room wall. Includes an unfinished basement below. Kitchen re-designed to include a cooktop to the side exterior wall and the Refrigerator and Oven in the wall behind the Mud room entry. Optional rear Solarium relocated to align with the side exterior wall, detailing the wall, cased opening, and pass-thru between mechanical/breakfast area and the optional rear Solarium, and installing a 42-inch high drywall knee wall to the rear of the base cabinetry, creating a raised countertop with overhang on the rear of the new wall into the Solarium. Garage entry, Pantry, and
- ASYVZ24B Expand the Study 2 feet to the side, expanding the Foyer 1 benches and the Dining room benches to the side (total 2 feet), and expand the 2-story Foyer 1-foot to the front, including the second floor above and unfinished basement below. Space on second floor to be added to the Bedrooms, maintaining the standard hall configuration. Front elevation revised to install double brick gables above the expanded Foyer and Bedroom 3.
- ASYRA00A Re-locate the optional basement Bath to the unfinished space between the optional basement Recreation room and the room under the Rear Solarium, including extending a hallway to the bath and installing an additional door to access the bath from both the Recreation room and the room under the Rear Solarium. Re-locates the doors of the unfinished basement to accommodate.
- INVA403A Install a single 24x8 standard door in a 2x4 framed wall.
- PL66A Basement wall rough-in
- WDVA400B Install a single 30x6 double-hung window in the basement in lieu of a standard hopper window.
- WDVA100A Install a 20x13 hopper window in the basement.
- WDVE00A Install a 16x8 Garage overhead door in lieu of the two standard 8x8 doors on the front. 2 bays of the optional 3-car side/lead Garage, includes an additional exterior Garage light fixture.



residential design team

WINCHESTER HOMES, INC.
6905 ROCKLEDGE DR.
SUITE 800
BETHESDA, MARYLAND 20817
(301) 803-4800

WHI

YOUR HOME + YOUR WAY

11100026

SET NUMBER: 02GA92


PRINT DATE: 05/23/2014

FINISHED BASEMENT PLAN

A

02.04.00


SCALE: 1/4" = 1'-0"



residential design team
 WINCHESTER HOMES, INC.
 6905 ROCKLEDGE DR.
 SUITE 800
 BETHESDA
 MARYLAND 20817
 (301) 803-4800

SET NUMBER: 02GA92
 PRINT DATE: 05/23/2014
 FIRST FLOOR PLAN

A
 03.00.00
 SCALE: 1/4" = 1'-0"







KEY NOTES

- A-26 FIRE RATED DOOR WITH SELF CLOSING HINGES. REFER TO SPECS FOR RATING.
- A-27 REFER TO GENERAL SPECS FOR HANDRAIL REQUIRED.
- A-28.1 LINE OF FLOOR ABOVE REFER TO CONSTRUCTION SPEC. 9 FOR GARAGE WALL AND CEILING FINISHES
- A-30.5 DROP GARAGE CEILING AS NECESSARY DUE TO STEEL BEAMS AND/OR MECHANICAL ABOVE.
- A-33.4 COFFERED CEILING
- A-36 THE FIREPLACE MODEL THAT IS INSTALLED MUST MEET ALL CLEARANCE CODES AT THE SIDES AND REAR OF THE FIREBOX AND THE CHIMNEY CHASE AS PER THE MANUFACTURERS SPECS.
- A-49 MECHANICAL CHASE
- A-50.1 ALL WALLS WITH CEMENT BOARD AND TILE ARE TO BE FRAMED AT 16" O.C.
- E-4 DIMENSIONS AT RECESSED LIGHT FIXTURES SHOULD BEHOLD TO AS CLOSE AS POSSIBLE BUT MAY HAVE TO VARY DUE TO FIELD CONDITIONS.
- E-12 ALL OUTLETS TO BE PLACED IN ACCORDANCE WITH APPLICABLE STATE AND LOCALELECTRICAL CODES.
- G-4 CONTINUOUS HANDRAILS IN STAIRWELLS AS REQUIRED BY LOCAL JURISDICTIONS.
- G-7 SHADED AREAS INDICATE CEILINGS TO BE FRAMED TO A HEIGHT OF NO LESS THAN 8' U.N.O.
- G-8 SOLID LINES BETWEEN ANY ROOM OR HALL INDICATE FLOORING CHANGES UNLESS OTHERWISE NOTED.
- G-9 ALL TOWEL BARS TO BE INSTALLED AT 48" AFF (TYP)
- G-10 ALL CASED OPENINGS TO BE AT 7'-10 7/8" UNLESS OTHERWISE NOTED.
- G-11 REFER TO FLOOR JOIST LAYOUT FOR PLUMBING DROP LOCATIONS.
- G-14 FOLLOW MANUFACTURERS SPECS FOR ALL TOP CUT OUTS FOR SINKS AND COOKTOPS NOTE: CENTERLINES ARE PROVIDED ON COUNTERTOP PLANS ON SHEET A7.0.0
- G-15 ALL END SPLASHES ARE TO BE SHIPPED LOOSE AND FIELD INSTALLED.

NSO NOTES

- ASYHM07B Install a 20x16 Guest suite on the side, connected through a hallway behind the Study, including a Bedroom with walk-in closet, and a 3/4 piece bath with shower/seal standard toilet, and vanity cabinet with cultured marble integral sink, rectangular walkmirror with strip light above, and medicine cabinet. New Bath includes 4x4 white bone ceramic tile floor, 4x4 white bone ceramic tile surround at shower, and standard bath hardware. Bedroom includes standard carpetpad, electrical outlets per code and one switched outlet. Walk-in closet includes a standard ceiling mounted light fixture on a single switch and standard wire shelving. Basement below to be unfinished. Includes an additional HVAC system to supply the Guest suite.
- ASYJC80C Expand the Study including the second floor above and unfinished basement below 8'-6" to the rear. Expanded space on the 2nd floor to be divided between Bedroom 2 and Bedroom 4, installing a walk-in closet in Bedroom 2 in lieu of the standard closet. Side windows of Family room deleted to accommodate.
- ASYJZ0E Expand and re-design the Family Room, Kitchen/Breakfast Room, and Owner's Suite above to be similar to the Remold, squaring-off the rear wall to align with the rear Family room wall. Includes an unfinished basement below. Kitchen re-designed to locate the cooktop to the side exterior wall and the Refrigerator and Ovens to the wall backing to the Mud room/Pantry. Optional rear Solarium relocated to align with the side exterior wall, deleting the wall, cased opening, and pass-thru between the kitchen breakfast area and the optional rear Solarium, and installing a 42-inch high drywall knee wall to the rear of the base cabinetry, creating a raised countertop with overhang on the rear of the knee wall into the Solarium.
- ASYJZ4B Expand the Study 2 feet to the side, expanding the Foyer 16 inches and the Dining room 6 inches to the side (total 2 feet), and expand the 2-story Foyer 1-foot to the front, and the Dining room 4 feet to the front, including the second floor above and unfinished basement below. Space on second floor to be added to the Bedrooms, maintaining the standard hill configuration. Front elevation revised to install double brick gables above the expanded Foyer and Bedroom 3.
- ASYRT04B Re-design the back stair to re-locate closer to the Breakfast room, installing a closet in the Mud room, and revising the desk space to accommodate. NO cabinetry, countertop, sink/faucet, and appliance modifications included in this price. Fresh modifications to be priced through 3rd party vendors.
- BPYEX011 NSO-Brick side returns full height as community sid. Install full-height brick returns on the Garage and non-Garage side elevations. Returns to extend back the sides 2 feet from the front facade. Includes modifications to the foundation and cornice above to accommodate.
- EXYMH00D Install a gable roof porch with metal roofing at the foyer entry door in lieu of the standard flat roof porch with rails. Porch size to remain per standard plans metal roof.
- WDYAA01A Install a single 2656 double-hung window in the side wall of the Study.
- WDYAS01B Install a window combination with DH3456 window with rectangular fixed window and quarter round floor window above on each side of the fireplace in lieu of revising the window above the fireplace to increase the height of the circle-top window to align the start of the arc with the taller quarter round windows. Install a 16x8 Garage overhead door in lieu of the two standard 8x8 doors on the front 2 bays of the optional 3-car sided load Garage. Includes an additional exterior Garage light fixture.
- WDYOE00A
- BPYEX011






KEY NOTES


- A-28.2 LINE OF ROOF BELOW DROP GLG PER CODE. FOR REQUIRED INSULATION DUE TO PLUMBING AND MECHANICAL ABOVE
- A-28.3 LOCATION OF ATTIC ACCESS OR PULLDOWN STAIRS
- A-31 OPEN TO AREA BELOW
- A-32 WOOD RAIL
- A-48 MECHANICAL CHASE
- A-49 ALL WALLS WITH CEMENT BOARD AND TILE ARE TO BE FRAMED AT 16" O.C.
- A-55.1 REFER TO BATH LAYOUTS FOR ADDITIONAL BATH CABINET INFO. DIMENSIONS AT RECESSED LIGHT FIXTURES SHOULD BE HELD TO AS CLOSE AS POSSIBLE, BUT MAY VARY DUE TO FIELD CONDITIONS.
- E-12 ALL OUTLETS TO BE PLACED IN ACCORDANCE WITH APPLICABLE STATE AND LOCALELECTRICAL CODES.
- G-4 CONTINUOUS HANDRAILS IN STAIRWELLS AS REQUIRED BY LOCAL JURISDICTIONS.
- G-7 SHADED AREAS INDICATE CEILINGS TO BE FRAMED TO A HEIGHT OF NO LESS THAN 8' U.N.C.
- G-8 SOLID LINES BETWEEN ANY ROOM OR HALL INDICATE FLOORING CHANGES UNLESS OTHERWISE NOTED.
- G-9 ALL TOWEL BARS TO BE INSTALLED AT 48" AFF (TYP)
- G-10 ALL CASED OPENINGS TO BE AT 7'-10 7/8" UNLESS OTHERWISE NOTED
- G-11 REFER TO FLOOR JOIST LAYOUT FOR PLUMBING DROP LOCATIONS. FOLLOW MANUFACTURERS SPECS FOR ALL TOP CUT OUTS FOR SINKS AND COOKTOPS NOTE: CENTERLINES ARE PROVIDED ON COUNTERTOP PLANS ON SHEET A-7.0.0
- G-15 ALL END SPLASHES ARE TO BE SHIPPED LOOSE AND FIELD INSTALLED.

NSO NOTES

- AS728T1 NSO: Temporary option for AS28T1 temporary option for 90 degree box tray ceiling in Owner's Bedroom. Install a 90 degree box tray ceiling in the Owner's Bedroom. Tray projects 12-inches up into the roof truss system. Includes: 1-piece crown molding in the upper box of the ceiling.
- ASYCF20B Expand the Owner's Bath and adjacent closet in Bedroom 3 2-feet over the Garage. Includes revising the Owner's Bath configuration to install the tub in a rectangular tub deck, installing a linen closet, re-locating the water closet, and re-configuring the vanities to two separate locations, one adjacent to the new tub deck, and one adjacent to the re-located water closet. Bedroom 3 closet re-designed to be a walk-in closet with standard outfield and one switched ceiling light fixture. NO cabinetry, countertop, sink/faucet, and appliance modifications included in this price; these modifications to be priced through 3rd party vendors.
- ASYJ00B Expand the 2nd floor to install a Sitting room and Office off the Owner's bedroom by installing a second story 12-foot deep above the optional rear Solumium. Entry to the Sitting room from the Owner's Bedroom to be columns on knee walls, and a single glass door entry to the Office from the Sitting room. Includes electrical outlets per code and one switched outlet in each new room. Deletes the boxed tray ceiling in the optional rear Solumium below to accommodate.
- ASYJ00C Expand the Study including the second floor above and unfinished basement below 8-feet to the rear. Expanded space on the 2nd floor to be divided between Bedroom 2 and Bedroom 4, installing a walk-in closet in Bedroom 2 in lieu of the standard closet. Side windows of Family room deleted to accommodate.
- ASYJ20E Expand and re-design the Family Room, Kitchen/Breakfast Room, and Owner's Suite above to be similar to the Ranchall, squaring off the rear wall to align with the rear Family room wall. Includes an unfinished basement below. Kitchen redesigned to locate the cooktop to the side exterior wall and the Refrigerator and Oven to the wall backing to the Mud room/Pantry. Optional rear Solumium re-located to align with the side exterior wall, deleting the wall, cased opening, and pass-thru between the Kitchen breakfast area and the optional rear Solumium, and installing a 42-inch high drywall knee wall to the rear of the base cabinetry, creating a raised countertop with overhang on the rear of the knee wall into the Solumium. Garage entry, pantry, and expanding the Study 2-feet to the side, expanding the Foyer 18-inches, and the Dining room 6-inches to the side (total 2-feet), and expand the 2-story Foyer 1-foot to the front, and the Dining room 4-feet to the front, including the second floor above and unfinished basement below. Space on second floor to be added to the Bedrooms, maintaining the standard full configuration. Front elevation revised to install double brick gables above the expanded Foyer and Bedroom 3.
- ASYRT04B Re-design the back stair to re-locate closer to the Breakfast room, installing a closet in the Mid room, and revising the deck space to accommodate. NO cabinetry, countertop, sink/faucet, and appliance modifications included in this price; these modifications to be priced through 3rd party vendors.
- INYA006A Install a 2868 standard door in lieu of a 2668 standard door.
- WDYAA010 Install a single 2652 double-hung window in the side wall of Bedroom 2.
- WDYAS01B Install a window combination with center fixed curb-top window and fixed rectangular twin 34210 window below above the fireplace; and quarter-round windows with fixed rectangular single 34210 windows below on either side of the fireplace in lieu of the standard upper windows on the rear wall of the Family room. Windows to be installed as individual units (NOT milled together).




residential design team
 WINCHESTER HOMES, INC.
 6905 ROCKLEDGE DR.
 B E T H E S D A
 M A R Y L A N D 20817
 (301) 803-4800



11100026

SECOND FLOOR PLAN
 02GA92
 05/23/2014
 PRINT DATE: SET NUMBER:



A
 04.00.00

SCALE: 1/4" = 1'-0"