

LAYOUT 3/3/06 INSP 4 _____
 INSP 2 3/6/06 INSP 5 _____
 INSP 3 _____ INSP 6 _____

ISSUE DATE: 1/23/2006

APPROVAL DATE: 4/13/06

PERMIT
INDEXED
TAX ID #02-418797

P 523946
 A 514254

ON-SITE SEWAGE DISPOSAL SYSTEM
HOWARD COUNTY HEALTH DEPARTMENT
BUREAU OF ENVIRONMENTAL HEALTH

Fogles Septic Clean, Inc. IS PERMITTED TO INSTALL ALTER

ADDRESS: 580 Obrecht Rd, Sykesville 21784 PHONE NUMBER: 410-795-5670

SUBDIVISION: Woods @ Patapsco Rim LOT NUMBER: 3

ADDRESS: 8717 Old Frederick Road PROPERTY OWNER: Winthorpe Inc.

SEPTIC TANK CAPACITY (GALLONS): 1250 OUTLET BAFFLE FILTER REQUIRED

PUMP CHAMBER CAPACITY (GALLONS): n/a COMPARTMENTED TANK REQUIRED

NUMBER OF BEDROOMS: 4

SQUARE FEET PER BEDROOM: 210

LINEAR FEET OF TRENCH REQUIRED: 199 HOUSE SERVED BY PUBLIC WATER

| | |
|-----------|---|
| TRENCHES: | Trench to be 3.0 feet wide. Inlet 3.5 feet below original grade. Bottom maximum depth 5.5 feet below original grade. Effective area begins at 4.0 feet below original grade. 2.0 feet of stone below distribution pipe. |
| LOCATION: | Place the distribution box in the highest elevation of the approved SDA. |
| NOTES: | Basement service not by gravity. |


PLANS APPROVED: Sara Fegel Reviewed by: _____ DATE: 11/7/05

NOTES: PERMIT VOID AFTER 2 YEARS
 CONTRACTOR IS RESPONSIBLE FOR SCHEDULING A PRE-CONSTRUCTION INSPECTION FOR ALL INSTALLATIONS
 WATERTIGHT SEPTIC TANKS REQUIRED
 ALL PARTS OF SEPTIC SYSTEM SHALL BE 100 FEET FROM ANY WATER WELL UNLESS SPECIFICALLY AUTHORIZED
 MANHOLE RISERS REQUIRED ON ALL SEPTIC TANKS AND PUMP CHAMBERS UNLESS SPECIFICALLY AUTHORIZED
 CONTRACTOR RESPONSIBLE FOR COMPLIANCE WITH APPLICABLE REGULATIONS, GUIDELINES AND THE TERMS OF THIS PERMIT

NEITHER THE HOWARD COUNTY COUNCIL NOR THE HEALTH DEPARTMENT IS RESPONSIBLE FOR THE SUCCESSFUL OPERATION OF ANY SYSTEM PERMITTEE RESPONSIBLE FOR OBTAINING FINAL APPROVAL ON THIS PERMIT ALL 410-313-1771 FOR INSPECTION OF SEPTIC SYSTEM

P523946

NOT TO SCALE



| TRENCH/DRAINFIELD DATA | | |
|-------------------------|-------|----------------|
| WIDTH | INLET | BOTTOM |
| 3' | 3.5' | 5.5' |
| NUMBER OF TRENCHES | | 4 |
| TOTAL LENGTH | | 190' |
| ABSORPTION AREA | | 570 + Sidewalk |
| DISTRIBUTION BOX LEVEL | | Yes |
| DISTRIBUTION BOX BAFFLE | | Elbow |
| DISTRIBUTION BOX PORT | | Yes |

| SEPTIC TANK DATA | | |
|---------------------|--------|-----|
| SEPTIC TANK 1 LEVEL | | Yes |
| CAPACITY | 1500 | GAL |
| SEAM LOC | Top | |
| TANK LID DEPTH | 6-6.5' | |
| BAFFLES | Yes | |
| BAFFLE FILTER | No | |
| MANHOLE LOC | Front | |
| 6" PORT LOC | Rear | |
| WATERTIGHT TEST | No | |
| SEPTIC TANK 2 LEVEL | | Yes |
| CAPACITY | 1500 | GAL |
| SEAM LOC | Top | |
| TANK LID DEPTH | 5.5-6' | |
| BAFFLES | Yes | |
| BAFFLE FILTER | No | |
| MANHOLE LOC | Rear | |
| 6" PORT LOC | None | |
| WATERTIGHT TEST | No | |

Traffic Lid

Traffic Lid

ROAD

PRE-CONSTRUCTION 3/3/06 Place the distribution box near the top center of the septic easement and install 4-50' trenches. (BB)

INSTALLATION 3/6/06 Pump line covered. Nine feet short on trench. Supposed to get documentation from Babylon that says that tanks are O.K. to depth of 6'. Need pump and alarm test also (BB) 4/13/06 Pump and alarm working. Received letter from Babylon that states that traffic bearing lids are warranted to a depth of 7' if no traffic. Grading needs to be changed around septic tank closest to house. Water collects around tank. Builder/Togler said they

FINAL INSPECTOR B. Baker DATE OF APPROVAL 4/13/06

would modify grade around tanks (BB)



HOWARD COUNTY HEALTH DEPARTMENT

Bureau of Environmental Health
7178 Columbia Gateway Drive, Columbia MD 21046
(410) 313-2640 FAX (410) 313-2648
TDD (410) 313-2323 Toll Free 1-877-4MD-DHMH

Penny E. Borenstein, M.D., M.P.H., County Health Officer

April 19, 2006

Winthorpe Inc.
PO Box 279
Highland, MD 20777

SENT VIA FACSIMILE 301-854-1091

RE: Woods @ Patapsco Rim, Lot 3
8417 Old Frederick Road
Ellicott City, MD 21043
BP # B00156725
PUBLIC WATER

Dear Sirs or Madam:


This is to advise that the connection from the house to the street has been installed and inspected for the referenced property. A Community Septic System serves this dwelling. **Final approval was granted on 04/13/2006 by HCHD for the house connection.**

The property is served by public water and is therefore exempt from the Health Department water sampling requirements.

By issuance of this letter, this office recommends release of the Use and Occupancy permit for the referenced property.

RECOMMENDATION FOR USE AND OCCUPANCY

Respectfully,




Stuart Oster, R.S.
Well and Septic Program

cc: DILP, Building Inspectors Office
File

GENERAL NOTES:

- 1) THIS LOCATION DRAWING IS PREPARED FOR THE BENEFIT OF THE CLIENT SIGNING THE HOUSE LOCATION SURVEY APPROVAL FORM INsofar AS IT IS REQUIRED BY A LENDER OR TITLE INSURANCE COMPANY OR ITS AGENTS IN CONNECTION WITH THE CONTEMPLATED TRANSFER, FINANCING OR REFINANCING OF THE PROPERTY SHOWN HEREON. UNLESS INDICATED AS BEING A BOUNDARY SURVEY, THIS LOCATION DRAWING IS NOT INTENDED FOR USE IN THE ESTABLISHMENT OF PROPERTY LINES AND IS NOT TO BE RELIED UPON FOR THE ESTABLISHMENT OR LOCATIONS OF FENCES, GARAGES, BUILDINGS OR OTHER EXISTING OR FUTURE IMPROVEMENTS. AS A RESULT, THIS LOCATION DRAWING DOES NOT PROVIDE FOR ACCURATE IDENTIFICATION OF PROPERTY LINES, BUT SUCH IDENTIFICATION MAY NOT BE REQUIRED FOR THE TRANSFER OF TITLE OR SECURING FINANCING FOR RE-FINANCING.
- 2) SUBJECT PROPERTY IS SHOWN IN ZONE C ON THE NATIONAL FLOOD INSURANCE PROGRAM FLOOD INSURANCE RATE MAP OF HOWARD COUNTY, MARYLAND, COMMUNITY PANEL No. 2400440010B EFFECTIVE DEC. 4, 1986.
- 3) THE OFFSETS FROM BUILDING LINE TO PROPERTY LINE AS SHOWN ON THE PLAT HEREON ARE TO AN ACCURACY OF PLUS OR MINUS 1' (*)
- 4) NO TITLE REPORT FURNISHED. SUBJECT TO ALL EASEMENTS, RIGHTS OF WAY AND CONDITIONS OF RECORD.



DETAIL:
1"=20'

OLD FREDERICK ROAD
(MAJOR COLLECTOR)
12.67'

VEHICULAR INGRESS AND EGRESS IS RESTRICTED.

N34°35'57"E
16.67'

LOT 1
BOENDER PROPERTY
PLAT NO. 3748


EXISTING PRIVATE 50' WIDE USE-IN-COMMON ACCESS AND PRIVATE STORMWATER MANAGEMENT ACCESS EASEMENT ACROSS LOTS 2, 3 AND 4 (FORMERLY LOT 1) FOR THE USE AND BENEFIT OF LOTS 2, 3 AND 4 (FORMERLY LOT 1). MAINTENANCE AGREEMENT RECORDED AMONG THE LAND RECORDS OF HOWARD COUNTY, MARYLAND IN LIBER 5788 AT FOLIO 564

LOT 2
BOENDER PROPERTY
PLAT NO. 3748

EXISTING 50' PRIVATE WATER, SEWER AND UTILITY EASEMENT
PLAT NO. 15088

1/23/06
Wall check OK
(Signature)

NAD '83



HOUSE LOCATION DRAWING

FOUNDATION LOCATION: 12/5/05
FINAL LOCATION: _____
BOUNDARY SURVEY: _____


SCALE: 1"=60'
DATE: 12/06/05
DRAWN BY: VLI
CHECKED BY: MLR
PROJECT No.: 05118

Mark L. Robel
PROFESSIONAL LAND SURVEYOR
REG. • 339
12/06/05
DATE

LOT 3
THE WOODS AT PATAPSCO RIM
LOTS 3 AND 4
(A RESUBDIVISION OF LOT 1,
THE WOODS AT PATAPSCO RIM,
PLAT NO. 15088)
SECOND ELECTION DISTRICT
HOWARD COUNTY,
MARYLAND
PLAT *17746

PROPERTY OF
T. W. ELLISON
LIBER 548, FOLIO 378

*8417 OLD FREDERICK ROAD
B.R.L.= BUILDING RESTRICTION LINE
TOP OF FOUNDATION ELEV.=440.0*




FISHER, COLLINS & CARTER, INC.
CIVIL ENGINEERING CONSULTANTS & LAND SURVEYORS
CENTENNIAL SQUARE OFFICE PARK - 10272 BALTIMORE NATIONAL PIKE
ELLCOTT CITY, MARYLAND 21042
(410) 461 - 2855

BENCH MARKS

T.P. 17EA ELEV. 479.462
 N. 594.357.610
 E. 1.357.549.371
 LOC. NEAR INTERSECTION OF
 OLD FREDERICK RD. & DANIELS RD.
 ALONG OLD FREDERICK ROAD

T.P. 17EB ELEV. 420.695
 N. 593.813.919
 E. 1.355.731.060
 LOC. NEAR INTERSECTION OF
 OLD FREDERICK RD. & DANIELS RD.
 ALONG OLD FREDERICK ROAD




VICINITY MAP
 SCALE: 1" = 1200'

GENERAL NOTES

- THE PROPERTY IS ZONED R-20 PER THE 2004 COMPREHENSIVE ZONING PLAN.
- THE TOTAL AREA INCLUDED IN THIS SUBDIVISION IS 3.795 AC.
- THE TOTAL NUMBER OF LOTS INCLUDED IN THIS SUBDIVISION IS 1.
- PROPOSED USE OF SITE IS SINGLE FAMILY DETACHED UNIT.
- THE TOTAL DISTURBED AREA IS 0.15 AC.
- DEPARTMENT OF PLANNING AND ZONING REFERENCE FILE NUMBERS ARE F-77-804, F-01-250, W. CONT. 14-3799-9 & F-03-107.
- UTILITIES SHOWN AS EXISTING ARE TAKEN FROM APPROVED WATER PLANS CONTRACT 14-3799-9.
- THIS AREA DESIGNATES A PRIVATE SEWERAGE EASEMENT OF 6000 SQUARE FEET AS REQUIRED BY THE MARYLAND STATE DEPARTMENT OF THE ENVIRONMENT FOR INDIVIDUAL SEWAGE DISPOSAL IMPROVEMENTS OF ANY NATURE IN THIS AREA AND PUBLIC SEWERAGE IS AVAILABLE. THESE EASEMENTS SHALL BECOME NULL AND VOID UPON CONNECTION TO A PUBLIC SEWERAGE SYSTEM. THE COUNTY HEALTH OFFICER SHALL HAVE THE AUTHORITY TO GRANT VARIANCES FOR DISCREPANCIES INTO THE PRIVATE SEWERAGE EASEMENT. RECONSTRUCTION OF A MODIFIED EASEMENT SHALL NOT BE NECESSARY BY HOWARD COUNTY GEODETIC CONTROL STATIONS NO. H.C.M. 17EA AND NO. H.C.M. 17EB.
- STA. H.C.M. 17EA N 594357.610 E 1357549.371 ELEV. 479.462
 STA. H.C.M. 17EB N 593813.919 E 1355731.060 ELEV. 420.695
- THIS PLAN IS BASED ON FIELD RUN MONUMENTED BOUNDARY SURVEY PERFORMED ON OR ABOUT 3/12/2002, BY FISHER, COLLINS & CARTER, INC.
- USE-IN-COMMON DRIVEWAYS SHALL BE PROVIDED PRIOR TO ISSUANCE OF A RESIDENTIAL OCCUPANCY PERMIT TO ENSURE SAFE ACCESS FOR FIRE AND EMERGENCY VEHICLES PER THE FOLLOWING REQUIREMENTS:
 (A) WIDTH - 12 FEET 04 INCHES SEVERING MORE THAN ONE RESIDENCE.
 (B) SURFACE - 500 607 INCHES OF COMPACTED CRUSHER RUN BASE WITH TAR AND CHIP COATING - 4" 3/4" MINIMUM.
 (C) GEOMETRY - MAXIMUM 10% GRADE, MAXIMUM 10% GRADE CHANGE AND 45-FOOT TURNING RADIUS.
 (D) STRUCTURES (CULVERTS/BRIDGES) - CAPABLE OF SUPPORTING 25 GROSS TONS BESS-LOADING.
 (E) DRAINAGE ELEMENTS - CAPABLE OF SAFELY PASSING 100 YEAR FLOOD WITH NO MORE THAN ONE FOOT DEPTH OVER SURFACE.
 (F) STRUCTURE CLEARANCES - MINIMUM 12 FEET.
 (G) MAINTENANCE - SUFFICIENT TO ENSURE ALL WEATHER USE.
- THIS PLAN HAS BEEN PREPARED IN ACCORDANCE WITH THE PROVISIONS OF SECTION 16.02 OF THE HOWARD COUNTY CODE AND THE LANDSCAPE MANUAL, THE COUNTY'S PROPER LANDSCAPING AND THE ASSOCIATED SURETY HAVE BEEN SATISFIED UNDER SDP-02-108 FOR LOT 1.
- IN ACCORDANCE WITH SECTION 16.020 OF THE HOWARD COUNTY CODE AND FOREST CONSERVATION MANUAL, THE FOREST CONSERVATION REGULATIONS FOR LOTS 3 AND 4, THE RE-SUBDIVISION OF LOT 1 ON LOT 1 PER THE RESIDENTIAL 6000 SQUARE FEET LOT POLICY OF THE DEPARTMENT OF PLANNING AND ZONING DATED MAY 11, 1999.
- NO TIDAL WETLANDS EXIST ON SITE BASED ON A SITE EVALUATION BY WILDMAN ENVIRONMENTAL SERVICES DURING DECEMBER, 2000.
- NO 100 YEAR FLOOD PLAN OR STEEP SLOPES EXIST ON THIS SITE.
- THE SLOPED DRIVEWAY ACCESS AND MAINTENANCE AGREEMENT FOR LOTS 3 AND 4 HAS BEEN RECORDED AMONG THE LAND RECORDS OF HOWARD COUNTY, 1.5780 F.504.
- STORMWATER MANAGEMENT IS PROVIDED UNDER F-05-100 FOR LOTS 1, 2 & 3 BY A SURFACE SAND FILTER ADJACENT TO THE USE-IN-COMMON DRIVEWAY. THIS FACILITY PROVIDES FOR THE REQUIRED WATER QUALITY VOLUME (WQV) AND GROUNDWATER RECHARGE VOLUME (REV) AND SHALL BE PERMANENTLY OWNED AND MAINTAINED.
- ANY DAMAGE TO COUNTY RIGHTS-OF-WAY SHALL BE REPAIRED AT THE DEVELOPER'S EXPENSE.
- IN ACCORDANCE WITH SECTION 10.0 OF THE HOWARD COUNTY ZONING REGULATIONS, ANY WINDOWS, CHIMNEYS, STAIRS, PORCHES OR DECKS, OPEN OR ENCLOSED MAY PROJECT NOT MORE THAN 4 FEET INTO ANY OR BEAR YARD SETBACK.
 (A) EXTENSIVE STAIRWAYS NOT MORE THAN 16 FEET IN WIDTH MAY PROJECT NOT MORE THAN 10 FEET INTO THE FRONT OR BEAR YARD SETBACK.
- THE DRIVEWAY ENTRANCE IS PER HOWARD COUNTY STANDARD DETAIL R-6-06.
- THE CONTRACTOR SHALL NOTIFY THE CONSTRUCTION INSPECTION DIVISION 480-303-3000 AT LEAST 24 HOURS PRIOR TO THE START OF WORK.
- THIS PLAN IS SUBJECT TO THE AMENDED FIFTH EDITION OF THE SUBDIVISION AND LAND DEVELOPMENT REGULATIONS PER COUNCIL BILL 15-2003 AND THE ZONING REGULATIONS AS AMENDED BY COUNCIL BILL 75-2003. DEVELOPMENT OR CONSTRUCTION ON THESE LOTS MUST COMPLY WITH SETBACK AND BUFFER REGULATIONS IN EFFECT AT THE TIME OF SUBMISSION OF THE SITE DEVELOPMENT PLAN, WAIVER PETITION APPLICATION OR BUILDING GRADING PERMIT.
- THE STAGING OF FOUNDATIONS PRIOR TO CONSTRUCTION TO ENSURE COMPLIANCE WITH REGULATORY BUILDING RESTRICTION LINES IS RECOMMENDED.
- FOR FLAG OR PIPRESTON LOTS, REFUSE COLLECTION, SNOW REMOVAL AND ROAD MAINTENANCE ARE PROVIDED TO THE JUNCTION OF THE FLAG OR PIPRESTON AND ROAD RIGHT-OF-WAY LINE AND NOT INTO THE PIPRESTON LOT DRIVEWAY.

Approved Septic System Plan
 Howard County Health Department
 Signature: *[Signature]* 11/23/05
 Date



MINIMUM LOT SIZE CHART

| LOT NO. | GROSS AREA | FLAG OR PIPESTEM AREA | MINIMUM LOT SIZE |
|---------|----------------|-----------------------|------------------|
| 3 | 34,320 SQ.FT.* | 5,081 SQ.FT.* | 29,239 SQ.FT.* |


SCHEDULE A - PERIMETER LANDSCAPE EDGE

| PERIMETER | P-1 | P-2 | P-3 | P-4 |
|--|--------------------|--------------------|--------------------|-------------|
| ADJACENT TO ROADWAYS | N/A | A | A | A |
| ADJACENT TO PERIMETER PROPERTIES (ELLISION) | | | | |
| ADJACENT TO PERIMETER PROPERTIES (LOT D) | | | | |
| ADJACENT TO PERIMETER PROPERTIES (DRIVEWAY) | | | | |
| LANDSCAPE TYPE | N/A | A | A | A |
| LINEAR FEET OF PERIMETER | 12.67 L.F. | 203.96 L.F. | 124.96 L.F. | 319.94 L.F. |
| CREDIT FOR EXISTING VEGETATION (NO, YES AND ID) | NO | YES 203.96 L.F. | YES 124.96 L.F. | NO |
| CREDIT FOR WALL, FENCE OR BERM (NO, YES, AND ID) | NO | NO | NO | NO |
| NUMBER OF TREES REQUIRED | N/A | 0 | 0 | 6 |
| SHADE TREES | FRONTS PUBLIC ROAD | 0 | 0 | 0 |
| EVERGREEN TREES | | 0 | 0 | 0 |
| NUMBER OF TREES PROVIDED | 0 | 0 | 0 | *6 |
| SHADE TREES | | 0 | 0 | 0 |
| EVERGREEN TREES | | 0 | 0 | 0 |

*EXISTING LANDSCAPING PROVIDED UNDER SDP-02-108 FOR LOT 1.
 SURETY WAS POSTED WITH THE BUILDER'S GRADING PERMIT UNDER SDP-02-108 FOR LOT 1.


LANDSCAPE NOTES

- THE OWNER, TENANT AND/OR THEIR AGENTS FOR LOT 3 SHALL BE RESPONSIBLE FOR MAINTENANCE OF THE REQUIRED LANDSCAPING, PLANT MATERIALS, BERMS, FENCES AND WALLS FOR WHICH CREDIT IS BEING TAKEN AND AS PROVIDED UNDER SDP-02-108 FOR LOT 1. ALL PLANT MATERIALS SHALL BE MAINTAINED IN GOOD GROWING CONDITION AND WHEN NECESSARY, REPLACED WITH NEW MATERIALS TO ENSURE CONTINUED COMPLIANCE WITH APPLICABLE REGULATIONS. ALL REQUIRED LANDSCAPING SHALL BE PERMANENTLY MAINTAINED IN GOOD CONDITION AND WHEN NECESSARY, REPAIRED OR REPLACED.
- NO CLEARING OF EXISTING VEGETATION IS PERMITTED WITHIN THE LANDSCAPE EDGE FOR WHICH CREDIT IS BEING TAKEN. HOWEVER, LANDSCAPE MAINTENANCE IS AUTHORIZED.



LEGEND

| SYMBOL | DESCRIPTION |
|--------|--|
| --- | EXISTING CONTOUR 2' INTERVAL |
| + | SPOT ELEVATION |
| TP 102 | PERC HOLES |
| --- | EXISTING TREE LINE |
| LOD | LIMIT OF DISTURBANCE |
| EF/TP | SILT FENCE/TREE PROTECTION |
| GF-60F | SUPER SILT FENCE |
| --- | SEPTIC EASEMENT |
| ● | PERIMETER LANDSCAPE TREES PER F-02-198 PROVIDED UNDER SDP-02-108 |
| ● | EXISTING TREES |



INDEX SHEET

| SHEET NO. | DESCRIPTION |
|-----------|--|
| 1 | SITE DEVELOPMENT & SEDIMENT/EROSION CONTROL PLAN |
| 2 | NOTES & DETAILS |

ADDRESS CHART

| LOT NUMBER | STREET ADDRESS |
|------------|-------------------------|
| 3 | 6417 OLD FREDERICK ROAD |

FISHER, COLLINS & CARTER, INC.
 CIVIL ENGINEERING CONSULTANTS & LAND SURVEYORS
 CENTRAL SQUARE OFFICE PARK - 18275 BALTIMORE NATIONAL PIKE
 ELLICOTT CITY, MARYLAND 21114
 410-418-2255

| NO. | REVISION | DATE |
|-----|---|----------|
| 1 | Revise house model from Armistead II to Lockhart II | 10-25-05 |

APPROVED FOR PUBLIC WATER AND PRIVATE SEWERAGE SYSTEMS,
 HOWARD COUNTY HEALTH DEPARTMENT.
 County Health Officer: *[Signature]* 10/4/05
 DATE

ENGINEER'S CERTIFICATE
 I certify that this plan for erosion and sediment control represents a practical and workable plan based on my personal knowledge of the site conditions and that it was prepared in accordance with the requirements of the Howard Soil Conservation District.
 Signature of Engineer: *[Signature]* EARL D. COLLINS Date: 8/21/05
BUILDER/DEVELOPER'S CERTIFICATE
 I/We certify that all development and construction will be done according to this plan for sediment and erosion control and that any responsible personnel involved in the construction project will have a Certificate of Attendance at a Department of the Environment Approved Training Program for the Control of Sediment and Erosion before beginning the project. I also authorize periodic on-site inspection by the Howard Soil Conservation District.
 Signature of Developer: *[Signature]* MARK KOVACH Date: 8/22/05

Review for HOWARD SCD and meets Technical Requirements.
 Jim Meyers 8-29-05
 Chief, Natural Resources Conservation Service
 This development plan is approved for erosion and sediment control by the HOWARD SOIL CONSERVATION DISTRICT.
 John K. Rounton 8-29-05
 Howard SCD
OWNER/DEVELOPER/BUILDER
 MARK KOVACH
 9527 OLD FREDERICK ROAD
 ELLICOTT CITY, MARYLAND 21103
 410-313-3366

APPROVED: HOWARD COUNTY DEPARTMENT OF PLANNING AND ZONING

[Signature] 10/7/05
 Chief, Division of Land Development
[Signature] 9/2/05
 Chief, Development Engineering Division
[Signature] 10/14/05
 Director - Department of Planning and Zoning

| PROJECT | SECTION | LOT NO. |
|---------------------------|---------|---------|
| THE WOODS AT PATAPSCO RIM | N/A | 3 |

| PLAT | BLOCK NO. | ZONE | TAX/ZONE | ELEC. DIST. | CENSUS TR. |
|--------|-----------|------|----------|-------------|------------|
| 477746 | 7 | R-20 | 1B | SECOND | 6121.00 |

| WATER CODE | SEWER CODE |
|------------|------------|
| F01 | PRIVATE |

PERC CERTIFICATION, SITE DEVELOPMENT, SEDIMENT/EROSION CONTROL PLAN

THE WOODS AT PATAPSCO RIM
 LOT 3
 TAX MAP NO: 1B PARCEL NO: 349
 SECOND ELECTION DISTRICT, HOWARD COUNTY, MARYLAND
 SCALE: 1" = 30' DATE: FEBRUARY, 2005
 SHEET 1 OF 2

SDP 05-142