

12/29/78
revised 1/13/79
H...

APP. 11/3/78
JS # 28996
A22950

PERMIT

SEWAGE DISPOSAL SYSTEM
MARYLAND STATE DEPARTMENT OF HEALTH

HOWARD COUNTY

05-378214

ELLICOTT CITY

DISTRICT 5th

INDEXED

DATE 10/11/78

Robert Orndorff IS PERMITTED TO INSTALL X ALTER _____

ADDRESS _____ PHONE _____

SUBDIVISION _____ ROAD 2045 Ellicott Road LOT 2

PROPERTY OWNER Edna Driver

ADDRESS _____

SPECIFICATIONS & DETAILS

SEPTIC TANK CAPACITY 1250 GALLONS

DRAIN FIELD _____ DEPTH _____ FEET, BOTTOM AREA _____ SQ. FT.

DEEP TRENCH _____ DEPTH _____ FEET, BOTTOM AREA _____ SQ. FT.

SEWAGE PITS _____ ARRANGEMENT SIZES WALL AREA 175 SQ. FT. FOR BEDROOM, 200 SQ. FT. TOTAL IN DRY WELL.

INLET PIPE 4 FT. BELOW ORIGINAL GRADE. MAXIMUM DEPTH 10 FT. BELOW ORIGINAL GRADE

EFFECTIVE DEPTH AT _____ FT. BELOW ORIGINAL GRADE.

LOCATE DISPOSAL AREA 277 FT. FROM REAR LOT LINE AND 107 FT. FROM RIGHT LOT LINE AS SHOWN ON

FACING LOT FROM _____

Trench to be 100 ft. long with inlet of 4 ft. and maximum depth 10 ft. Run trench

on concrete from dry well towards right lot line.

PLANS APPROVED BY David O'Neill DATE 11/1/78

COVER NO WORK UNTIL INSPECTED AND APPROVED.

NEITHER THE HOWARD COUNTY COUNCIL NOR THE HEALTH DEPARTMENT IS RESPONSIBLE FOR THE SUCCESSFUL OPERATION OF ANY SYSTEM.

NOTE: IF TRENCH IS USED CALL FOR INSPECTION BEFORE PLACING GRAVEL IN TRENCH.

NOTE: NO DRY WELL SHALL EXCEED 18 FOOT IN DIAMETER.

NOTE: ALL PIPE FROM HOUSE TO DISPOSAL AREA MUST BE CAST IRON.

PERMIT VOID AFTER THREE YEARS.

NOTE: INSTALL STAND PIPE ON SEPTIC TANK AND DRY WELL. STAND PIPES MUST BE 6 INCHES IN DIAMETER. CAST IRON, CONCRETE OR TERRAZO ACCEPTED.

***INSTALLER IS RESPONSIBLE FOR OBTAINING FINAL APPROVAL ON THIS PERMIT.**

A22950

P 28996

613° 15' 31" W

LOT 5
1,269 Ac.

Small Trees

123

124

125

120'

125.75

126.50

126.50

127

120'

22.4
127.75 18° W

1200	1200
FF = 105.00	GAR = 22.40
B = 96.00	244
1200	1200
1200	1200

