



# Building Permit Application

Howard County Maryland  
 Department of Inspections, Licenses and Permits  
 3430 Court House Drive  
 Permits: 410-313-2455  
 www.howardcountymd.gov

Date Received: \_\_\_\_\_

Permit No.: \_\_\_\_\_

Building Address: 12209 Basslers Way  
 City: Clarksville State: MD Zip Code: 21029  
 Suite/Apt. # \_\_\_\_\_ SDP/WP/BA #: \_\_\_\_\_  
 Census Tract: \_\_\_\_\_ Subdivision: Walnut Creek  
 Section: \_\_\_\_\_ Area: \_\_\_\_\_ Lot: 13  
 Tax Map: \_\_\_\_\_ Parcel: \_\_\_\_\_ Grid: \_\_\_\_\_  
 Zoning: \_\_\_\_\_ Map Coordinates: \_\_\_\_\_ Lot Size: \_\_\_\_\_

Existing Use: Single Family  
 Proposed Use: SMUG  
 Estimated Construction Cost: \$ 63,000  
 Description of Work: Finish Basement, 1 BATH

Occupant or Tenant:  
 Was tenant space previously occupied?  Yes  No  
 Contact Name: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 City: \_\_\_\_\_ State: \_\_\_\_\_ Zip Code: \_\_\_\_\_  
 Phone: \_\_\_\_\_ Fax: \_\_\_\_\_  
 Email: \_\_\_\_\_

Property Owner's Name: David Cummings  
 Address: 12209 Basslers Way  
 City: Clarksville State: MD Zip Code: 21029  
 Phone: 410-549-5050 Fax: 410-549-5449  
 Email: psorge3@earthlink.net

Applicant's Name & Mailing Address (If other than stated herein)  
 Applicant's Name: CLASSIC Design Group Inc  
 Address: 5433 Woodlawn Rd  
 City: Woodlawn State: MD Zip Code: 21797  
 Phone: 410-549-5050 Fax: 410-549-5449  
 Email: psorge3@earthlink.net

Contractor Company: CLASSIC Design Group Inc  
 Contact Person: Luis Baldorrena  
 Address: 5433 Woodlawn Rd  
 City: Woodlawn State: MD Zip Code: 21797  
 License No.: 83116  
 Phone: 410-549-5050 Fax: 410-549-5449  
 Email: psorge3@earthlink.net

Engineer/Architect Company: \_\_\_\_\_  
 Responsible Design Prof.: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 City: \_\_\_\_\_ State: \_\_\_\_\_ Zip Code: \_\_\_\_\_  
 Phone: \_\_\_\_\_ Fax: \_\_\_\_\_  
 Email: \_\_\_\_\_

Commercial Building Characteristics	Residential Building Characteristics	
Height:	<input checked="" type="checkbox"/> SF Dwelling	<input type="checkbox"/> SF Townhouse
No. of stories:	Depth	Width
Gross area, sq. ft./floor:	1 <sup>st</sup> floor: <u>39 x 65</u>	
Area of construction (sq. ft.): <u>1586</u>	2 <sup>nd</sup> floor:	
Use group:	Basement:	
	<input type="checkbox"/> Finished Basement	
	<input checked="" type="checkbox"/> Unfinished Basement	
	<input type="checkbox"/> Crawl Space	
	<input type="checkbox"/> Slab on Grade	
<b>Construction type:</b>	No. of Bedrooms:	
<input type="checkbox"/> Reinforced Concrete		
<input type="checkbox"/> Structural Steel	<b>Multi-family Dwelling</b>	
<input type="checkbox"/> Masonry	No. of efficiency units:	
<input checked="" type="checkbox"/> Wood Frame	No. of 1 BR units:	
<input type="checkbox"/> State Certified Modular	No. of 2 BR units:	
	No. of 3 BR units:	
	Other Structure:	
	Dimensions:	
<input checked="" type="checkbox"/> Roadside Tree Project Permit	Footings:	
<input type="checkbox"/> Yes <input type="checkbox"/> No	Roof:	
Roadside Tree Project Permit # _____	<input type="checkbox"/> State Certified Modular	
	<input type="checkbox"/> Manufactured Home	

Utilities	
<b>Water Supply</b>	
<input type="checkbox"/> Public	
<input checked="" type="checkbox"/> Private	
<b>Sewage Disposal</b>	
<input type="checkbox"/> Public	
<input checked="" type="checkbox"/> Private	
Electric: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Gas: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
<b>Heating System</b>	
<input type="checkbox"/> Electric	<input type="checkbox"/> Oil
<input type="checkbox"/> Natural Gas	<input type="checkbox"/> Propane Gas
<input type="checkbox"/> Other:	
<b>Sprinkler System:</b>	
<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
Grading Permit Number: _____	
Building Shell Permit Number: _____	

THE UNDERSIGNED HEREBY CERTIFIES AND AGREES AS FOLLOWS: (1) THAT HE/SHE IS AUTHORIZED TO MAKE THIS APPLICATION; (2) THAT THE INFORMATION IS CORRECT; (3) THAT HE/SHE WILL COMPLY WITH ALL REGULATIONS OF HOWARD COUNTY WHICH ARE APPLICABLE THERETO; (4) THAT HE/SHE WILL PERFORM NO WORK ON THE ABOVE REFERENCED PROPERTY NOT SPECIFICALLY DESCRIBED IN THIS APPLICATION; (5) THAT HE/SHE GRANTS COUNTY OFFICIALS THE RIGHT TO ENTER ONTO THIS PROPERTY FOR THE PURPOSE OF INSPECTING THE WORK PERMITTED AND POSTING NOTICES.

Applicant's Signature: psorge3@earthlink.net  
 Email Address: V.P.  
 Title/Company: \_\_\_\_\_

Print Name: Peter Sarge  
 Date: 10/12/16


Checks Payable to: DIRECTOR OF FINANCE OF HOWARD COUNTY  
 \*\*PLEASE WRITE NEATLY & LEGIBLY\*\*  
 -FOR OFFICE USE ONLY-

AGENCY	DATE	SIGNATURE OF APPROVAL
State Highways		
Building Officials		
PSZA (Zoning)		
PSZA (Engineering)		
Health	<u>10/13/16</u>	<u>H. O'Connell</u>

Is Sediment Control approval required for issuance?  Yes  No  
 CONTINGENCY CONSTRUCTION START

DPZ SETBACK INFORMATION
Front: _____
Rear: _____
Side: _____
Side St.: _____
All minimum setbacks met? <input type="checkbox"/> Yes <input type="checkbox"/> No
Is Entrance Permit Required? <input type="checkbox"/> Yes <input type="checkbox"/> No
Historic District? <input type="checkbox"/> Yes <input type="checkbox"/> No
Lot Coverage for New Town Zone: _____
SDP/Red-line approval date: _____

Filing Fee	\$
Permit Fee	\$
Tech Fee	\$
Excise Tax	\$
PSFS	\$
Guaranty Fund	\$
Add'l per Fee	\$
Total Fees	\$
Sub- Total Paid	\$
Balance Due	\$
Check	#



**NOTE PLUMBER:  
WET BAR ROUGH IN**

**NOTE PLUMBER  
PASSIVE RADON SYSTEM**  
3" PVC PIPE W/ TEE VENTED THROUGH ROOF (LOCATION PER PLUMBER)

**HVAC: EQUIPMENT - AMANA**  
ZONE 1: 95% EFFICIENCY NATURAL GAS FURNACE WITH 16 SEER A/C UNIT  
ZONE 2: 95% EFFICIENCY NATURAL GAS FURNACE WITH 16 SEER A/C UNIT

**NOTE ROOF: 16 SEER A.C. (2)**

**E-ONE SEPTIC SYSTEM**


**ELECTRIC & GAS METER**

**WATER TREATMENT / WATER SOFTENER SYSTEM**  
David Ryck:  
National Water Service Corp.  
4781 Len Oxley Blvd, Suite 2A  
Dayton, OH 45426  
OFF: 937-252-9389  
937-854-1333  
FAX: 937-854-1338  
Toll Free: 1-800-732-3506  
Email: david@nationalwaterservice.com

Gas: Natural	
Gas Furnace Zones:	<i>NOTE: PLUMBER ZONE 2 OHFC.</i>
Zone 1 / 2	YES
<b>GAS RANGE</b>	<b>YES</b>
Fire Place	YES

**NOTE: 8'-0" FOUNDATION WALLS**

**NOTE: L/480 MAX JOIST DEFLECTION**



**NOTES**

1. 2000 PSF RCL BEARING CAPACITY ASSUMED.
2. BRACE, CORN, HANGING AND SLAPPING TO BE 3/4" X 1/2" OR SMALL TYPICAL THROUGHOUT.
3. VERIFY SIZE AND LOCATION OF DOORS AND WINDOWS SEE PLAN FOR BRACES AND HANGERS.
4. DIMENSIONED JOIST SPACING AND BRACES TO BE CHECKED BY PIR FOR LOAD AND REDUCTIONS.
5. ALL LAYERS BEARS AND SILLING JOISTS TO BE DIMENSIONED BY PIR TYPICAL THROUGHOUT.

NOTE: DIMENSIONED JOISTS ASSUMED TO BE 2X6 SILLING BRACE 3/4" OR 3/2" TYPICAL THROUGHOUT.

**JAY NOTE  
THERMO-TRU/NO GRILLS  
PATIO DOOR**

**UNFINISHED BASEMENT**  
7" CONC SLAB W/ POLYESTER OVER & 1/2" POLY V.B. OVER 7" GRAVEL. PROVIDE SCHEDULED AND CONTROL JOISTS AS NOTED.

**UNEXCAVATED**  
NOTE: PROVIDE GRADE BARS AND/OR PILES AS REQUIRED PER SOIL & RLL CONDITIONS.

**2012 CODE**

SCALE: 1/4" = 1'-0"  
OR AS NOTED  
REVISED  
12-13-2013  
03-13-2014  
DATE: 08-20-2013  
SHEET NO.

A-3

*4/9/2014*


FAMILY ROOM INTERIOR LAYOUT  
 FINISHES: WALLS - 1/2" GYP BOARD, CEILING - 5/8" GYP BOARD, FLOOR - 3/4" OSB, 1/2" GYP BOARD  
 DOOR: 1 1/2" x 6" x 1 3/4" (1 1/2" x 6" x 1 3/4")  
 WINDOW: 1 1/2" x 6" x 1 3/4" (1 1/2" x 6" x 1 3/4")

NOTE: ADD W/ FRN - FIREPLACE AND ELECTRICAL

FINISHES: WALLS - 1/2" GYP BOARD, CEILING - 5/8" GYP BOARD, FLOOR - 3/4" OSB, 1/2" GYP BOARD  
 DOOR: 1 1/2" x 6" x 1 3/4" (1 1/2" x 6" x 1 3/4")  
 WINDOW: 1 1/2" x 6" x 1 3/4" (1 1/2" x 6" x 1 3/4")

FRY NOTE 1st Floor  
 Door 44 80  
 2nd Floor Door 44 68  
 AND OIL RAG BENCH  
 AND HANGERS  
 A DOORS CHANGING  
 1/2" RAIL BOARD

WARRANTY CHECK INTERIOR TRIM PACKAGE  
 DOOR: 1 1/2" x 6" x 1 3/4" (1 1/2" x 6" x 1 3/4")  
 WINDOW: 1 1/2" x 6" x 1 3/4" (1 1/2" x 6" x 1 3/4")  
 AND HANGERS




ITEM	DESCRIPTION	QTY	UNIT	PRICE	TOTAL
1	WALL PAPER	100	SQ. YD.	1.50	150.00
2	CEILING	100	SQ. YD.	1.50	150.00
3	FLOOR	100	SQ. YD.	1.50	150.00
4	DOOR	10	EA.	15.00	150.00
5	WINDOW	10	EA.	15.00	150.00
6	TRIM	100	LN.	1.50	150.00
7	PAINT	100	GA.	1.50	150.00
8	PLASTER	100	SQ. YD.	1.50	150.00
9	CONCRETE	100	SQ. YD.	1.50	150.00
10	ROOFING	100	SQ. YD.	1.50	150.00
11	MECHANICAL	100	LN.	1.50	150.00
12	ELECTRICAL	100	LN.	1.50	150.00
13	LANDSCAPE	100	LN.	1.50	150.00
14	EXTERIOR	100	LN.	1.50	150.00
15	INTERIOR	100	LN.	1.50	150.00
16	MECHANICAL	100	LN.	1.50	150.00
17	ELECTRICAL	100	LN.	1.50	150.00
18	LANDSCAPE	100	LN.	1.50	150.00
19	EXTERIOR	100	LN.	1.50	150.00
20	INTERIOR	100	LN.	1.50	150.00

NOTE: 12\"/>




BUYERS: David and JAMES COLLINGS  
 ADDRESS: 33208 Sandbar Way, Charlotte, MD 21029  
 LOT # 13 SUBDIVISION: WALNUT CREEK  
 INCOME: PERMIT # B3300457 SALES: CUBAN STAIN



LEFT ELEVATION 3/16"

RIGHT ELEVATION 3/16"




SCALE 1/32"

PLAN VIEW SCALE: 1/4" = 1'-0"

ROOF OVERHANG DETAIL SCALE: 1/4" = 1'-0"

HERITAGE 30 YEAR LAYERED ARCHITECTURAL SHINGLE BY TAMKO

JAY BH NOTE: HARDEE SHINGLE STAGGERED EDGE PANEL



NOTE: INSULATOR ANTI-AIR INFILTRATION SYSTEM: CAULKING AT EXTERIOR JOINTS, BEAMS, AND OPENINGS AROUND DOOR AND WINDOW JAMBES, FOAM BEADERS AT OPENINGS ON EXTERIOR WALLS.

NOTE: CARPENTER TYPK HOUSE WRAP ALL 4 SIDES

UNITED DOUBLE-HUNG WINDOWS 5800 DOUBLE HUNG, LOWE (R-VALUE OF 0.34) W/ GRILLER, SCREENS, WOOD CASINGS & SIDE JAMBES EXCEPT GARAGE NOTE: USE WINDOW DEVICES WHERE REQUIRED PER REC 303 R302

Note HARDEE SHINGLE

Note ROOF RAFTERS

INTERIOR SPRINKLER EXISTING IN GARAGE CONSOLE HERE

EXTERIOR LAMP POST

EXTERIOR	Finish/Details Field
STONE	
BRICK/CLAY FIELD	0/0
CLAY ACENT	0/0
CAST EXTERIOR	YES NO WEAR SURF
MORTAR COLOR	STD GR
ROOF TYPED HERITAGE	0/0
S.S. METAL ROOF	0/0
SHED: AMHERST	Hardie Plant beaded wood grain - Sage
PAINT: FRONT DOOR	Allegory
GARAGE DOOR (S)	Hardie Siding
SHUTTERS	YES NO Cobblestone Gray
GARAGE DOOR OPENERS: NUMBER	0
GARAGE DOOR GLASS PATTERN:	Circle
STOOP/STEPS:	CONCRETE BRICK ASIAN BLUE OTHER
WALKWAY:	CONCRETE BRICK OTHER
OTHER:	

NOTE CARPENTER

JAY BH FRONT DOOR: CCABZB W/ DENTAL SHELF AND STAINABLE ASTRASAL AND MURKIN PAINT LOCKING SYSTEM. FRONT ELEVATION #301 - FRENCH COUNTRY/CUSTOM

LOT 13 WALNUT CREEK

24"X24" CONCRETE BLOCK W/ THIN STONE / JASON

NOTE INSULATOR: R-13 BATH INSULATION; BATHS, LAUNDRY RM. AND STAY SEE YOUR HIGHWAY 28 PLAN 2012 CODE

R-14 BATH INSULATION; ENTER 1<sup>ST</sup> FLOOR AND 2<sup>ND</sup> FLOOR EXCEPT AREA OVER GARAGE.







**NOTES**




**Method WSP & CS-WSP:** Min. 7/16" OSB Wood Structural Panel sheathing attached to framing with 6d at 6" o.c. at panel edges and 12" o.c. at intermediate framing members.  
**Note:** At Braced Wall Lines incorporating Continuously Sheathed bracing methods (CS-WSP & CS-PF), all exterior walls along the Braced Wall Line must be fully sheathed with min 7/16" OSB Wood Structural Panel sheathing fastened per IRC 2009 Tables R602.3(1), R602.3(2), and R602.3(3).

**Method GB:** Min. 1/2" gypsum board applied to each side of framing with adhesive and Type S or W screws @ 7" o.c. at panel edges and 24" o.c. at intermediate framing members or nails per IRC 2009 Table R702.3.5 @ 7" o.c. at panel edges and 16" o.c. at intermediate framing members.

**Method LIB:** Simpson WB/WBC straps installed in an "X" pattern on one face of wall; fasten with 2- 16d nails at top and bottom plates and 1- 8d nail per stud. 8' tall walls to use either WB106/WB108C installed at 60° from horizontal (4'-8" linear wall length) or WB126/WB126C installed at 45° from horizontal (8'-1" linear wall length); 9' tall walls to use WB126/WB126C installed at 45° from horizontal (8'-10" linear wall length); 10' tall walls to use WB143C installed at 45° from horizontal (10'-1" linear wall length).



**Braced Wall Panel Connections to Floor and Ceiling Framing**  
 NOT TO SCALE



**Corner Framing Details**  
 NOT TO SCALE

© 2010

**STANDARD WIND BRACING DETAILS**

**Tension Strain Capacity Required for Method CS-PF**

Minimum Nail Spacing (inches) and Grade	Minimum Flange Size (inches)	Minimum Top Flange Height (inches)	Minimum Opening Width (inches)	Nail Spacing	
				Step 1	Step 2
CS No. 1 Grade	2	10	12	1200	1200
			18	1500	1500
	4	10	12	1500	1500
			18	2000	2000
	4	12	12	1500	1500
			18	2000	2000
CS No. 3 Grade	2	12	12	1200	1200
			18	1500	1500
	4	12	12	1500	1500
			18	2000	2000

Note: 1. Study Wind Speed of 130 mph. For other basic Wind Speeds, see IRC 2009 Table R602.3.1.1. 2. CR = Design Required


**CS-PF Continuous Portal Frame**  
 NOT TO SCALE

**EPF Engineered LSL Column Portal Frame**  
 NOT TO SCALE


*Handwritten:* Jones 02/10/14



DATE: 08/14/2010  
 SHEET NO.: W-1  
 A-C



**PORCH ROOF DETAILS**  
SCALE: 1/4" = 1'-0"




MASTER BATHROOMS		PLUMB	PLUMB
CABINETS:	Country White - custom design	2219-101	
TOP:	Darko San Francisco	3000	3000
FLOOR:	Marble - Carrara	SIZE: 12x12	
TILE WALLS:	NA	SIZE:	
SHOWER WALLS:	Material: Carrara - set horizontally / Shower glass: clear sliding glass		
SHOWER FLOOR TILE:	YES NO	TILE:	YES NO Architectural / Glass on Shower
DOORS:	610 Jamb: White	ACCESSORY FINISH:	COBONE OR
ITTE:	NO	OTHER:	
FAUCETS:	810-15751-chrome Shower - 112779 - chrome Soaker Tub - NA		
ACCESSORY FINISH:	COBONE OR		
OTHER:	Basket under shower floor; The ceiling in shower; Ceiling shower door		


BATHS		PLUMB	PLUMB
CABINETS:	Country White	2219-101	
FLOOR:	Country Grey/White 117	3000	3000
SHOWER WALLS:	TILE: YES NO	Material: Carrara - set horizontally / Shower glass: clear sliding glass	SIZE: 6x12
SHOWER FLOOR TILE:	YES NO	TILE:	YES NO Architectural / Glass on Shower
FAUCETS:	810-15751-chrome Shower - 112779 - chrome Soaker Tub - NA		
ACCESSORY FINISH:	COBONE OR		
OTHER:			

BATHS		PLUMB	PLUMB
CABINETS:	Country White	2219-101	
FLOOR:	Country Grey/White 117	3000	3000
SHOWER WALLS:	TILE: YES NO	Material: Carrara - set horizontally / Shower glass: clear sliding glass	SIZE: 6x12
SHOWER FLOOR TILE:	YES NO	TILE:	YES NO Architectural / Glass on Shower
FAUCETS:	810-15751-chrome Shower - 112779 - chrome Soaker Tub - NA		
ACCESSORY FINISH:	COBONE OR		
OTHER:			


ITEM	QTY	UNIT	DESCRIPTION
1	1	EA	W.C.
2	1	EA	W.C.
3	1	EA	W.C.
4	1	EA	W.C.
5	1	EA	W.C.
6	1	EA	W.C.
7	1	EA	W.C.
8	1	EA	W.C.
9	1	EA	W.C.
10	1	EA	W.C.
11	1	EA	W.C.
12	1	EA	W.C.
13	1	EA	W.C.
14	1	EA	W.C.
15	1	EA	W.C.
16	1	EA	W.C.
17	1	EA	W.C.
18	1	EA	W.C.
19	1	EA	W.C.
20	1	EA	W.C.
21	1	EA	W.C.
22	1	EA	W.C.
23	1	EA	W.C.
24	1	EA	W.C.
25	1	EA	W.C.
26	1	EA	W.C.
27	1	EA	W.C.
28	1	EA	W.C.
29	1	EA	W.C.
30	1	EA	W.C.
31	1	EA	W.C.
32	1	EA	W.C.
33	1	EA	W.C.
34	1	EA	W.C.
35	1	EA	W.C.
36	1	EA	W.C.
37	1	EA	W.C.
38	1	EA	W.C.
39	1	EA	W.C.
40	1	EA	W.C.
41	1	EA	W.C.
42	1	EA	W.C.
43	1	EA	W.C.
44	1	EA	W.C.
45	1	EA	W.C.
46	1	EA	W.C.
47	1	EA	W.C.
48	1	EA	W.C.
49	1	EA	W.C.
50	1	EA	W.C.
51	1	EA	W.C.
52	1	EA	W.C.
53	1	EA	W.C.
54	1	EA	W.C.
55	1	EA	W.C.
56	1	EA	W.C.
57	1	EA	W.C.
58	1	EA	W.C.
59	1	EA	W.C.
60	1	EA	W.C.
61	1	EA	W.C.
62	1	EA	W.C.
63	1	EA	W.C.
64	1	EA	W.C.
65	1	EA	W.C.
66	1	EA	W.C.
67	1	EA	W.C.
68	1	EA	W.C.
69	1	EA	W.C.
70	1	EA	W.C.
71	1	EA	W.C.
72	1	EA	W.C.
73	1	EA	W.C.
74	1	EA	W.C.
75	1	EA	W.C.
76	1	EA	W.C.
77	1	EA	W.C.
78	1	EA	W.C.
79	1	EA	W.C.
80	1	EA	W.C.
81	1	EA	W.C.
82	1	EA	W.C.
83	1	EA	W.C.
84	1	EA	W.C.
85	1	EA	W.C.
86	1	EA	W.C.
87	1	EA	W.C.
88	1	EA	W.C.
89	1	EA	W.C.
90	1	EA	W.C.
91	1	EA	W.C.
92	1	EA	W.C.
93	1	EA	W.C.
94	1	EA	W.C.
95	1	EA	W.C.
96	1	EA	W.C.
97	1	EA	W.C.
98	1	EA	W.C.
99	1	EA	W.C.
100	1	EA	W.C.



**EAVES DETAIL - GARAGE**  
SCALE: 1/4" = 1'-0"



**EAVES DETAIL - BEDROOM #3**  
SCALE: 1/4" = 1'-0"



**SECOND FLOOR PLAN**

**Master Bath**  
DELETE SHOWER DOOR

**Bath Floor**  
Electrical Matt Heat BY STEVE H.

**NOTE PLUMBER**  
BATH #2  
R-IN  
OFF SET  
DUE TO DRAINAGE

**NOTE PLUMBER**  
Joe, James, Bill

Installation of Claw foot slipper bath tub - supplied by buyer. Buyer will be required to be on site for delivery and initial setting of tub.

w/ BUYER AND FAUCET LOCATION,  
BUYER TO FAUCET AND DRAIN FOR CLAW FOOT TUB.  
SUPPLY



2012 CODE

James  
04/01/11

**TRINITY HOMES**

**THE TUSCANY**

NO.	DESCRIPTION	QTY	UNIT	PRICE	TOTAL
1	W.C.	1	EA	100.00	100.00
2	W.C.	1	EA	100.00	100.00
3	W.C.	1	EA	100.00	100.00
4	W.C.	1	EA	100.00	100.00
5	W.C.	1	EA	100.00	100.00
6	W.C.	1	EA	100.00	100.00
7	W.C.	1	EA	100.00	100.00
8	W.C.	1	EA	100.00	100.00
9	W.C.	1	EA	100.00	100.00
10	W.C.	1	EA	100.00	100.00
11	W.C.	1	EA	100.00	100.00
12	W.C.	1	EA	100.00	100.00
13	W.C.	1	EA	100.00	100.00
14	W.C.	1	EA	100.00	100.00
15	W.C.	1	EA	100.00	100.00
16	W.C.	1	EA	100.00	100.00
17	W.C.	1	EA	100.00	100.00
18	W.C.	1	EA	100.00	100.00
19	W.C.	1	EA	100.00	100.00
20	W.C.	1	EA	100.00	100.00
21	W.C.	1	EA	100.00	100.00
22	W.C.	1	EA	100.00	100.00
23	W.C.	1	EA	100.00	100.00
24	W.C.	1	EA	100.00	100.00
25	W.C.	1	EA	100.00	100.00
26	W.C.	1	EA	100.00	100.00
27	W.C.	1	EA	100.00	100.00
28	W.C.	1	EA	100.00	100.00
29	W.C.	1	EA	100.00	100.00
30	W.C.	1	EA	100.00	100.00
31	W.C.	1	EA	100.00	100.00
32	W.C.	1	EA	100.00	100.00
33	W.C.	1	EA	100.00	100.00
34	W.C.	1	EA	100.00	100.00
35	W.C.	1	EA	100.00	100.00
36	W.C.	1	EA	100.00	100.00
37	W.C.	1	EA	100.00	100.00
38	W.C.	1	EA	100.00	100.00
39	W.C.	1	EA	100.00	100.00
40	W.C.	1	EA	100.00	100.00
41	W.C.	1	EA	100.00	100.00
42	W.C.	1	EA	100.00	100.00
43	W.C.	1	EA	100.00	100.00
44	W.C.	1	EA	100.00	100.00
45	W.C.	1	EA	100.00	100.00
46	W.C.	1	EA	100.00	100.00
47	W.C.	1	EA	100.00	100.00
48	W.C.	1	EA	100.00	100.00
49	W.C.	1	EA	100.00	100.00
50	W.C.	1	EA	100.00	100.00
51	W.C.	1	EA	100.00	100.00
52	W.C.	1	EA	100.00	100.00
53	W.C.	1	EA	100.00	100.00
54	W.C.	1	EA	100.00	100.00
55	W.C.	1	EA	100.00	100.00
56	W.C.	1	EA	100.00	100.00
57	W.C.	1	EA	100.00	100.00
58	W.C.	1	EA	100.00	100.00
59	W.C.	1	EA	100.00	100.00
60	W.C.	1	EA	100.00	100.00
61	W.C.	1	EA	100.00	100.00
62	W.C.	1	EA	100.00	100.00
63	W.C.	1	EA	100.00	100.00
64	W.C.	1	EA	100.00	100.00
65	W.C.	1	EA	100.00	100.00
66	W.C.	1	EA	100.00	100.00
67	W.C.	1	EA	100.00	100.00
68	W.C.	1	EA	100.00	100.00
69	W.C.	1	EA	100.00	100.00
70	W.C.	1	EA	100.00	100.00
71	W.C.	1	EA	100.00	100.00
72	W.C.	1	EA	100.00	100.00
73	W.C.	1	EA	100.00	100.00
74	W.C.	1	EA	100.00	100.00
75	W.C.	1	EA	100.00	100.00
76	W.C.	1	EA	100.00	100.00
77	W.C.	1	EA	100.00	100.00
78	W.C.	1	EA	100.00	100.00
79	W.C.	1	EA	100.00	100.00
80	W.C.	1	EA	100.00	100.00
81	W.C.	1	EA	100.00	100.00
82	W.C.	1	EA	100.00	100.00
83	W.C.	1	EA	100.00	100.00
84	W.C.	1	EA	100.00	100.00
85	W.C.	1	EA	100.00	100.00
86	W.C.	1	EA	100.00	100.00
87	W.C.	1	EA	100.00	100.00
88	W.C.	1	EA	100.00	100.00
89	W.C.	1	EA	100.00	100.00
90	W.C.	1	EA	100.00	100.00
91	W.C.	1	EA	100.00	100.00
92	W.C.	1	EA	100.00	100.00
93	W.C.	1	EA	100.00	100.00
94	W.C.	1	EA	100.00	100.00
95	W.C.	1	EA	100.00	100.00
96	W.C.	1	EA	100.00	100.00
97	W.C.	1	EA	100.00	100.00
98	W.C.	1	EA	100.00	100.00
99	W.C.	1	EA	100.00	100



APPROVED  
 WALK-THRU BUILDING PERMIT  
 BP# \_\_\_\_\_ A# \_\_\_\_\_  
 APE SAN \_\_\_\_\_ DATE: 10/13/14  
 DESC OF WORK: Finish basement  
 w/ 1 bath room