

RB 6/7/2019

Search Result for HOWARD COUNTY

View Map		View GroundRent Redemption			View GroundRent Registration					
<b>Tax Exempt:</b>		<b>Special Tax Recapture:</b>								
<b>Exempt Class:</b>		NONE								
<b>Account Identifier:</b>		District - 03 Account Number - 302423								
Owner Information										
<b>Owner Name:</b>		MAURER DENISE A			<b>Use:</b>		RESIDENTIAL			
<b>Mailing Address:</b>		13400 FOLLY QUARTER RD ELLCOTT CITY MD 21042-1261			<b>Principal Residence:</b>		YES			
					<b>Deed Reference:</b>		/04815/ 00336			
Location & Structure Information										
<b>Premises Address:</b>		13400 FOLLY QUARTER RD ELLCOTT CITY 21042-0000			<b>Legal Description:</b>		LOT 7 1.587 A 13400 FOLLY QUARTER RD THE CORNERS			
<b>Map:</b>	<b>Grid:</b>	<b>Parcel:</b>	<b>Sub District:</b>	<b>Subdivision:</b>	<b>Section:</b>	<b>Block:</b>	<b>Lot:</b>	<b>Assessment Year:</b>	<b>Plat No:</b>	<b>30</b>
0022	0015	0390		2003			7	2019		40
<b>Special Tax Areas:</b>					<b>Town:</b>		NONE			
					<b>Ad Valorem:</b>		100			
					<b>Tax Class:</b>					
<b>Primary Structure Built</b>		<b>Above Grade Living Area</b>		<b>Finished Basement Area</b>		<b>Property Land Area</b>		<b>County Use</b>		
1982		1,904 SF				1.5800 AC				
<b>Stories</b>	<b>Basement</b>	<b>Type</b>	<b>Exterior</b>	<b>Full/Half Bath</b>	<b>Garage</b>	<b>Last Major Renovation</b>				
1	YES	STANDARD UNIT	BRICK	2 full	1 Attached					
Value Information										
		<b>Base Value</b>		<b>Value</b>		<b>Phase-in Assessments</b>				
				As of		As of		As of		
				01/01/2019		07/01/2018		07/01/2019		
<b>Land:</b>		195,300		245,800						
<b>Improvements</b>		239,100		256,600						
<b>Total:</b>		434,400		502,400		434,400		457,067		
<b>Preferential Land:</b>		0						0		
Transfer Information										
<b>Seller:</b> NEGLEY JOSEPH			<b>Date:</b> 07/15/1999			<b>Price:</b> \$265,000				
<b>Type:</b> ARMS LENGTH IMPROVED			<b>Deed1:</b> /04815/ 00336			<b>Deed2:</b>				
<b>Seller:</b> NEGLEY JOSEPH			<b>Date:</b> 02/04/1997			<b>Price:</b> \$0				
<b>Type:</b> NON-ARMS LENGTH OTHER			<b>Deed1:</b> /03909/ 00102			<b>Deed2:</b>				
<b>Seller:</b>			<b>Date:</b>			<b>Price:</b>				
<b>Type:</b>			<b>Deed1:</b>			<b>Deed2:</b>				
Exemption Information										
<b>Partial Exempt Assessments:</b>		<b>Class</b>		07/01/2018		07/01/2019				
<b>County:</b>		000		0.00						
<b>State:</b>		000		0.00						
<b>Municipal:</b>		000		0.00 0.00		0.00 0.00				
<b>Tax Exempt:</b>		<b>Special Tax Recapture:</b>								
<b>Exempt Class:</b>		NONE								
Homestead Application Information										
<b>Homestead Application Status:</b> Approved 01/12/2010										
Homeowners' Tax Credit Application Information										

1. This screen allows you to search the Real Property database and display property records.
2. Click [here](#) for a glossary of terms.
3. Deleted accounts can only be selected by Property Account Identifier.
4. The following pages are for information purpose only. The data is not to be used for legal reports or documents. While we have confidence in the accuracy of these records, the Department makes no warranties, expressed or implied, regarding the information.

# APPLICATION

SEWAGE DISPOSAL TESTING

STATE OF MARYLAND - DEPARTMENT OF HEALTH AND MENTAL HYGIENE

HOWARD COUNTY HEALTH DEPARTMENT  
ENVIRONMENTAL HEALTH SERVICES  
P. O. BOX 476 ELLICOTT CITY, MARYLAND 21043  
TELEPHONE 992-2330

A 42190

P \_\_\_\_\_

DISTRICT 57A

DATE 3-17-88

TO: THE COUNTY HEALTH OFFICER  
ELLICOTT CITY, MARYLAND

I, HEREBY, APPLY FOR THE NECESSARY TEST IN ORDER TO CONSTRUCT (OR RECONSTRUCT) A SEWAGE DISPOSAL SYSTEM.

PROPERTY OWNER J. DAVID MULLINIX

ADDRESS 14420 HOWARD RD DAYTON MD 21036 PHONE 489-4363

PROPERTY LOCATION:

SUBDIVISION MULLINIX PROPERTY LOT NO. 4

ROAD AND DESCRIPTION NORTH SIDE FOLLY QUARTER ROAD

SIZE OF LOT 6.4Ac TYPE BLDG. \_\_\_\_\_  
(NUMBER OF BEDROOMS)

THE SYSTEM INSTALLED UNDER THIS APPLICATION IS ACCEPTABLE ONLY UNTIL PUBLIC FACILITIES BECOME AVAILABLE. I FULLY UNDERSTAND THE FEE CONNECTED WITH THE FILING OF THIS PERC TEST APPLICATION IS NON-REFUNDABLE UNDER ANY CIRCUMSTANCES. I ALSO AGREE TO COMPLY WITH ALL M.O.S.H.A. REQUIREMENTS IN TESTING THIS LOT.

(SIGNATURE OF APPLICANT)

APPROVED BY \_\_\_\_\_ FOR \_\_\_\_\_ DATE \_\_\_\_\_

REJECTED BY \_\_\_\_\_ FOR \_\_\_\_\_ DATE \_\_\_\_\_

HOLD PENDING FURTHER TESTS \_\_\_\_\_ DATE \_\_\_\_\_

REASONS FOR REJECTION OR HOLDING 9/6/88 Holding for house site, well site and certified holes for septic area. C.B.D.



# THIS IS NOT A PERMIT

↑ NORTH

A# 42190

#4 LOT

all holes  
NO STONE



Inlet 3  
x 9 min

FOLLY QUARTER ROAD

E.C. →

Entrance to road to west

DATE	TEST #	DEPTH	PREWET START	PREWET STOP	TEST 1" PROP START	TEST 1" PROP STOP	TIME
9/6/88	1A	3'	11:23	11:25	11:25	11:31	6 min
	(H) 1B	12'					
	2A	3'	11:24	11:26	11:26	11:30	4 min
	2B	10 1/2'					
	3A	3'	11:16	11:18	11:18	11:21	3 min
	3B	11 1/2'				LOAM	
	4A	3'	11:08	11:10	11:10	11:15	5 min
	(L) 4B	5 1/2'	11:11	11:13	11:13	11:22	9 min
	5	11'					
		Mr. Abel's Loam					

Note (4) 14' TO deep

Remarks Tests in open  
Type of soil (light loam in all 4)  
Tested by C.B. Sheaker

(3 High + 1 Low) elevation  
Not staked; hold for certified hole  
also present S. Muller, K. Hatfield, S. Abel

# APPLICATION

SEWAGE DISPOSAL TESTING

STATE OF MARYLAND - DEPARTMENT OF HEALTH AND MENTAL HYGIENE

HOWARD COUNTY HEALTH DEPARTMENT  
ENVIRONMENTAL HEALTH SERVICES  
P O BOX 476 ELLICOTT CITY, MARYLAND 21043  
TELEPHONE 992-2330

A 42190

P \_\_\_\_\_

DISTRICT 576

DATE 3-17-88

TO: THE COUNTY HEALTH OFFICER  
ELLICOTT CITY, MARYLAND

I, HEREBY, APPLY FOR THE NECESSARY TEST IN ORDER TO CONSTRUCT (OR RECONSTRUCT) A SEWAGE DISPOSAL SYSTEM.

PROPERTY OWNER J. DAVID MULLINIX

ADDRESS 14420 HOWARD RD DAYTON MD 21036 PHONE 489-4363

PROPERTY LOCATION:

SUBDIVISION MULLINIX PROPERTY LOT NO. 4

ROAD AND DESCRIPTION NORTH SIDE FOLLY QUARTER ROAD

SIZE OF LOT 6.4Ac TYPE BLDG. \_\_\_\_\_  
(NUMBER OF BEDROOMS)

THE SYSTEM INSTALLED UNDER THIS APPLICATION IS ACCEPTABLE ONLY UNTIL PUBLIC FACILITIES BECOME AVAILABLE. I FULLY UNDERSTAND THE FEE CONNECTED WITH THE FILING OF THIS PERC TEST APPLICATION IS NON-REFUNDABLE UNDER ANY CIRCUMSTANCES. I ALSO AGREE TO COMPLY WITH ALL M.O.S.H.A. REQUIREMENTS IN TESTING THIS LOT

(SIGNATURE OF APPLICANT)

APPROVED BY \_\_\_\_\_ FOR \_\_\_\_\_ DATE \_\_\_\_\_

REJECTED BY \_\_\_\_\_ FOR \_\_\_\_\_ DATE \_\_\_\_\_

HOLD PENDING FURTHER TESTS \_\_\_\_\_ DATE \_\_\_\_\_


REASONS FOR REJECTION OR HOLDING 9/6/88 - 7/1/89 - no house - site

well site not certified - 1 hole for water  
area. c. b. d.

## THIS IS NOT A PERMIT

A# 42190

#4 LOT



FOLLY QUARTER ROAD

DATE	TEST #	DEPTH	PREWET		TEST 1" DROP		TIME
			START	STOP	START	STOP	
9/6/22	1A	3'	11:23	11:25	11:25	11:31	6m
	(H) 1B	12'					
	2A	3'	11:24	11:26	11:26	11:30	4m
	2B	10 1/2'					
	3A	3'	11:16	11:18	11:18	11:21	3m
	3B	11 1/2'			LOAM		
	4A	3'	11:08	11:10	11:10	11:15	5m
	(L) 4B	5 1/2'	11:11	11:13	11:13	11:22	9m
	5	11'					
		No. 2 holes 1" dia					

Remarks: Tests in open  
 Type of soil (loam)  
 Tested by C.B. Jones

(2 holes + 1" drop) ...  
 Not taken, holes in  
 actual soil



Inlet  
 9 mi

E.C. →

A # 42190

#4 LOT

↑ NORTH



← sandy

Inlet  
9 mi

FOLLY QUARTER ROAD

E.C. →

Entrance to road

DATE	TEST #	DEPTH	PRE WET		TEST 1" DROP		TIME
			START	STOP	START	STOP	
9/6/88	1A	3'	11:23	11:25	11:25	11:31	6 min
	(H) 1B	12'					
	2A	3'	11:24	11:26	11:26	11:30	4 min
	2B	10 1/2'					
	3A	3'	11:16	11:18	11:18	11:21	3 min
	3B	11 1/2'			LOAM		
	4A	3'	11:08	11:10	11:10	11:15	5 min
	(L) 4B	5 1/2'	11:11	11:13	11:13	11:22	9 min
	5	11'					
		Mr. Abel's Loam					

Note  
14' to 14' 1/2'

Remarks Tests in open  
Type of soil (light loam in all 4)  
Tested by C.B. Stecker

(3 High + 1 Low) Elevation  
Not staked; hold for certified hole  
also see K.H.

MATCH

LINE N 37° 34' 38" W SEE

640.96' SHEET

608.45'

(1187)

(1007)

552° 25' 22" E  
97.21'

(1183)

(1160)

LAND DEDICATED TO  
HOWARD COUNTY, MARYLAND  
FOR THE PURPOSE OF A PUBLIC ROAD

**FOLLY  
QUARTER  
ROAD**

R=5550.00'  
L=445.78'

R=5585.00'

L=430.89'

VEHICULAR  
INGRESS  
AND  
EGRESS

LOT A  
6.525 AC.

BR L

(1008)


RESTRICTED

S 79° 35' 48" E  
N 79° 35' 48" W

EXISTING & PAVING

(1009)

(1201)



8'

BR L

333.76'  
363.76'

S 08° 56' 24" W

EX. CONCRETE MONUMENT

(1121)

30' PRIVATE ROAD R/W

PROPERTY OF  
HOWARD COUNTY DEPARTMENT  
OF PARKS AND RECREATION  
1B12 / 470

Copy of  
F-89-59

OWNER'S DEDICATION  
MILLINIX, OWNERS OF  
AND IN CONSI  
TABLISH

Because of influence of swale on proposal  
well sited w/in confines of swale  
need to know all septic's to determine  
what is contributing to swale

parcel #'s  
tax map page  
outlining  
a

1998 APR 17 P 2:46



*Fully  
Quarantined*

**DEPARTMENT OF PLANNING & ZONING**

*Joseph W. Rutter, Jr., Director*  
April 9, 1998

Landsource Development Corp.  
C/o Creston Cathcart  
10480 Little Patuxent Parkway, Ste. 500  
Columbia, MD 21044

RE: F-98-42, Buckskin Lake Overlook  
Lots 5,6,& Preservation Parcel A

Dear Mr. Cathcart:

Please be advised that the above referenced final subdivision plat was recorded on April 8, 1998 among the Land Records of Howard County as Plat No(s). 13126.

In accordance with the Adequate Public Facilities Ordinance, this Department hereby grants 2 permanent housing unit allocations to this recorded subdivision for the year 2000. Although allocations are assigned to a specific year, now that the plat has been recorded you may apply for a building permit at any time.

Prints of this final plat may be ordered at the Department of Planning and Zoning's public service desk between the hours of 8:00 a.m. and 5:00 p.m., Monday thru Friday. Please bring this letter with you when ordering prints.

Sincerely,  
*L. Kent Sheubrooks*  
L. Kent Sheubrooks  
Division of Land Development

KS/IAW:jw  
cc: Research  
Development Engineering Division  
State Department of Assessments and Taxation  
Environmental Health  
State Highway Administration  
Board of Education  
Fisher, Collins & Carter

1998 APR 17 P 2:46



*Folly  
Quarters Co*

**DEPARTMENT OF PLANNING & ZONING**

*Joseph W. Rutter, Jr., Director*

April 9, 1998

Mr. Timothy Jennings  
16391 Paulownia Hill Court  
Mt. Airy, MD 21771

RE: F-98-42, Jennings Property  
Amended Plat of Easement  
(Buckskin Lake Overlook)

Dear Mr. Jennings:

Please be advised that the above referenced plat of easement was recorded on April 8, 1998 among the Land Records of Howard County as Plat No(s). 13125.

Prints of this plat of easement may be ordered at the Department of Planning and Zoning's public service desk between the hours of 8:00 a.m. and 5:00 p.m., Monday thru Friday. Please bring this letter with you when ordering prints.

Sincerely,  
*L. Kent Sheubrooks*  
L. Kent Sheubrooks  
Division of Land Development

KS/IAW:jw *kw*  
cc: Research  
Development Engineering Division  
State Department of Assessments and Taxation  
Environmental Health  
State Highway Administration  
Board of Education  
NTT Associates, Inc.

RECEIVED  
COUNTY OF HEALTH DEPT  
MENTAL HEALTH

File No. \_\_\_\_\_

P191 98-42  
Buckskin Lake Over.  
lots 5, 6 + Pres. Plan. A

**DEPARTMENT OF PLANNING AND ZONING  
FINAL PLAT ORIGINAL FOR SIGNATURE APPROVAL**

This form is for the processing of originals for signature approvals. If corrections or additions must be made to the original, the corrections needed must be identified in the space provided and the plans must be returned unsigned to the Department of Planning and Zoning. DPZ will notify the owner of the required revisions and request that the owner's engineer make the corrections or contact the appropriate County agency with questions concerning such revisions.

**DPZ**  
Blair  
\_\_\_\_\_  
Reviewing Agent

Date Received  
3-23-98

Date Forwarded  
3-23-98

Rejected For: \_\_\_\_\_  
\_\_\_\_\_

**HEALTH**  
DONNA SOE  
\_\_\_\_\_  
Reviewing Agent

Date Received  
3/25/98

Date Forwarded  
3/30/98

Rejected For: \_\_\_\_\_  
\_\_\_\_\_

**DPW**  
\_\_\_\_\_  
Reviewing Agent

Date Received  
\_\_\_\_\_

Date Forwarded  
\_\_\_\_\_

Rejected For: \_\_\_\_\_  
\_\_\_\_\_

**Chief, DLD**  
\_\_\_\_\_  
Reviewing Agent

Date Received  
\_\_\_\_\_

Date Forwarded  
\_\_\_\_\_

Rejected For: \_\_\_\_\_  
\_\_\_\_\_

180's  
90

Buckskin Lake Overlook

Lot 6 of Building Mahol

Lot 6 of Building Mahol  
of 26

Did you get any's

This is to advise that a preliminary decision to ~~deny~~ ~~ap~~ has been made by this office to deny approval of the above referenced ~~plan~~ Perc Cert plans.

The following outlines the reasons to support this decision

Lot 5 - location of proposed well in the path of drainage swale (COMAR 26.04.04.05 B(2)(h))

Lot 6 - septic area to match <sup>approved</sup> perc holes

Lot 7 - proposed well will directly downlope of existing septic system

on at 12904 FQ Road

(COMAR 26.04.04.05 B(2)(h))

→ " ... the Approving ...

septic - as proposed must be held for wet season testing

(COMAR 26.04.02.04.6C)(1)

(p. 244)

(p. 210)

(p. 214)

**HOWARD COUNTY DEPARTMENT OF PLANNING AND ZONING**

Division of Land Development

DATE: 9-26-97

P&Z File No. F 98-42

**Department of Planning and Zoning**

- Transportation Planning
- Historic Preservation
- Comprehensive Planning and Zoning Administration
- Research
- Address Coordinator

- Agricultural Preservation
- Development Engineering Division
- Forest Conservation Planner
- File

**Agencies**

- Soil Conservation District
- Department of Inspections, Licenses & Permits
- Department of Fire and Rescue Services
- State Highway Administration
- Bureau of Environmental Health
- Board of Education
- Recreation and Parks

- Tax Assessment
- Bell Atlantic Telephone
- BG&E
- Cable TV
- Police
- MTA
- Finance
- DPW, Real Estate Services
- DPW, Construction and Inspection
- DPW, Bureau of Utilities

RE: Buckskinhake Overlook

ENCLOSED FOR YOUR →  Signature Approval  Review & Comments  Files  
 THE ENCLOSED →  Original


Plans	# of Sheets	Supplemental Documents
<input type="checkbox"/> Sketch Plan	<input type="checkbox"/>	<input type="checkbox"/> Wetlands Report
<input type="checkbox"/> Prel Equiv Sketch Plan	<input type="checkbox"/>	<input type="checkbox"/> Soils/Topo Map/Drain Area Map
<input type="checkbox"/> Preliminary Plan	<input type="checkbox"/>	<input checked="" type="checkbox"/> FSD/FCP/Worksheet and Application
<input checked="" type="checkbox"/> Final Plat	<input type="checkbox"/>	<input type="checkbox"/> Declaration of Intent
<input type="checkbox"/> Final Constr Plans (RDS)	<input type="checkbox"/>	<input type="checkbox"/> Drainage and/or Computation/Pond Safety Comps
<input type="checkbox"/> Final Development Plan	<input type="checkbox"/>	<input type="checkbox"/> Preliminary Road Profiles
<input type="checkbox"/> Site Development Plan	<input type="checkbox"/>	<input type="checkbox"/> APFO Roads Test/Mitigation Plan
<input type="checkbox"/> Landscape Plan	<input type="checkbox"/>	<input type="checkbox"/> Traffic Study/Noise Study
<input type="checkbox"/> Grading Plan	<input type="checkbox"/>	<input type="checkbox"/> Sight Distance Analysis
<input type="checkbox"/> House Type Revision Plan	<input type="checkbox"/>	<input type="checkbox"/> Floodplain Study
<input type="checkbox"/> Water and Sewer Plan	<input type="checkbox"/>	<input type="checkbox"/> Stormwater Management Comps.
<b>Applications</b>		<input type="checkbox"/> Industrial Waste Survey (DPW)
<input type="checkbox"/> Waiver Petition Applic/Exhibit	<input type="checkbox"/>	<input type="checkbox"/> Road Poster Form Letter
<input type="checkbox"/> Planning Board Applic	<input type="checkbox"/>	<input type="checkbox"/> Response Letter
<input checked="" type="checkbox"/> ASDP/CSDP Application	<input type="checkbox"/>	<input type="checkbox"/> Perc Plat
<input checked="" type="checkbox"/> DED Application Checklist	<input type="checkbox"/>	<input type="checkbox"/> Scenic Road Exhibits
<input checked="" type="checkbox"/> DED Fee Receipt/Deeds/Cost Estimate	<input type="checkbox"/>	

*ITC  
ISCS  
IRIPKS*

WAS:  Received  Tentatively Approved  Recorded  
 Received and Revised  Approved On 9-26

COMMENTS: NO OBJECTION - Consistent with Percolation  
Certification Plan signed by Health Officer  
08/15/97. 10/21/97 DKS  
 SRC/COMMENTS DUE BY: 10-22

Check, initial and return to the Department of Planning and Zoning if plan is approved with no comments.



- Lot 7, as is - hold  
 for wet season  
 (green = approved)  
 - Lot 9, reconfigure  
 - Lot 5, well site  
 - HR to aware?

PRESERVATION  
 AREA

ROAD

QUARTER

FOLLY

LOT 5  
 LOT 6  
 LOT 7  
 LOT 9  
 LOT 10  
 MID 1  
 MID 2  
 MID 3  
 MID 4  
 MID 5  
 MID 6  
 MID 7  
 MID 8  
 MID 9  
 MID 10  
 MID 11  
 MID 12  
 MID 13  
 MID 14  
 MID 15  
 MID 16  
 MID 17  
 MID 18  
 MID 19  
 MID 20  
 MID 21  
 MID 22  
 MID 23  
 MID 24  
 MID 25  
 MID 26  
 MID 27  
 MID 28  
 MID 29  
 MID 30  
 MID 31  
 MID 32  
 MID 33  
 MID 34  
 MID 35  
 MID 36  
 MID 37  
 MID 38  
 MID 39  
 MID 40  
 MID 41  
 MID 42  
 MID 43  
 MID 44  
 MID 45  
 MID 46  
 MID 47  
 MID 48  
 MID 49  
 MID 50  
 MID 51  
 MID 52  
 MID 53  
 MID 54  
 MID 55  
 MID 56  
 MID 57  
 MID 58  
 MID 59  
 MID 60  
 MID 61  
 MID 62  
 MID 63  
 MID 64  
 MID 65  
 MID 66  
 MID 67  
 MID 68  
 MID 69  
 MID 70  
 MID 71  
 MID 72  
 MID 73  
 MID 74  
 MID 75  
 MID 76  
 MID 77  
 MID 78  
 MID 79  
 MID 80  
 MID 81  
 MID 82  
 MID 83  
 MID 84  
 MID 85  
 MID 86  
 MID 87  
 MID 88  
 MID 89  
 MID 90  
 MID 91  
 MID 92  
 MID 93  
 MID 94  
 MID 95  
 MID 96  
 MID 97  
 MID 98  
 MID 99  
 MID 100

\* check record for ex house - Bridgely

WGL  
- contain  
- repl well?

This to advise that a prelim  
decision to deny approval of S/D  
proposal has been made by this  
office.

reasons why w/COMAR  
(w/ key phrases)

- inc comment about wet season for  
lot 7  
- even w/suitable well site

**HOWARD COUNTY DEPARTMENT OF PLANNING AND ZONING**  
*Division of Land Development*

DATE: 2/7/97

P&Z File No. WP-97-85

**Department of Planning and Zoning**

- Transportation Planning
- Historic Preservation
- Comprehensive Planning and Zoning Administration
- Research
- Address Coordinator

- Agricultural Preservation
- Development Engineering Division
- Forest Conservation Planner
- File

**Agencies**

- Soil Conservation District
- Department of Inspections, Licenses & Permits
- Department of Fire and Rescue Services
- State Highway Administration
- Bureau of Environmental Health
- Board of Education
- Recreation and Parks

- Tax Assessment
- Bell Atlantic Telephone
- BG&E
- Cable TV
- Police
- MTA
- Finance
- DPW, Real Estate Services
- DPW, Construction and Inspection
- DPW, Bureau of Utilities

RE: Buckskin Lake Overlook (Resub. Lot 4 David Mullinix)

ENCLOSED FOR YOUR →  Signature Approval  Review & Comments  Files  
 THE ENCLOSED →  Original

Plans	# of Sheets	Supplemental Documents
<input type="checkbox"/> Sketch Plan	<input type="checkbox"/>	<input type="checkbox"/> Wetlands Report
<input type="checkbox"/> Prel Equiv Sketch Plan	<input type="checkbox"/>	<input type="checkbox"/> Soils/Topo Map/Drain Area Map
<input type="checkbox"/> Preliminary Plan	<input type="checkbox"/>	<input type="checkbox"/> FSD/FCP/Worksheet and Application
<input type="checkbox"/> Final Plat	<input type="checkbox"/>	<input type="checkbox"/> Declaration of Intent
<input type="checkbox"/> Final Constr Plans (RDS)	<input type="checkbox"/>	<input type="checkbox"/> Drainage and/or Computation/Pond Safety Comps
<input type="checkbox"/> Final Development Plan	<input type="checkbox"/>	<input type="checkbox"/> Preliminary Road Profiles
<input type="checkbox"/> Site Development Plan	<input type="checkbox"/>	<input type="checkbox"/> APFO Roads Test/Mitigation Plan
<input type="checkbox"/> Landscape Plan	<input type="checkbox"/>	<input type="checkbox"/> Traffic Study/Noise Study
<input type="checkbox"/> Grading Plan	<input type="checkbox"/>	<input type="checkbox"/> Sight Distance Analysis
<input type="checkbox"/> House Type Revision Plan	<input type="checkbox"/>	<input type="checkbox"/> Floodplain Study
<input type="checkbox"/> Water and Sewer Plan	<input type="checkbox"/>	<input type="checkbox"/> Stormwater Management Comps.
<b>Applications</b>		<input type="checkbox"/> Industrial Waste Survey (DPW)
<input checked="" type="checkbox"/> Waiver Petition Applic/Exhibit	<input type="checkbox"/>	<input type="checkbox"/> Road Poster Form Letter
<input type="checkbox"/> Planning Board Applic	<input type="checkbox"/>	<input type="checkbox"/> Response Letter
<input type="checkbox"/> ASDP/CSDP Application	<input type="checkbox"/>	<input type="checkbox"/> Perc Plat
<input type="checkbox"/> DED Application/Checklist	<input type="checkbox"/>	<input type="checkbox"/> Scenic Road Exhibits
<input type="checkbox"/> DED Fee Receipt/Deeds/Cost Estimate	<input type="checkbox"/>	

WAS:  Received  Tentatively Approved  Recorded  
 Received and Revised  Approved On 2-7-97

COMMENTS: No objection to waiver, but information submitted is not sufficient to evaluate new well/septic proposals and potential conflicts with adjacent properties. SRC/COMMENTS DUE BY: 3-6-97

Check, initial and return to the Department of Planning and Zoning if plan is approved with no comments. *MR 3/6/97*



---

## HOWARD COUNTY HEALTH DEPARTMENT

---

*Joyce M. Boyd, M.D., County Health Officer*  
July 31, 1997

Land Source Development Corporation  
c/o Mr. Creston Cathcart  
10480 Little Patuxent Parkway, Suite 500  
Columbia, Maryland 21044

RE: Percolation Certification Plan  
Buckskin Lake Overlook  
Folly Quarter Road  
Tax Map: 22 Parcel #73

Dear Mr. Cathcart:

This is to advise that a preliminary decision has been made by this office to deny approval of the above referenced Percolation Certification Plan. The following outlines the reasons supporting this decision.

The location of the proposed well on Lot #5 is in the direct path of a drainage swale. COMAR 26.04.04.05B(2)(h) states that "...the Approving Authority shall determine the acceptability of the proposed location (*of the well*) with regard to all identifiable sources of contamination, topography, surface drainage, and ground water conditions."

The proposed septic easement on Lot #6 is not consistent with the approved percolation test holes.

The proposed well site on Lot #7 is directly downslope of the existing septic system located at 12907 Folly Quarter Road. Please refer to the above reference of COMAR 26.04.04.05B(2)(h) in relation to acceptability of the well location. In addition, COMAR 26.04.02.05C states that "on-site sewage disposal systems shall be located downgrade from private water supplies."

Due to soil conditions encountered on Lot #7, the septic easement as proposed would require additional percolation testing in the next wet season, Spring 1998, before a final determination could be made. COMAR 26.04.02.04C(1) states that "conventional on-site disposal systems may not be approved where there is less than 4 feet unsaturated, unconsolidated material sufficient to attenuate effluent below the bottom of the on-site sewage disposal system..." Even if soil conditions are determined suitable after wet season testing, the previously stated concerns regarding a suitable well location for Lot #7 would not be resolved.



---

## HOWARD COUNTY HEALTH DEPARTMENT

---

*Joyce M. Boyd, M.D., County Health Officer*

July 14, 1997

Land Source Development Corporation  
c/o Mr. Creston Cathcart  
10480 Little Patuxent Parkway, Suite 500  
Columbia, Maryland 21044

RE: Percolation Test Results  
Application #58533  
Proposed Use: Subdivision  
Property ID: Buckskin Lake Overlook  
Folly Quarter Road  
Tax Map: 22 Parcel #73

Dear Mr. Cathcart:

Percolation testing conducted June 27, 1997 on the above referenced property indicated limited satisfactory soil conditions. Depending upon final septic configuration, wet season testing may be necessary. Copies of the percolation test results are enclosed.

Further review is contingent upon submission by a registered engineer of a percolation certification plat showing actual locations and elevations of all excavated test holes and a suitable house and well site for each lot. This plat should also include the location of all existing wells and septic systems on the property as well as the locations of any other relevant features such as streams, swales, or existing structures. A note must be included certifying that all wells and septic systems within 100 feet of property boundaries have been shown. This plan should be submitted within 60 days to allow field verification if necessary.

Because of the existing site limitations, it is encouraged that this subdivision be modified to a two lot proposal. While prospects for two lots seem promising, it is difficult to envision a three lot proposal that would be approvable by the Health Department.

If you have any questions, please contact me at the address below or by calling (410) 313-2640.

Sincerely,


Donna K. Soe, R. S.  
Water and Sewerage Program

DKS

cc: Mr. John Mullinix  
Mr. Zacharia Fisch - Fisher, Collins & Carter, Inc.  
file

Please be reminded that the decision explained herein is preliminary and subject to review through an informal conference. Please contact me at (410) 313-2640 if you wish to schedule a conference for further review. The preliminary decision will be considered final if no review conference request is made within thirty (30) days of receipt of this letter.

Sincerely,

A handwritten signature in black ink, appearing to read "Donna K. Soe", with a stylized flourish at the end.

Donna K. Soe, R.S.  
Water and Sewerage Program

cc: Fisher, Collins & Carter, Inc. - Mr. Zacharia Fisch  
file



---

## HOWARD COUNTY HEALTH DEPARTMENT

---

*Joyce M. Boyd, M.D., County Health Officer*

June 20, 1997

Land Source Development Corporation  
c/o Creston Cathart  
10480 Little Patuxent Parkway, Suite 500  
Columbia, Maryland 21044

RE: Percolation Test Date  
Application Number - A58533  
Purpose: Subdivision  
Property ID: Buckskin Lake Overlook  
Lots 5 thru 7 & Pres. Pcl. "A"  
Tax Map: 22 Parcel: 73

Dear Sirs:

A percolation test date has been reserved for 10:00 a.m., Friday, June 27, 1997, for the above referenced property. Due to the prior history of high water table conditions at similar elevations and landscape positions on nearby properties, please be advised that follow-up spring wet season testing will likely be required. For this reason, you may wish to postpone testing until the 1998 wet season.

You will be responsible for having a contractor on-site to excavate test holes at the corners of proposed percolation area.

In the event of uncertain weather (i.e. precipitation or extremes of temperature), please contact this office prior to 9:00 a.m. to determine whether percolation testing can be performed on the above reserved date. If it is not feasible to perform the test, a new test date will be assigned.

Percolation test results can be expected within approximately 2 to 3 weeks *AFTER TESTING IS COMPLETED.*

Please call this office between 8:00 a.m. and 5:00 p.m., Monday through Friday, to confirm your acceptance of this percolation test date or to discuss rescheduling.

Very truly yours,

*Amy McMillen*  
Amy Mc Millen, R.S.  
Water & Sewerage Program

AM:am  
cc:File

Howard County Health Department

2/10/99 1:10 left  
message

To: \_\_\_\_\_

Folly Quarter

Bucksin Lake

Paul Ridgely

410-531-6810 home

From: \_\_\_\_\_ 443-250-3601 (work)

Date: \_\_\_\_\_

HD-170

MB 6/7/2019

Search Result for HOWARD COUNTY

View Map		View GroundRent Redemption			View GroundRent Registration					
<b>Tax Exempt:</b>		<b>Special Tax Recapture:</b>								
<b>Exempt Class:</b>		NONE								
<b>Account Identifier:</b>		District - 03 Account Number - 302423								
Owner Information										
<b>Owner Name:</b>		MAURER DENISE A		<b>Use:</b>		RESIDENTIAL				
<b>Mailing Address:</b>		13400 FOLLY QUARTER RD ELLICOTT CITY MD 21042-1261		<b>Principal Residence:</b>		YES				
				<b>Deed Reference:</b>		/04815/ 00336				
Location & Structure Information										
<b>Premises Address:</b>		13400 FOLLY QUARTER RD ELLICOTT CITY 21042-0000		<b>Legal Description:</b>		LOT 7 1.587 A 13400 FOLLY QUARTER RD THE CORNERS				
<b>Map:</b>	<b>Grid:</b>	<b>Parcel:</b>	<b>Sub District:</b>	<b>Subdivision:</b>	<b>Section:</b>	<b>Block:</b>	<b>Lot:</b>	<b>Assessment Year:</b>	<b>Plat No:</b>	30
0022	0015	0390		2003			7	2019		40
<b>Special Tax Areas:</b>				<b>Town:</b>		NONE				
				<b>Ad Valorem:</b>		100				
				<b>Tax Class:</b>						
<b>Primary Structure Built</b>		<b>Above Grade Living Area</b>		<b>Finished Basement Area</b>		<b>Property Land Area</b>		<b>County Use</b>		
1982		1,904 SF				1.5800 AC				
<b>Stories</b>	<b>Basement</b>	<b>Type</b>	<b>Exterior</b>	<b>Full/Half Bath</b>	<b>Garage</b>	<b>Last Major Renovation</b>				
1	YES	STANDARD UNIT	BRICK	2 full	1 Attached					
Value Information										
		<b>Base Value</b>		<b>Value</b>		<b>Phase-in Assessments</b>				
				As of		As of		As of		
				01/01/2019		07/01/2018		07/01/2019		
<b>Land:</b>		195,300		245,800						
<b>Improvements</b>		239,100		256,600						
<b>Total:</b>		434,400		502,400		434,400		457,067		
<b>Preferential Land:</b>		0						0		
Transfer Information										
<b>Seller:</b> NEGLEY JOSEPH				<b>Date:</b> 07/15/1999		<b>Price:</b> \$265,000				
<b>Type:</b> ARMS LENGTH IMPROVED				<b>Deed1:</b> /04815/ 00336		<b>Deed2:</b>				
<b>Seller:</b> NEGLEY JOSEPH				<b>Date:</b> 02/04/1997		<b>Price:</b> \$0				
<b>Type:</b> NON-ARMS LENGTH OTHER				<b>Deed1:</b> /03909/ 00102		<b>Deed2:</b>				
<b>Seller:</b>				<b>Date:</b>		<b>Price:</b>				
<b>Type:</b>				<b>Deed1:</b>		<b>Deed2:</b>				
Exemption Information										
<b>Partial Exempt Assessments:</b>		<b>Class</b>		07/01/2018		07/01/2019				
<b>County:</b>		000		0.00						
<b>State:</b>		000		0.00						
<b>Municipal:</b>		000		0.00 0.00		0.00 0.00				
<b>Tax Exempt:</b>					<b>Special Tax Recapture:</b>					
<b>Exempt Class:</b>					NONE					
Homestead Application Information										
<b>Homestead Application Status:</b> Approved 01/12/2010										
Homeowners' Tax Credit Application Information										

1. This screen allows you to search the Real Property database and display property records.
2. Click [here](#) for a glossary of terms.
3. Deleted accounts can only be selected by Property Account Identifier.
4. The following pages are for information purpose only. The data is not to be used for legal reports or documents. While we have confidence in the accuracy of these records, the Department makes no warranties, expressed or implied, regarding the information.