



# Building Permit Application

Howard County Maryland  
Department of Inspections, Licenses and Permits  
3430 Court House Drive  
Permits: 410-313-2455  
www.howardcountymd.gov

Date Received: 6/5/17

Permit No.: B17002245

Building Address: 4755 Monticomey Rd  
 City: Columbia State: MD Zip Code: 21048  
 Suite/Apt. #: \_\_\_\_\_ SDP/WP/BA #: \_\_\_\_\_  
 Census Tract: \_\_\_\_\_ Subdivision: \_\_\_\_\_  
 Section: \_\_\_\_\_ Area: \_\_\_\_\_ Lot: \_\_\_\_\_  
 Tax Map: \_\_\_\_\_ Parcel: \_\_\_\_\_ Grid: \_\_\_\_\_  
 Zoning: \_\_\_\_\_ Map Coordinates: \_\_\_\_\_ Lot Size: \_\_\_\_\_

Existing Use: Single Family Home  
 Proposed Use: Single Family Home  
 Estimated Construction Cost: \$ 250,000  
 Description of Work: Addition to home for  
 garage - 3 bedrooms - 2 1/2 baths.

Occupant/Tenant Name: Kenneth Cawley  
 Was tenant space previously occupied?  Yes  No  
 Contact Name: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 City: \_\_\_\_\_ State: \_\_\_\_\_ Zip Code: \_\_\_\_\_  
 Phone: \_\_\_\_\_ Fax: \_\_\_\_\_  
 Email: \_\_\_\_\_

Property Owner's Name: Kenneth Cawley  
 Address: 4755 Monticomey Rd  
 City: Columbia State: MD Zip Code: 21048  
 Phone: 410-595-6632 Fax: \_\_\_\_\_  
 Email: \_\_\_\_\_

**Applicant's Name & Mailing Address, (If other than stated herein)**  
 Applicant's Name: Jim Killoran  
 Address: 10015 Old Columbia Rd #1215  
 City: Columbia State: MD Zip Code: 21046  
 Phone: 410-262-6504 Fax: \_\_\_\_\_  
 Email: Jim@inspections.howardcountymd.com

Contractor Company: Inspections & Permits  
 Contact Person: Jim Killoran  
 Address: 10015 Old Columbia Rd #1215  
 City: Columbia State: MD Zip Code: 21046  
 License No.: 123376  
 Phone: 410-262-6504 Fax: \_\_\_\_\_  
 Email: Jim@inspections.howardcountymd.com

Engineer/Architect Company: Michael Page  
 Responsible Design Prof.: \_\_\_\_\_  
 Address: 5602 Davis Dr  
 City: Annapolis State: MD Zip Code: 21412  
 Phone: 410-599-1576 Fax: \_\_\_\_\_  
 Email: MANAGE@collingswood.com

Commercial Building Characteristics	Residential Building Characteristics	
Height:	<input checked="" type="checkbox"/> SF Dwelling <input type="checkbox"/> SF Townhouse	
No. of stories:	<b>Depth</b>	<b>Width</b>
Gross area, sq. ft./floor:	1 <sup>st</sup> floor: <u>96</u>	<u>63</u>
	2 <sup>nd</sup> floor:	
Area of construction (sq. ft.):	Basement:	
	<input checked="" type="checkbox"/> Finished Basement	
Use group:	<input type="checkbox"/> Unfinished Basement	
	<input checked="" type="checkbox"/> Crawl Space	
<b>Construction type:</b>	<input type="checkbox"/> Slab on Grade	
<input type="checkbox"/> Reinforced Concrete	No. of Bedrooms: <u>3</u>	
<input type="checkbox"/> Structural Steel	<b>Multi-family Dwelling</b>	
<input type="checkbox"/> Masonry	No. of efficiency units:	
<input type="checkbox"/> Wood Frame	No. of 1 BR units:	
<input type="checkbox"/> State Certified Modular	No. of 2 BR units:	
	No. of 3 BR units:	
	Other Structure:	
	Dimensions:	
<b>Roadside Tree Project Permit</b>	Footings:	
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Roof:	
<b>Roadside Tree Project Permit #</b>	<input type="checkbox"/> State Certified Modular	
	<input type="checkbox"/> Manufactured Home	


Utilities	
Electric:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Gas:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Water Supply	
<input checked="" type="checkbox"/> Public	
<input type="checkbox"/> Private	
Sewage Disposal	
<input type="checkbox"/> Public	
<input checked="" type="checkbox"/> Private	
Heating System	
<input type="checkbox"/> Electric <input type="checkbox"/> Oil	
<input checked="" type="checkbox"/> Natural Gas <input type="checkbox"/> Propane Gas	
Other:	
Sprinkler System:	
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Grading Permit Number:	
Building Shell Permit Number:	

THE UNDERSIGNED HEREBY CERTIFIES AND AGREES AS FOLLOWS: (1) THAT HE/SHE IS AUTHORIZED TO MAKE THIS APPLICATION; (2) THAT THE INFORMATION IS CORRECT; (3) THAT HE/SHE WILL COMPLY WITH ALL REGULATIONS OF HOWARD COUNTY WHICH ARE APPLICABLE THERETO; (4) THAT HE/SHE WILL PERFORM NO WORK ON THE ABOVE REFERENCED PROPERTY NOT SPECIFICALLY DESCRIBED IN THIS APPLICATION; (5) THAT HE/SHE GRANTS COUNTY OFFICIALS THE RIGHT TO ENTER ONTO THIS PROPERTY FOR THE PURPOSE OF INSPECTING THE WORK PERMITTED AND POSTING NOTICES.

Applicant's Signature: [Signature] Print Name: Jim Killoran  
 Email Address: Jim@inspections.howardcountymd.com Date: 6/5/17  
 Title/Company: Owner/Inspection Services

Checks Payable to: DIRECTOR OF FINANCE OF HOWARD COUNTY  
 \*\*PLEASE WRITE NEATLY & LEGIBLY\*\*  
 -FOR OFFICE USE ONLY-

AGENCY	DATE	SIGNATURE OF APPROVAL	DPZ SETBACK INFORMATION	Filing Fee	\$
State Highways			Front:	Permit Fee	\$ <u>25</u>
Building Officials			Rear:	Tech Fee	\$
PSZA ( Zoning )			Side:	Excise Tax	\$
PSZA ( Engineering )			Side St.:	PSFS	\$
Health	<u>7/25/17</u>	<u>H. Oswald</u>	All minimum setbacks met? <input type="checkbox"/> Yes <input type="checkbox"/> No	Guaranty Fund	\$
			Is Entrance Permit Required? <input type="checkbox"/> Yes <input type="checkbox"/> No	Add'l per Fee	\$
			Historic District? <input type="checkbox"/> Yes <input type="checkbox"/> No	Total Fees	\$
			Lot Coverage for New Town Zone:	Sub- Total Paid	\$
			SDP/Red-line approval date:	Balance Due	\$
				Check	# <u>1025</u>




The purpose of this drawing is to locate, describe, and represent the positions of buildings and substantial improvements affecting the property shown hereon, being known as:

Lot 4 and Adjoining Parcel 26, Subdivision of a  
PROPERTY OF RUSSELL H. BAUGHER

recorded among the land records of Howard County, Maryland in  
Plat Book 7 Plat 4

PREPARED FOR:



This is page one of a two page document. The advice found on the affixed page is an integral part of this drawing, and is not valid without all pages.



James Carl Hudgins  
Property Line Surveyor #96  
Expiration Date: 3/11/18

**LOCATION DRAWING**  
4755 Montgomery Road  
2nd ELECTION DISTRICT  
HOWARD COUNTY, MARYLAND

**NTT Associates, Inc.**  
16205 Old Frederick Rd.  
Mt. Airy, Maryland 21771  
Phone: (410) 442-2031  
Fax: (410) 442-1315  
www.nttsurveyors.com

Scale: 1" = 50'  
Date: 3-30-17  
Field By: DR  
Drawn By: DR  
File No.: LMD31137  
Page No.: 1 of 2

# INDEX OF DRAWINGS - PROPOSED

- 0A - TITLE SHEET - LEGAL DESCRIPTION
- 0B - VICINITY MAPS - LARGE, MEDIUM, SMALL, LOCAL
- 1A1 - PROPOSED FRONT ELEVATION, LEFT SIDE
- 1A2 - PROPOSED FRONT ELEVATION, RIGHT SIDE
- 1B - PROPOSED ELEVATIONS - ALL SIDES 1/8" SCALE
- 2A - EXISTING FOUNDATION PLAN
- 2B1 - PROPOSED FOUNDATION PLAN - LEFT SIDE
- 2B2 - PROPOSED FOUNDATION PLAN - RIGHT SIDE
- 2B3 - OPT WOOD BEDM, STD STEEL BEDM - BASEMENT
- 2B4 - FRONT PORCH + OPT REAR PORCH PARTIAL DWGS
- 3A - EXISTING FLOOR PLAN
- 3B1 - PROPOSED FIRST FLOOR PLAN - LEFT SIDE
- 3B2 - PROPOSED FIRST FLOOR PLAN - RIGHT SIDE
- 4A - PROPOSED FLOOR FRAMING PLAN - LEFT SIDE
- 4B - PROPOSED FLOOR FRAMING PLAN - RIGHT SIDE
- 5A - PROPOSED CROSS SECTION 'A-A'
- 5B - PROPOSED CROSS SECTION 'B-B'
- 5C - PROPOSED CROSS SECTION 'C-C'
- 5D - PROPOSED CROSS SECTION 'D-D'
- 6 - WALL FRAMING DETAILS
- 7A - PROPOSED ROOF TRUSS PROFILES 'A' & 'B'
- 7B - PROPOSED ROOF TRUSS PROFILES 'C' & 'D' & 'E'
- 7C - PROPOSED ROOF FRAMING PLAN - LEFT SIDE
- 7D - PROPOSED ROOF FRAMING PLAN - RIGHT SIDE
- 8 - PROPOSED WINDOW SCHEDULE + DOOR SCHEDULE
- 9 - SITE PLAN / PLAT PLAN
- 10 - 2015 IECC CODE COMPLIANCE
- 11 - CONSTRUCTION NOTES + CODES IRC 2015

# LEGAL DESCRIPTION

Account Identifier: District - 02 Account Number - 194147		Owner Information:							
Owner Name:	BAUGHER PAUL F BAUGHER JEAN MARIE	Use:	RESIDENTIAL	Principal Residence: YES					
Mailing Address:	4755 MONTGOMERY RD ELLCOTT CITY MD 21043-6503	Deed Reference:	/00607/00586						
Location & Structure Information									
Premises Address:	4755 MONTGOMERY RD ELLCOTT CITY 21043-0000	Legal Description:	LOT 4.999 A 4755 MONTGOMERY RD ELLCOTT CITY						
Map:	Grid:	Parcel:	Sub District:	Subdivision:	Section:	Block:	Lot:	Assessment Year:	Plat No:
0031	0007	0415		0000			4	2015	Plat Ref:
Special Tax Areas:		Town:		NONE					
		Ad Valorem:		104					
		Tax Class:							
Primary Structure Built	Above Grade Enclosed Area	Finished Basement Area	Property Land Area	County Use					
1959	1,073 SF	235 SF	43,516 SF						
Stories	Basement	Type	Exterior	Full/Half Bath	Garage	Last Major Renovation			
1	YES	STANDARD UNIT	BRICK	1 full	1 Carport				

# SCOPE OF WORK - PROPOSED

- 1 - CONSTR NEW ADDITION ON LEFT SIDE + FRONT OF EXIST HOUSE
- 2 - PROVIDE CROWN SPACE MASONRY FOUND BY NEW ADDITION
- 3 - STAIRS TO REMAIN UNALTERED AT EXIST BASEMENT
- 4 - REORGANIZE ROOMS IN EXIST. HOUSE
- 5 - REUSE EXIST WINDOWS IN NEW ADDITION AREAS
- 6 - REAR OPT PORCH SUPPORT TO BE MASONRY OR CONC PIERS
- 7 - REMOVE EXIST TRUSS ROOF
- 8 - PROVIDE NEW CANTILEVERED + SCISSOR TRUSS ROOFS
- 9 - PROVIDE PLAT + CATHEDRAL CEILING DRESS
- 10 - PLUS ALL WORK RELATED TO THIS CONSTRUCTION
- 11 - ALL WORK TO COMPLY WITH ALL LOCAL BUILDING CODES + LOCAL CONSTRUCTION CODES.

Heath





KEN, BRIDGET CAVY RESIDENCE ADDITION  
4755 MONTGOMERY ROAD ELLCOTT CITY, MARYLAND 21043-6503

5-22-17



SHEET

0A  
OF 28



LARGE VICINITY MAP 1" = 1000'

MEDIUM VICINITY MAP 1" = 500'



SMALL VICINITY MAP 1" = 250'


LOCAL VICINITY MAP 1" = 100'

KEN: BRIDGET CAVNEY RESIDENCE ADDITION

4755 MONTGOMERY ROAD ELICOTT CITY, MARYLAND 21043-6503

5-22-17

SHEET  
OB  
OF 28



NOTE:

DRAWINGS CERTIFICATION

I CERTIFY THAT THESE DOCUMENTS WERE PREPARED BY ME, AND THAT I AM A DULY LICENSED ARCHITECT, UNDER THE LAWS OF THE STATE OF MARYLAND, LICENSE NUMBER 10003, WITH THE EXPIRATION DATE OF 6-28-17



PROPOSED  
FRONT ELEVATION  
LEFT SIDE - 1/4"



KEN BRIDGET CAVY RESIDENCE ADDITION  
4755 MONTGOMERY ROAD ELLICOTT CITY, MARYLAND 21043-6503


5-22-17  
SHEET  
1A1  
OF 28

B  
5B

C  
5C

D  
5D

12  
12




PROPOSED  
FRONT ELEVATION  
RIGHT SIDE - 1/4"




KEN + BRIDGET CASVEY RESIDENCE ADDITION  
1755 MONTGOMERY ROAD ELLICOTT CITY, MARYLAND 21043-6508


5-22-17  
SHEET  
1A2  
OF 28




PROPOSED  
REAR  
ELEVATION - 1/8"



PROPOSED  
LEFT SIDE  
ELEVATION - 1/8"




PROPOSED  
RIGHT SIDE  
ELEVATION - 1/8"



PROPOSED  
FRONT  
ELEVATION - 1/8"



KEN BRIDGET CAVEY RESIDENCE ADDITION  
4755 MONTGOMERY ROAD ELLICOTT CITY, MARYLAND 21043-6508  
5-22-17  
SHEET  
1B  
OF 28




KEN BRIDGET CAVAY RESIDENCE ADDITION  
 4755 MONTGOMERY ROAD ELLICOTT CITY, MARYLAND 21043-6503

5-22-17  
 SHEET  
 2A  
 OF 28



EXISTING  
 FOUNDATION PLAN



BRICK  
 16" - 18" DIA RT  
 36" DP (30"  
 BELOW GRADE)  
 POURED CONC  
 PIERS - TYP 4

FOUND. WALL  
 SIX 8" CMU  
 BLOCK, 4" H.  
 SOLID TOP BLK  
 KEYED TO 8" x 16"  
 CONTIN FTG W/  
 OPT 2" x 4 REBAR

2" POURED CONCRETE  
 SPLASH COAT, OVER 4"  
 GRAVEL PADSE W/ 6 MIL  
 POLY JSP BAR W/ VENT  
 IF/DS REQUIRED

STEEL PLATE  
 ON SOLID CMU  
 BLOCK, 16" DP  
 MIN, BY 32" W.  
 MIN - ONE

3" DIA STL COL ON  
 32" x 32" x 16" (MIN)  
 POURED CONCRETE  
 FTG. - THREE LAYER

NOTE: OPT  
 4.8 x 12  
 W/ DS

STEEL  
 BEAM  
 4 STL  
 COLS.

UTILITIES  
 LOCATION  
 AS PER  
 BUILDER

CRAWL SPACE  
 CONDITIONED

SUMP PUMP  
 4 PIT. LOUVR  
 PER BUILDER

CEMENT PDRCING  
 OVER BLOCK FOUND  
 WALL W/ DUMP  
 PROBING BELOW  
 GRADE

NOTE: RELOCATE ROSE  
 RIBB IF/DS REQ'D

DOVE-TAIL  
 SOLID CMU  
 BLOCK INTO  
 EXIST CMU  
 MASONRY  
 FOUNDATION  
 PER CODES

FILL IN EXIST  
 WINDOW OPEN'G  
 W/ CMU BLK




PROP.  
 FOUND  
 PLAN -  
 LEFT  
 SIDE - 1/4"

KEN BRIDGET CASVEY RESIDENCE ADDITION

4755 MONTGOMERY ROAD ELLICOTT CITY, MARYLAND 21043-6503

5-22-17  
 SHEET  
 2B1  
 OF 28



KEN BRIDGET CAYEY RESIDENCE ADDITION

4755 MONTGOMERY ROAD ELLICOTT CITY, MARYLAND 21043-6508

PROP  
FOUND  
PLAN-  
RIGHT  
SIDE-1/4"



5.22.17  
SHEET  
2B2  
OF 28

Project: Cavey Residence Main Support Steel Beam  
 Location: Cavey Res Uniformly Loaded Floor Wood Beam  
 Uniformly Loaded Floor Beam  
 [2009 International Building Code(2005 NDS)]  
 (4) 1.5 IN x 11.25 IN x 9.0 FT  
 #1 - Hem-Fir (North) - Dry Use  
 Section Adequate By: 30.3%  
 Controlling Factor: Moment

Mike Boyer  
 MA Boyer  
 862 Doris Dr  
 Arnold, MD 21012

StruCalc Version 8.0.113.0 5/11/2017 4:21:40 PM

**CAUTIONS**  
 \* Laminations are to be fully connected to provide uniform transfer of loads to all members

DEFLECTIONS		Center
Live Load	0.08	IN L/1389
Dead Load	0.04	in
Total Load	0.12	IN L/907
Live Load Deflection Criteria: L/360		Total Load Deflection Criteria: L/240

REACTIONS		A	B
Live Load	2700 lb	2700 lb	
Dead Load	1433 lb	1433 lb	
Total Load	4133 lb	4133 lb	
Bearing Length	1.70 in	1.70 in	


BEAM DATA		Center
Span Length	9	ft
Unbraced Length-Top	1.34	ft
Floor Duration Factor	1.00	
Notch Depth	0.00	

**MATERIAL PROPERTIES**  
 #1 - Hem-Fir (North)

	Base Values	Adjusted
Bending Stress:	Fb = 1000 psi Cd=1.00 Cl=1.00 Cf=1.00 Cr=1.15	Fb' = 1149 psi
Shear Stress:	Fv = 145 psi Cd=1.00	Fv' = 145 psi
Modulus of Elasticity:	E = 1600 ksi	E' = 1600 ksi
Min. Mod. of Elasticity:	E_min = 580 ksi	E_min' = 580 ksi
Comp. $\perp$ to Grain:	Fc $\perp$ = 405 psi	Fc $\perp$ ' = 405 psi

Controlling Moment: 9299 ft-lb  
 4.5 ft from left support  
 Created by combining all dead and live loads.  
 Controlling Shear: -4133 lb  
 At support.  
 Created by combining all dead and live loads.

Comparisons with required sections:	Req'd	Provided
Section Modulus:	97.12 in <sup>3</sup>	126.56 in <sup>3</sup>
Area (Shear):	42.76 in <sup>2</sup>	67.5 in <sup>2</sup>
Moment of Inertia (deflection):	188.28 in <sup>4</sup>	711.91 in <sup>4</sup>
Moment:	9299 ft-lb	12118 ft-lb
Shear:	-4133 lb	6525 lb



FLOOR LOADING		Side 1	Side 2
Floor Live Load	FLL =	40 psf	40 psf
Floor Dead Load	FDL =	15 psf	15 psf
Floor Tributary Width	FTW =	7.5 ft	7.5 ft
Wall Load	WALL =	80 plf	

BEAM LOADING	
Beam Total Live Load:	wL = 600 plf
Beam Total Dead Load:	wD = 305 plf
Beam Self Weight:	BSW = 13 plf
Total Maximum Load:	wT = 918 plf

Project:  
 Location: Cavey Res Uniformly Loaded Floor Steel Beam  
 Uniformly Loaded Floor Beam  
 [2009 International Building Code(AISC 13th Ed ASD)]  
 A36 W8x10 x 9.0 FT  
 Section Adequate By: 72.0%  
 Controlling Factor: Moment

Mike Boyer  
 MA Boyer  
 862 Doris Dr  
 Arnold, MD 21012

StruCalc Version 8.0.113.0 5/11/2017 4:16:12 PM

DEFLECTIONS		Center
Live Load	0.10	IN L/1069
Dead Load	0.05	in
Total Load	0.15	IN L/714
Live Load Deflection Criteria: L/360		Total Load Deflection Criteria: L/240

REACTIONS		A	B
Live Load	2700 lb	2700 lb	
Dead Load	1418 lb	1418 lb	
Total Load	4118 lb	4118 lb	
Bearing Length	0.51 in	0.51 in	

BEAM DATA		Center
Span Length	9	ft
Unbraced Length-Top	1.34	ft


**STEEL PROPERTIES**  
 W8x10 - A36

Properties:		
Yield Stress:	Fy =	36 ksi
Modulus of Elasticity:	E =	29000 ksi
Depth:	d =	7.89 in
Web Thickness:	tw =	0.17 in
Flange Width:	bf =	3.94 in
Flange Thickness:	tf =	0.21 in
Distance to Web Toe of Fillet:	k =	0.51 in
Moment of Inertia About X-X Axis:	Ix =	30.8 in <sup>4</sup>
Section Modulus About X-X Axis:	Sx =	7.81 in <sup>3</sup>
Plastic Section Modulus About X-X Axis:	Zx =	8.87 in <sup>3</sup>

Design Properties per AISC 13th Edition Steel Manual:	
Flange Buckling Ratio:	FBR = 9.61
Allowable Flange Buckling Ratio:	AFBR = 10.79
Web Buckling Ratio:	WBR = 40.47
Allowable Web Buckling Ratio:	AWBR = 108.72
Controlling Unbraced Length:	Lb = 1.34 ft
Limiting Unbraced Length - for lateral-torsional buckling:	Lp = 3.5 ft
Elastic lateral-torsional buckling stress:	Fcr = 0 ksi
Nominal Flexural Strength w/ safety factor:	Mn = 15934 ft-lb
Controlling Equation:	F2-1
Web height to thickness ratio:	hw/tw = 40.47
Limiting height to thickness ratio for eqn. G2-2:	hw/limit = 63.58
Cv Factor:	Cv = 1
Controlling Equation:	G2-2
Nominal Shear Strength w/ safety factor:	Vn = 18315 lb

Controlling Moment: 9264 ft-lb  
 4.5 ft from left support  
 Created by combining all dead and live loads.  
 Controlling Shear: -4118 lb  
 At support.  
 Created by combining all dead and live loads.

Comparisons with required sections:	Req'd	Provided
Moment of Inertia (deflection):	10.35 in <sup>4</sup>	30.8 in <sup>4</sup>
Moment:	9264 ft-lb	15934 ft-lb
Shear:	-4118 lb	18315 lb



FLOOR LOADING		Side 1	Side 2
Floor Live Load	FLL =	40 psf	40 psf
Floor Dead Load	FDL =	15 psf	15 psf
Floor Tributary Width	FTW =	7.5 ft	7.5 ft
Wall Load	WALL =	80 plf	

BEAM LOADING	
Beam Total Live Load:	wL = 600 plf
Beam Total Dead Load:	wD = 305 plf
Beam Self Weight:	BSW = 10 plf
Total Maximum Load:	wT = 915 plf


OPTIONAL WOOD BEAM-BASEMENT-NTS

STANDARD STEEL BEAM-BASEMENT-NTS




KEN + BRIDGET CAVEY RESIDENCE ADDITION  
 4755 MONTGOMERY ROAD ELLICOTT CITY, MARYLAND 21043-6605





5-22-17  
 SHEET  
 2B3  
 OF 28



REDR PORCH  
PARTIAL  
DRAWING S-114  
ARCHITECT  
10003  
MICHAEL A. BOYER  
STATE OF MARYLAND



FRONT PORCH PARTIAL DRAWINGS - 1/4"



KEN BRIDGET CASVEY RESIDENCE ADDITION  
4755 MONTGOMERY ROAD ELLICOTT CITY, MARYLAND 21043-6903

5-22-17  
SHEET  
2B4  
OF 28