



3180 DAISY RD  
PARCEL 128  
MICHAEL A GRODIN & PATRICIA A ETAL GRODIN  
PLAT NO 16903

RIPRAP Class I  
d<sub>50</sub>=9.5 in  
Thickness=19 in  
L<sub>1</sub>=6'  
W=6.5'


RIPRAP Class I  
d<sub>50</sub>=9.5 in  
Thickness=19 in  
L<sub>1</sub>=6'  
W=6.5'

RIPRAP Class I  
d<sub>50</sub>=9.5 in  
Thickness=19 in  
L<sub>1</sub>=6'  
W=6.5'

3200 DAISY RD  
LOT 4  
LAUREN S FITZGERALD & STEVEN J FITZGERALD  
PLAT NO 6886

3230 DAISY RD  
LOT 3  
DAVID E. HAINES & LINDA D. HAINES  
PLAT NO 6886

PERCOLATION TEST RESULTS							
Test#	Date Test Performed	Depth	Start	Break 1 <sup>st</sup> Drop	Stop 2 <sup>nd</sup> Drop	Time of 2nd Inch	P/F/H
1	5/30/2012	3' - 12"	10:59	11:03	11:08	5 MIN	P
2	5/30/2012	3.5' - 12"	11:28	11:38	11:50	12 MIN	P
3	5/30/2012	REFUSAL			@8'		FAIL
4	5/30/2012	3' - 12"	10:37	10:40	10:47	7 min	P
5	5/30/2012	3.5' - 12"	11:50	11:54	12:00	6 min	P
6	5/30/2012	12"		VISUAL	PASS		P
<b>Average</b>						<b>7 min</b>	



- GENERAL NOTES**
- Project Name: DAISY ROAD - 1.00A, DAISY ROAD
  - Project Address: 3190 DAISY RD., WOODBINE, MD 21797
  - Owners: AKINBODE FUNMILAYO EUNICE
  - Net Tract Area: 43,553.11 S.F. (1.00AC.)
  - Parcel #: 122
  - Map: 20
  - Grd.: 0009
  - Libec: 20158
  - Folio: 00195
  - Tax Account #: 346033
  - Election District Number: 4
  - Zoning: RC-DEO
  - Existing Use: Residential (Single Family)
  - Proposed Use: Residential (Single Family)
  - Setbacks: Front 50' Required, 94.3' Provided; Rear 25' Required, 193.4' Provided; Sides 10' Required, 15.9' & 13.4' Provided
  - The Topography information shown hereon is based on field-run survey, conducted in May, 2021 by CORNERSTONE SURVEYING, INC. It has been verified to accurately represent the relative changes on the subject property.
  - The potable water wells must be installed for 4' and the Well Completion Reports approved by the Health Department, prior to Building Permit Approvals for the respective lots.
  - Underground well and sewerage components shown hereon are based on available public records and visible surface evidence, no subsurface exploration has been performed to verify their location.
  - This plat was performed without the benefit of a title report. It does not show every matter affecting ownership and use, nor every matter restricting the ownership on use of the property.

- NOTES**
- Any changes to a private sewage easement shall require a revised percolation certification plan.
  - The topography of this plat is taken from field-run survey, conducted in May, 2021 by CORNERSTONE SURVEYING, INC. and is verified to accurately represent the relative changes on the subject property.
  - All wells and septic systems located within 100' of the property boundaries and 200' down gradient of any wells and/or septic systems have been shown.
  - A purpose statement indicating the purpose of the plan.
  - Certification of compliance with MEFC ownership width and lot area requirements for lots created after 1985.
    - The lot(s) shown herein complies/comply with the minimum ownership width and lot area as required by the Maryland Department of Environment.
  - MDE statement for lots created after March 1972:
    - \*This area designates a private sewage disposal area of at least 10,000 sq. ft. as required by the Maryland Department of Environment for individual sewage disposal. Improvements of any nature in this area are restricted. This sewage disposal area shall become null and void upon connection to a public sewerage system. The County Health Officer shall have authority to grant adjustments to the private sewage easement. Recordation of a revised sewage easement shall not be necessary.
  - Or MDE statement for lots created before March 1972:
    - \*This area designates a private sewage area as required by the Maryland Department of the Environment for individual sewage disposal. For lots created prior to March of 1972 it provides at least enough area to accommodate an initial and two replacement septic systems as required by the Howard County Health Department. Improvements of any nature in this area are restricted until public sewerage is available. This area shall become null and void upon connection to a public sewerage system. The County Health Officer shall have the authority to grant adjustments to the private sewage area. Recordation of a modified sewage area shall not be necessary.\*

**Professional Sealed Statement:**  
I certify that the information shown herein is based on field work performed by me or under my direct supervision, and is correct, to the best of my knowledge and belief.

Engineer Signature: Date: 7/24/2023  
Printed Name: Mike Razavi Registration Number: 22742

**Health Officer Signature**  
Approved For Private Water and Private Sewerage Systems

Health Officer, Howard County Health Dept. Date: \_\_\_\_\_

LEGEND			
FEATURE	SYMBOL	FEATURE	SYMBOL
EXISTING STRUCTURES		PROPOSED END SECTION / RIPRAP	
PROPOSED STRUCTURES		PRIP: STORM DRAIN PIPE	
BUILDING RESTRICTION LINE		PROPOSED DOWN-SPOUT	
PROPERTY BOUNDARY LINE		EXISTING WATER WELL	
EXISTING TOPOGRAPHY		PRIP: WATER HOUSE CONNECTION	
PROPOSED GRADING		PRIP: SEWER HOUSE CONNECTION	
EXISTING TREE LINE		MICRO BIO-RETENTION	
EXISTING FENCE		OBSERVATION WELL	
LIMIT OF DISTURBANCE		PROPOSED STORM DRAIN INLET	
OVERHEAD ELECTRIC WIRE		PRIP: SEWER TRENCH	
PROP. ELECTRICAL CONNECTION		TO BE REMOVED (TR)	
EXISTING TREE (TO BE SAVED)		TO BE SAVED (TS)	
EXISTING TREE (TO BE REMOVED)		PRIP: SEWER DISTRIBUTION BOX	
PERCOLATION TEST PIT - PASSED		PRIP: SEWER CLEANOUT	
PERCOLATION TEST PIT - FAILED		SEWAGE DISPOSAL AREA	
SEWER / WELL BOX SETBACK		PROPOSED SPOT ELEVATION	


**PERCOLATION CERTIFICATION PLAN**

**DAISY ROAD - 1.00A, DAISY RD**

PROJECT ADDRESS: 3190 DAISY ROAD, WOODBINE, MD 21797 OWNER/APPLICANT INFO: AKINBODE FUNMILAYO EUNICE

MAP/GRID: 20 5 TAX ACC.: 346033 4TH DISTRICT

PARCEL: 122 ZONING: RC-DEO LIBER/FOLIO: 20158/196 HOWARD COUNTY, MD






PROFESSIONAL'S REVIEW STATEMENT:  
I CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME, AND THAT I AM A DAILY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MARYLAND LICENSE NUMBER: 22742. EXPIRES: JUNE 15, 2024

DRAWN BY: PG DATE: JULY, 2023 SCALE: 1"=20' SHEET NUMBER: GP-23-063

CHECKED BY: MR DATE: \_\_\_\_\_ SCALE: \_\_\_\_\_ SHEET NUMBER: PCP 1 OF 1

REV#	DATE






2000 GALLON CAPACITY SEPTIC TANK  
MANUFACTURER: OLDCASTLE  
www.oldcastleprecast.com

**Calculations For Septic Design**  
**Design Criteria**  
 Design Flow = 150 (gpd/Bedrooms) x 5 (Bedrooms) = 750 gpd  
 #REF!  
 Application Rate = 0.8 gpd/sq.ft.  
 Size of Subsurface Disposal System = 938 SF  
 Square Footage of House = 9251 SF  
 Septic Tank Capacity = 2000 Gallons

**Drainfield Trench Design**  
**Initial System**  
 Width of Trench (W) = 3 ft  
 Effective Depth of Gravel Below Pipe (D) = 3 ft  
 Percent of Length of Standard Trench = ((W+2)/(W+1+2D))x100 = 50 %  
 Length of Standard Trench = 938 / 3 = 312.67 ft  
 Length of Trench = 312.67 x 0.5 = 156.3 ft

**1<sup>st</sup> Replacement**  
 Width of Trench (W) = 3 ft  
 Effective Depth of Gravel Below Pipe (D) = 3 ft  
 Percent of Length of Standard Trench = ((W+2)/(W+1+2D))x100 = 50 %  
 Length of Standard Trench = 938 / 3 = 312.67 ft  
 Length of Trench = 312.67 x 0.5 = 156.3 ft

**2<sup>nd</sup> Replacement**  
 Width of Trench (W) = 3 ft  
 Effective Depth of Gravel Below Pipe (D) = 3 ft  
 Percent of Length of Standard Trench = ((W+2)/(W+1+2D))x100 = 50 %  
 Length of Standard Trench = 938 / 3 = 312.67 ft  
 Length of Trench = 312.67 x 0.5 = 156.3 ft



**PERCOLATION TEST RESULTS**

Test#	Date Test Performed	Depth	Start	Break 1 <sup>st</sup> Drop	Stop 2 <sup>nd</sup> Drop	Time of 2nd Inch	P/F/H	
1	5/30/2012	3' - 12"	10:59	11:03	11:08	5 MIN	P	
2	5/30/2012	3.5' - 12"	11:28	11:38	11:50	12 MIN	P	
3	5/30/2012	REFUSAL			@8"		FAIL	
4	5/30/2012	3' - 12"	10:37	10:40	10:47	7 min	P	
5	5/30/2012	3.5' - 12"	11:50	11:54	12:00	6 min	P	
6	5/30/2012	12"		VISUAL	PASS		P	
<b>Average</b>							<b>7 min</b>	

**LEGEND**

FEATURE	SYMBOL	FEATURE	SYMBOL
EXISTING STRUCTURES	[Symbol]	PROPOSED END SECTION / RIPRAP	[Symbol]
PROPOSED STRUCTURES	[Symbol]	PROP. STORM DRAIN PIPE	[Symbol]
BUILDING RESTRICTION LINE	[Symbol]	PROPOSED DOWN-SPOUT	[Symbol]
PROPERTY BOUNDARY LINE	[Symbol]	EXISTING WATER WELL	[Symbol]
EXISTING TOPOGRAPHY	[Symbol]	PROP. WATER HOUSE CONNECTION	[Symbol]
PROPOSED GRADING	[Symbol]	PROP. SEWER HOUSE CONNECTION	[Symbol]
EXISTING TREE LINE	[Symbol]	MICRO BIO-RETENTION	[Symbol]
EXISTING FENCE	[Symbol]	OBSERVATION WELL	[Symbol]
LIMIT OF DISTURBANCE	[Symbol]	PROPOSED STORM DRAIN INLET	[Symbol]
OVERHEAD ELECTRIC WIRE	[Symbol]	PROP. SEWER TRENCH	[Symbol]
PROP. ELECTRICAL CONNECTION	[Symbol]	TO BE REMOVED	(TBR)
SOIL TYPE BOUNDARY	[Symbol]	TO BE SAVED	(TBS)
PERCOLATION TEST PIT - PASSED	[Symbol]	PROP. SEWER DISTRIBUTION BOX	[Symbol]
PERCOLATION TEST PIT - FAILED	[Symbol]	PROP. SEWER CLEANOUT	[Symbol]
SEWER / WELL BOX SETBACK	[Symbol]	SEWAGE DISPOSAL AREA	[Symbol]
EXISTING TREE (TO BE REMOVED)	[Symbol]	PROPOSED SPOT ELEVATION	[Symbol]
		EXISTING TREE (TO BE SAVED)	[Symbol]

**GENERAL NOTES**

- Project Name: DAISY ROAD - 1.00A, DAISY ROAD
- Project Address: 3190 DAISY RD., WOODBINE, MD 21797
- Owners: AKINBODE FUNMILAYO EUNICE
- Site Tract Area: 43,553.11 S.F. (1.00AC.)
- Parcel #: 122
- Map: 20
- Grid: 0006
- Libor: 20158
- Folio: 00195
- Tax Account #: 346033
- Election District Number: 4
- Zoning: RC-DEO
- Existing Use: Residential
- Proposed Use: Residential (Single Family)
- Setbacks: Required: 50' Provided: 94.3'
- Front: 25' Rear: 193.4' Sides: 10' 15.9' & 13.4'
- The topography information shown hereon is based on field-run survey, conducted in May, 2021 by CORNERSTONE SURVEYING, INC., 6024 Claremont Dr, Owings, MD 20736
- It has been verified to accurately represent the relative changes on the subject property.
- The potable water wells must be installed for 4, and the Well Completion Reports approved by the Health Department, prior to Building Permit Approvals for the respective lots.
- Underground well and sewerage components shown hereon are based on available public records and visible surface evidence, no subsurface exploration has been performed to verify their location.
- This plot was performed without the benefit of a title report. It does not show every matter affecting ownership and use, nor every matter restricting the ownership on use of the property.

**NOTES**

- Any changes to a private sewage easement shall require a revised percolation certification plan.
- The topography of this plot is taken from field-run survey, conducted in May, 2021 by CORNERSTONE SURVEYING, INC. and is verified to accurately represent the relative changes on the subject property.
- All wells and septic systems located within 100' of the property boundaries and 200' down gradient of any wells and/or septic systems have been shown.
- The purpose of this plan is to establish the primary and reserve septic area for the proposed project, consisting of one single family residential unit at 3190 Daisy Road.
- Certification of compliance with MDE ownership width and lot area requirements for lots created after 1985:
  - The lots shown herein comply/comply with the minimum ownership width and lot area as required by the Maryland Department of Environment.
  - MDE statement for lots created before March 1972:
    - \*This area designates a private sewage area as required by the Maryland Department of the Environment for individual sewage disposal. For lots created prior to March of 1972 it provides at least enough area to accommodate an initial and two replacement septic systems as required by the Howard County Health Department. Improvements of any nature in this area are restricted until public sewerage is available. This area shall become null and void upon connection to a public sewerage system. The County Health Officer shall have the authority to grant adjustments to the private sewage area. Recordation of a modified sewage area shall not be necessary.

**Professional Sealed Statement:**  
 I certify that the information shown herein is based on field work performed by me or under my direct supervision, and is correct, to the best of my knowledge and belief.

Signature: [Signature] Date: 9/15/2023  
 Mohammed M. Razavi 22742  
 Printed Name: Registration Number

**Health Officer Signature**  
 Approved For Private Water and Private Sewerage Systems

Health Officer, Howard County Health Dept. Date: \_\_\_\_\_

**PERCOLATION CERTIFICATION PLAN**

**DAISY ROAD - 1.00A, DAISY RD**

PROJECT ADDRESS: 3190 DAISY ROAD, WOODBINE, MD 21797 OWNER/APPLICANT INFO: AKINBODE FUNMILAYO EUNICE

MAP/GRID: 2016 TAX ACC.: 346033  
 PARCEL: 122 ZONING: RC-DEO  
 LIBER/FOLIO: 20158/195 4th DISTRICT HOWARD COUNTY, MD


**PROFESSIONAL'S REVIEW STATEMENT**  
 I CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME, AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MARYLAND LICENSE NUMBER: 22742. EXPIRES: JUNE 15, 2024



**Raztec Associates, Inc.**  
 civil engineers & planners  
 3451 Emrys Place, Monrovia, Maryland 21770 Tel: (301) 775-4394 email: raztecongr@comcast.net

DRAWN BY: PG DATE: OCT, 2023 SCALE: 1"=20' SHEET NUMBER: PCP 1 OF 1

**REV# DATE**

1	09/15/2023	(REVIEW AGENCY) COMMENTS ADDRESSED
2	10/18/2023	(REVIEW AGENCY) COMMENTS ADDRESSED





**Calculations For Septic Design**


**Design Criteria**  
Design Flow = 150 (gpd/Bedrooms) x 5 (Bedrooms) = 750 gpd (REF)  
Application Rate = 0.8 gpd/sq.ft.  
Size of Subsurface Disposal System = 938 SF  
Square Footage of House = 9251 SF  
Septic Tank Capacity = 2000 Gallons

**Drainfield Trench Design**

**Initial System**  
Width of Trench (W) = 3 ft  
Effective Depth of Gravel Below Pipe (D) = 3 ft  
Percent of Length of Standard Trench = ((W+2)/(W+1+2D))x100 = 50 %  
Length of Standard Trench = 938 / 3 = 312.67 ft  
Length of Trench = 312.67 x 0.5 = 156.3 ft

**1<sup>st</sup> Replacement**  
Width of Trench (W) = 3 ft  
Effective Depth of Gravel Below Pipe (D) = 3 ft  
Percent of Length of Standard Trench = ((W+2)/(W+1+2D))x100 = 50 %  
Length of Standard Trench = 938 / 3 = 312.67 ft  
Length of Trench = 312.67 x 0.5 = 156.3 ft

**2<sup>nd</sup> Replacement**  
Width of Trench (W) = 3 ft  
Effective Depth of Gravel Below Pipe (D) = 3 ft  
Percent of Length of Standard Trench = ((W+2)/(W+1+2D))x100 = 50 %  
Length of Standard Trench = 938 / 3 = 312.67 ft  
Length of Trench = 312.67 x 0.5 = 156.3 ft



**PERCOLATION TEST RESULTS**

Test#	Date Test Performed	Depth	Start	Break 1 <sup>st</sup> Drop	Stop 2 <sup>nd</sup> Drop	Time of 2nd Infiltration	P/F/H	
1	5/30/2012	3' - 12"	10:59	11:03	11:08	5 MIN	P	
2	5/30/2012	3.5' - 12"	11:28	11:38	11:50	12 MIN	P	
3	5/30/2012	REFUSAL			@8"		FAIL	
4	5/30/2012	3' - 12"	10:37	10:40	10:47	7 min	P	
5	5/30/2012	3.5' - 12"	11:50	11:54	12:00	6 min	P	
6	5/30/2012	12"		VISUAL	PASS		P	
<b>Average</b>							<b>7 min</b>	<b>P</b>

**LEGEND**

FEATURE	SYMBOL	FEATURE	SYMBOL
EXISTING STRUCTURES	[Symbol]	PROPOSED END SECTION / RIPRAP	[Symbol]
PROPOSED STRUCTURES	[Symbol]	PROP. STORM DRAIN PIPE	[Symbol]
BUILDING RESTRICTION LINE	[Symbol]	PROPOSED DOWN-SPOUT	[Symbol]
PROPERTY BOUNDARY LINE	[Symbol]	EXISTING WATER WELL	[Symbol]
EXISTING TOPOGRAPHY	[Symbol]	PROP. WATER HOUSE CONNECTION	[Symbol]
PROPOSED GRADING	[Symbol]	PROP. SEWER HOUSE CONNECTION	[Symbol]
EXISTING TREE LINE	[Symbol]	MICRO BIO-RETENTION	[Symbol]
EXISTING FENCE	[Symbol]	OBSERVATION WELL	[Symbol]
LIMIT OF DISTURBANCE	[Symbol]	PROPOSED STORM DRAIN INLET	[Symbol]
OVERHEAD ELECTRIC WIRE	[Symbol]	PROP. SEWER TRENCH	[Symbol]
PROP. ELECTRICAL CONNECTION	[Symbol]	TO BE REMOVED	(TBR)
SOIL TYPE BOUNDARY	[Symbol]	TO BE SAVED	(TBS)
PERCOLATION TEST PIT - PASSED	[Symbol]	PROP. SEWER DISTRIBUTION BOX	[Symbol]
PERCOLATION TEST PIT - FAILED	[Symbol]	PROP. SEWER CLEANOUT	[Symbol]
SEWER / WELL BOX SETBACK	[Symbol]	SEWAGE DISPOSAL AREA	[Symbol]
EXISTING TREE (TO BE REMOVED)	[Symbol]	PROPOSED SPOT ELEVATION	[Symbol]
		EXISTING TREE (TO BE SAVED)	[Symbol]



**GENERAL NOTES**

- Project Name: DAISY ROAD - 1.00A, DAISY ROAD
- Project Address: 3190 DAISY RD, WOODBINE, MD 21797
- Owners: AKINBODE FUNMILAYO EUNICE
- Net Tract Area: 43,553.11 S.F. (1.00AC.)
- Parcel #: 122
- Map: 20
- Grid: 0006
- Libor: 20158
- Folio: 00165
- Tax Account #: 346033
- Election District Number: 4
- Zoning: RC-DEO
- Existing Use: Residential
- Proposed Use: Residential (Single Family)
- Setbacks: Required Provided  
Front 50' 94.3'  
Rear 25' 153.4'  
Sides 10' 15.9' & 13.4'
- The Topography information shown hereon is based on field-run survey, conducted in May, 2021 by CORNERSTONE SURVEYING, INC. It has been verified to accurately represent the relative changes on the subject property.
- The potable water wells must be installed for 4' and the Well Completion Reports approved by the Health Department, prior to Building Permit Approvals for the respective lots.
- Underground well and sewerage components shown hereon are based on available public records and visible surface evidence, no subsurface exploration has been performed to verify their location.
- This plot was performed without the benefit of a title report. It does not show every matter affecting ownership and use, nor every matter restricting the ownership on use of the property.

**NOTES**

- Any changes to a private sewage easement shall require a revised percolation certification plan.
- The topography of this plot is taken from field-run survey, conducted in May, 2021 by CORNERSTONE SURVEYING, INC. and is verified to accurately represent the relative changes on the subject property.
- All wells and septic systems located within 100' of the property boundaries and 200' down gradient of any wells and/or septic systems have been shown.
- The purpose of this plot is to establish the primary and reserve septic area for the proposed project, consisting of one single family residential unit at 3190 Daisy Road.
- Certification of compliance with MDE ownership width and lot area requirements for lots created after 1965:  
• The lots shown herein comply with the minimum ownership width and lot area as required by the Maryland Department of Environment.  
• This area designates a private sewage area as required by the Maryland Department of Environment for individual sewage disposal. For lots created prior to March of 1972 it provides at least enough area to accommodate an initial and two replacement septic systems as required by the Howard County Health Department. Improvements of any nature in this area are restricted until public sewerage is available. This area shall become null and void upon connection to a public sewerage system. The county Health Officer shall have the authority to grant adjustments to the private sewage area. Recordation of a modified sewage area shall not be necessary.

**Professional Sealed Statement:**  
"I certify that the information shown herein is based on field work performed by me or under my direct supervision, and is correct, to the best of my knowledge and belief."

Engineer Signature: *Mohammad M. Razavi* Date: 9/15/2023  
Printed Name: Mohammad M. Razavi Registration Number: 22742

**Health Officer Signature**  
Approved For Private Water and Private Sewerage Systems

Health Officer, Howard County Health Dept., Date: \_\_\_\_\_

**PERCOLATION CERTIFICATION PLAN**

**DAISY ROAD - 1.00A, DAISY RD**

PROJECT ADDRESS: 3190 DAISY ROAD, WOODBINE, MD 21797  
OWNER/APPLICANT INFO: AKINBODE FUNMILAYO EUNICE

MARY GRID: 2016  
TAX ACC: 346033  
PARCEL: 122  
ZONING: RC-DEO  
LIBER FOLIO: 20158/165





4th DISTRICT  
HOWARD COUNTY, MD




I CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME, AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MARYLAND. LICENSE NUMBER: 22742. EXPIRES: JUNE 15, 2024.

DRAWN BY: PG  
CHECKED BY: MR  
DATE: OCT, 2023  
SCALE: 1"=20'  
SHEET NUMBER: PCP 1 OF 1

REV#	DATE	DESCRIPTION
1	09/15/2023	(REVIEW AGENCY) COMMENTS ADDRESSED
2	10/18/2023	(REVIEW AGENCY) COMMENTS ADDRESSED




2000 GALLON CAPACITY SEPTIC TANK  
MANUFACTURER: OLDCASTLE  
www.oldcastleprecast.com



LEGEND			
FEATURE	SYMBOL	FEATURE	SYMBOL
EXISTING STRUCTURES		PROPOSED END SECTION / RIPRAP	
PROPOSED STRUCTURE(S)		PROP. STORM DRAIN PIPE	
BUILDING RESTRICTION LINE		PROPOSED DOWN-SPOUT	
PROPERTY BOUNDARY LINE		EXISTING WATER WELL	
EXISTING TOPOGRAPHY		PROP. WATER HOUSE CONNECTION	
PROPOSED GRADING		PROP. SEWER HOUSE CONNECTION	
EXISTING TREE LINE		MICRO BIO RETENTION	
EXISTING FENCE		OBSERVATION WELL	
LIMIT OF DISTURBANCE		PROPOSED STORM DRAIN INLET	
OVERHEAD ELECTRIC WIRE		PROP. SEWER TRENCH	
PROP. ELECTRICAL CONNECTION		TO BE REMOVED	(TBR)
SOIL TYPE BOUNDARY		TO BE SAVED	(TBS)
PERCOLATION TEST #1 - PASSED		PROP. SEWER CLEANOUT	
PERCOLATION TEST #1 - FAILED		SEWAGE DISPOSAL AREA	
SEWER / WELL BOX SETBACK		PROPOSED SPOT ELEVATION	+58.28
EXISTING TREE (TO BE REMOVED)		EXISTING TREE (TO BE SAVED)	

PERCOLATION TEST RESULTS							
Test#	Date Test Performed	Depth	Start	Break 1" Drop	Stop 2" Drop	Time of 2nd Inch	P/F/H
1	5/30/2012	3' - 12"	10:59	11:03	11:08	5 MIN	P
2	5/30/2012	3.5' - 12"	11:28	11:38	11:50	12 MIN	P
3	5/30/2012	REFUSAL			@8'		FAIL
4	5/30/2012	3' - 12"	10:37	10:40	10:47	7 min	P
5	5/30/2012	3.5' - 12"	11:50	11:54	12:00	6 min	P
6	5/30/2012	12"		VISUAL	PASS		P
<b>Average</b>						<b>7 min</b>	<b>P</b>



**GENERAL NOTES**

- Project Name: DAISY ROAD - 1.00A, DAISY ROAD
- Project Address: 3190 DAISY RD., WOODBINE, MD 21797
- Owner: AKINBODE FUNMILAYO EUNICE
- Map Tract Area: 43,553.11 S.F. (1.00 AC.)
- Parcel #: 122
- Map: 20
- Grid: 0006
- Libert: 20158
- Folio: 09185
- Tax Account #: 346033
- Election District Number: 4
- Zoning: RC-DEO
- Existing Use: Residential
- Proposed Use: Residential (Single Family)
- Setbacks: Required: 50' Front, 25' Rear, 10' Sides; Provided: 94.3' Front, 193.4' Rear, 15.9' & 13.4' Sides
- The Topography information shown hereon is based on field-run survey, conducted in May, 2021 by CORNERSTONE SURVEYING, INC. It has been verified to accurately represent the relative changes on the subject property.
- The potable water wells must be installed for 4, and the Well Completion Reports approved by the Health Department, prior to Building Permit Approval for the respective lots.
- Underground well and sewerage components shown hereon are based on available public records and visible surface evidence, no subsurface exploration has been performed to verify their location.
- This plat was performed without the benefit of a title report. It does not show every matter affecting ownership and use, nor every matter restricting the ownership on use of the property.

**NOTES**

- Any changes to a private sewage easement shall require a revised percolation certification plan.
- The topography of this plat is taken from field-run survey, conducted in May, 2021 by CORNERSTONE SURVEYING, INC. and is verified to accurately represent the relative changes on the subject property.
- All wells and septic systems located within 100' of the property boundaries and 200' down gradient of any wells and/or septic systems have been shown.
- The purpose of this plat is to establish the primary and reserve septic area for the proposed project, consisting of one single family residential unit at 3190 Daisy Road.
- Certification of compliance with MDE ownership width and lot area requirements for lots created after 1985:
  - The lot(s) shown herein complies/comply with the minimum ownership width and lot area as required by the Maryland Department of Environment.
- MDE statement for lots created before March 1972:
  - This area designates a private sewage area as required by the Maryland Department of the Environment for individual sewage disposal. For lots created prior to March of 1972 it provides at least enough area to accommodate an initial and two replacement septic systems as required by the Howard County Health Department. Improvements of any nature in this area are restricted until public sewerage is available. This area shall become null and void upon connection to a public sewerage system. The county Health Officer shall have the authority to grant adjustments to the private sewage area. Recordation of a modified sewage area shall not be necessary.

**Professional Sealed Statement:**  
I certify that the information shown herein is based on field work performed by me or under my direct supervision, and is correct, to the best of my knowledge and belief.

*M. Razavi* 11/29/2023  
Engineer Signature Date  
Mohammad M. Razavi 22742  
Printed Name Registration Number

**Health Officer Signature**  
Approved For Private Water and Private Sewerage Systems

*F. M. ...* 11/15/23  
Health Officer, Howard County Health Dept. Date

**PERCOLATION CERTIFICATION PLAN**

**DAISY ROAD - 1.00A, DAISY RD**

PROJECT ADDRESS: 3190 DAISY ROAD, WOODBINE, MD 21797  
OWNER/APPLICANT INFO: AKINBODE FUNMILAYO EUNICE

MAP GRID: 20/6  
TAX ACC: 346033  
PARCEL: 122  
ZONING: RC-DEO  
LIBERTY FOLIO: 20158/196

4th DISTRICT  
HOWARD COUNTY, MD



**PROFESSIONALS' REVIEW STATEMENT:**  
I CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME, AND THAT I AM A FULLY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MARYLAND LICENSE NUMBER: 22742 EXPIRES: JUNE 15, 2024

DRAWN BY: PG  
CHECKED BY: MR  
DATE: NOV, 2023  
SCALE: 1"=20'  
SHEET NUMBER: PCP 1 OF 1

REV#	DATE	REVISION
1	09/15/2023	(REVIEW AGENCY) COMMENTS ADDRESSED
2	10/18/2023	(REVIEW AGENCY) COMMENTS ADDRESSED
3	11/29/2023	(REVIEW AGENCY) COMMENTS ADDRESSED

