



HOME LAND LABS



Order ID: 281741
Address: 1478 Shot Town Road
Due Date: 10/03/2025

Phone: (443) 505-8375 Email: lab@homelandhealthyhomes.com

1220 E Joppa Rd. Ste C505
Towson, MD 21286
MD Lab # 365

108 Old Solomons Island Road, Ste L2
Annapolis, MD 21401
MD Lab # 106

3430 Rockefeller Court
Waldorf, MD 20602
MD Lab # 139

2216 Commerce Road, Ste 2A
Forest Hill, MD 21050

Please provide completed form with samples. Highlighted fields are required.

Client Name: <u>WWS</u>	Property Address:
Email Address:	<u>1478 SHOT TOWN RD</u>
Phone Number: <u>410 935 7185</u>	<u>ANNAPOLIS MD 21409</u>

Field Collection Information

BP-#B02431384

Sampler Name: <u>JOHN MOSEMAN</u>	Field pH: <u>4</u>
Sampler ID #: <u>2674 JM</u>	Field Chlorine (mg/L): <u>ABSENT</u>
Date Sampled: <u>10/1</u>	Time Sampled: <u>11:30</u>
Well Tag Number: <u>AA-23-0406</u>	Sand: <u>ABSENT</u>
Compliance sample for public water system? <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes	Clarity: <u>CLEAR</u>
If yes, PWS ID #:	

Well Casing and Cap Condition

Well Type: Drilled Well Pit Below Grade Artesian Hand Dug N/A Other: _____

Height Above Grade: <u>3 FT</u>	Cap Type: <u>1 piece</u>	Casing: <u>PVC 4"</u>	Conduit: <u>PVC</u>
Sample Point: <u>PRESSURE TANK</u>	Water Conditioning: <u>NONE</u>		

Requested Testing: (Please check all that apply)

- Potability (Bacteria, Nitrate + Nitrite, Turbidity)
- FHA/VA (Bacteria, Nitrate + Nitrite, Turbidity, Lead, Iron)
- Bacteria
- Lead
- Nitrate + Nitrite
- Iron
- Turbidity
- Chlorides
- Hardness
- Arsenic
- Cadmium
- Gross Alpha
- Total Dissolved Solids
- Copper
- VOCs
- Other: _____
- Other: _____

List rush samples below
Refer to table for rush turnaround times and fees

Release Signatures

Released By: <u>[Signature]</u>	Date/Time: <u>10/1 11:30</u>	Samples received on ice? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Released By: <u>[Signature]</u>	Date/Time: <u>10/1 12:30</u>	
Released By: <u>[Signature]</u>	Date/Time: _____	Temperature: _____ <u>17.0C</u>
Received in lab by: <u>[Signature]</u>	Date/Time: <u>10/1 12:30</u>	

Certificate of Analysis
Report Date: 10/03/2025
Order ID: 281741

Well Water Solutions, Inc.
 PO Box 67
 Highland MD 20777

Date/Time Received: 10/01/2025 12:30 PM

This report is the sole property of **Well Water Solutions, Inc.** Any questions about the report MUST be directed to **Well Water Solutions, Inc.** at +14109357185.
 Home Land Labs is not at liberty to discuss this report without written consent from **Well Water Solutions, Inc.**

Parameter	Method	Result	Units	RL	MCL	Pass/Fail	SMCL	Acceptable/High	Analyst	Prep Date/Time	Analysis Date/Time	
Sample ID:		10299						Sample Point:		Pressure Tank		
Project Name/Number:								Date/Time Sampled:		10/01/2025 11:30 AM		
Sample Address:		1478 Shot Town Road Annapolis MD 21409										
Total Coliform P/A	SM9223B	Absent	Per/100mL	1	Present	Pass	N/A	N/A	MR-106	10/01/2025 16:30	10/02/2025 11:00	
(Panel) E. Coli P/A	SM9223B	Absent	Per/100mL	1	Present	Pass	N/A	N/A	MR-106	10/01/2025 16:30	10/02/2025 11:00	
Nitrate + Nitrite as N	EPA 353.2	Not Detected	mg/L	0.5	10.0	Pass	N/A	N/A	KMB -365	10/02/2025 07:06	10/02/2025 07:06	
Turbidity	EPA 180.1	1.3	NTU	0.5	10.0	Pass	N/A	N/A	MR-106	10/01/2025 17:40	10/01/2025 17:40	

Approved By:  Kevin Barnaba, President

Understanding the Results

This narrative is intended to help the recipient understand the results. The information listed below is for tests commonly sampled or analyzed by Home Land Labs. For a full list of the Environmental Protection Agency's (EPA) Primary and Secondary Drinking Water Standards, please visit www.epa.gov. For more information on the services we offer, please visit www.homelandhealthyhomes.com.

Definitions and Acronyms

Maximum Contamination Level (MCL): A level established by the EPA, which is the "highest level of a contaminate that is allowed in drinking water." Any level that exceeds the MCL is considered unsafe for human consumption. Secondary MCL (SMCL) is used for Secondary Drinking Water Standards.

Action Level: A measure of the effectiveness of the corrosion control treatment in water systems.

Not Detected: Any level below the reporting limit. Analyst: Refers to the individual whom conducted the test.

Method: The type of analysis used to determine the results.

Reporting Limit (RL): The lowest level that can be detected by the method used for the analysis.


Primary Drinking Water Standard: Enforceable standards developed by the EPA. Levels that exceed the MCL for a particular standard are considered too unsafe for human consumption.

Secondary Drinking Water Standard: Standards developed by the EPA. Secondary standards are generally not considered to be dangerous to human health. They may cause aesthetic or cosmetic problems to the water quality or plumbing distribution system.

The table below is for informational purposes only. See first page of report for your results.

HOME LAND

LABS



Order ID: 281741
 Address: 1478 Shot Town Road
 Due Date: 10/03/2025

Phone: (443) 505-8375 Email: lab@homelandhealthyhomes.com

1220 E Joppa Rd. Ste C505
 Towson, MD 21286
 MD Lab # 365

108 Old Solomons Island Road, Ste L2
 Annapolis, MD 21401
 MD Lab # 106

3430 Rockefeller Court
 Waldorf, MD 20602
 MD Lab # 139

2216 Commerce Road, Ste 2A
 Forest Hill, MD 21050

Please provide completed form with samples. Highlighted fields are required.

Client Name: WWS	Property Address:
Email Address:	1478 SHOT TOWN RD
Phone Number: 410 935 7185	ANNAPOLIS MD 21409

Field Collection Information

Sampler Name: JOHN MOSEMAN	Field pH: 4
Sampler ID #: 2674 JM	Field Chlorine (mg/L): ABSENT
Date Sampled: 10/1	Time Sampled: 11:30
Well Tag Number: AA-23-0406	Sand: ABSENT
Compliance sample for public water system? <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes	Clarity: CLEAR
If yes, PWS ID #:	

Well Casing and Cap Condition

Well Type: Drilled Well Pit Below Grade Artesian Hand Dug N/A Other: _____

Height Above Grade: 3 FT	Cap Type: 1 piece	Casing: PVC 4"	Conduit: PVC
Sample Point: PRESSURE TANK		Water Conditioning: NONE	

Requested Testing: (Please check all that apply)

- Potability (Bacteria, Nitrate + Nitrite, Turbidity)
- FHA/VA (Bacteria, Nitrate + Nitrite, Turbidity, Lead, Iron)
- Bacteria
- Lead
- Nitrate + Nitrite
- Iron
- Turbidity
- Chlorides
- Hardness
- Arsenic
- Cadmium
- Gross Alpha
- Total Dissolved Solids
- Copper
- VOCs
- Other: _____
- Other: _____

List rush samples below
 Refer to table for rush turnaround times and fees

Release Signatures

Released By: <u>[Signature]</u>	Date/Time: <u>10/1 11:30</u>	Samples received on Ice? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Released By: <u>[Signature]</u>	Date/Time: <u>10/1 12:30</u>	
Released By: _____	Date/Time: _____	
Received in lab by: <u>[Signature]</u>	Date/Time: <u>10/1 12:30</u>	Temperature: <u>17.0C</u>

FOUNTAIN VALLEY ANALYTICAL LABORATORY, INC.

1413 Old Taneytown Rd. Westminster, MD (410) 848-1014 (410) 876-4554

REPORT OF ANALYSIS

Laboratory ID #: 175427 Account #: 4424
Reference: Well Water Solutions, Inc Client: Well Water Solutions, Inc.
Location: 13625 Highland Road Requested By: John Moseman
Clarksville, MD 21029 Source: Well Water
Date/ Time Collected: 8/11/2025 1630 Site: Faucet
Date/Time Rec'd: 8/12/2025 1230 Treatment: Softener/Neutralizer (Both Offline)
Chlorine ppm: Free: ND Total: MD pH: 7
Collected By: J. Moseman Well #: HO-20-0345

PARAMETERS	RESULTS	UNITS	REFERENCE	METHOD	DATE/TIME/ANALYST
Bacteria, Coliform, Total, P/A	Absent	Total Coliform	Absent	SM20 9223B	8/13/2025 / 0900 / KDR
Bacteria, E. coli, P/A	Absent	E. coli	Absent	SM20 9223B	8/13/2025 / 0900 / KDR
Nitrate.	4.37	mg/L (as N)	10	EPA 300.0	8/12/2025 / 1449 / KDR
Turbidity	20.8	NTU	<10	SM2130B	8/12/2025 / 1640 / KDR

NOTES:

- 1 mg/L = milligrams per liter (also, parts per million)
- 2 NTU = Nephelometric Turbidity Units
- 3 P/A= Presence or Absence of Coliform Bacteria
- 4 Results less than or within the reference range are considered satisfactory and within potable water limits at the time of sampling.
- 5 ND = None Detected; N/A: Not Available
- 6 Sample collected by client, analyzed as received
- 7 pH tested on site; Chlorine level tested in lab

Reason for Test : Use & Occupancy

Date Reported: 8/13/2025

6/26/25 Stone truck from Valley Rd, Contractor, for Stone at Highland Rd Job site.
Stone is larger than #2's and cannot be used on this site. (MS)

S. W. BARRICK - LAUREL HILL QUARRY
PH: (301) 750-2760
10642 Woodsboro Rd * Woodsboro, MD 21798

Scale: 2 TKT: 145068

Cust#: AGGDIR 3/21/2025
AGGDIRECT 11:26:15AM

Job#: VALROA VALLEY ROAD ENTERPRISES
HIGHLAND RD. CLARKSVILLE

TRK#: 10302 - 103 TRANSPORT, LLC

Zone#: 0000 - LAUREL HILL - PICKUP * P. T. Gross: 68380
P.O.#: * Tare: 26620
Proj#: Net: 41760
Mat'l #: 22-MD# 2 (AASHTO#3) TONS: 20.88

	Loads	Tons
Job/Daily:	4	76.04
Job/Total:	9	174.38

Highland

WEIGHMASTER: Debbie Kyle
We exercise No Control Over Delivery of Our Products & We Won't be Held Liable for Any Damage to Person or Property.
Material Safety Data Information Available Upon Request.
Have A Great Day. Please Drive Safely!

S. W. BARRICK - LAUREL HILL QUARRY
PH: (301) 750-2760
10642 Woodsboro Rd * Woodsboro, MD 21798

Scale: 2 TKT: 145060

Cust#: AGGDIR 3/21/2025
AGGDIRECT 11:09:32AM

Job#: VALROA VALLEY ROAD ENTERPRISES
HIGHLAND RD. CLARKSVILLE

TRK#: SEG3 - SEGOVIA CONSTRUCTION

Zone#: 0000 - LAUREL HILL - PICKUP * P. T. Gross: 62000
P.O.#: * Tare: 25240
Proj#: Net: 36760
Mat'l #: 22-MD# 2 (AASHTO#3) TONS: 18.38

	Loads	Tons
Job/Daily:	3	55.16
Job/Total:	8	153.50

Highland

WEIGHMASTER: Debbie Kyle
We exercise No Control Over Delivery of Our Products & We Won't be Held Liable for Any Damage to Person or Property.
Material Safety Data Information Available Upon Request.
Have A Great Day. Please Drive Safely!

6/26/25

Contractor Sent Sieve Analysis From Barrick Quarry regarding the stone (ticket on next page) he @ ~~quarry~~ has been advised not to use due to incorrect sizing. (MD)

Dear Customer,

This is to certify that the washed ASTM /AASHTO #3 / MD #2 produced at our Laurel Hill Quarry, Woodsboro meets the requirements of the Maryland State Highway Standard Specifications for Construction Materials Section 901. This material is widely accepted within the Counties of Maryland.

This material complies with other specifications as set forth in the Maryland State Highway Administration and ASTM requirements regarding deleterious substances, abrasion, and soundness.

Since this site is a stone source the material is classified as a "virgin" material. No controlled hazardous substances or oil used in the extraction, production, or loading processes. Therefore, to the best of my knowledge, the material from the Laurel Hill Quarry, Woodsboro facility has not been contaminated by controlled hazardous substance or petroleum products.

Sieve Analysis of #3 (MD #2) Stone to ASTM D448 / AASHTO M43 Standards

Sieve Size	% Passing Cumulative	Specification Range
2 1/2"	100	100
2"	90	90-100
1 1/2"	49	55-70
1"	10	0-15
3/4"	6	
5/8"	2	0-5

S. W. Barrick & Sons, P.O. Box 1504, Laurel, MD 20728
Phone: (717)-357-7472
Email: Josh@aggmgt.com

Transaction Code: BN0P6A095B8F
Date: 02/20/2025 08:25:07 AM
Card Type: Visa
Card Number: xxxxxxxxxxxx4566
Authorization Code: 111111
Total Amount: \$496.00
Operator ID: SMARTIN
Cash Drawer ID :
Record: WS-SP-APP-25-00028

I agree to pay the above amount according to the Credit Card issuer agreement.

Sign Below:

[Print Receipt](#)

[Cancel](#)

A handwritten signature in black ink, appearing to read 'Chun TP', is written over the 'Sign Below:' line.