

2-2-95
6-12-95
wasc correction
amplifier

03-314820

PERMIT

SEWAGE DISPOSAL SYSTEM

DEPARTMENT OF HEALTH AND MENTAL HYGIENE

Needs on
Houses 6/12/95
Contractor
No. House
9/2/95

(2-P.C.O's
CSD)
P 50481B
A 39045

INDEXED

HOWARD COUNTY HEALTH DEPARTMENT

BUREAU OF ENVIRONMENTAL HEALTH

~~461-9933~~ 313-2640

DISTRICT 3rd

DATE _____

DATE SYSTEM APPROVED 6/12/95

INSPECTOR CSD

Paul Schissler/South Carroll Backhoe, Inc. IS PERMITTED TO INSTALL ALTER _____

ADDRESS 4410 Salem Bottom Road, Westminster, Maryland 21157 PHONE 875-4197

SUBDIVISION Amberwoods LOT 12 ROAD 128B Forestview Court

PROPERTY OWNER Prestige Homes/Mike Roberta Clinton + Kathy HAKE

ADDRESS _____

BUILDING PERMIT SIGNED

SEPTIC TANK CAPACITY 1500 GALLONS TOP SEAMED TANK

AND RETURNED

NUMBER OF BEDROOMS 4

87303 B00143570-ENCLOSED PORCH

180 SQUARE FEET PER BEDROOM

LINEAR FEET OF TRENCH REQUIRED 180

TRENCHES - Trench to be 2 feet wide. Inlet 4 feet below original grade. Bottom maximum depth 8 feet below original grade. Effective area begins at 4 feet below original grade. 4 feet of stone below distribution pipe.

LOCATION - Start first trench 130 feet from front lot line and 55 feet from left lot line. Run trenches along contour toward right side of lot.

NOTES - No trench to exceed 100 feet in length. Provide 6" - 8" diameter cleanout and cap to grade or above on septic tank. OK 1/17/95 DKS

PLANS APPROVED BY C. Williams/Amy McMillen REVISED _____ DATE 01/12/95

COVER NO WORK UNTIL INSPECTED AND APPROVED

NEITHER THE HOWARD COUNTY COUNCIL NOR THE HEALTH DEPARTMENT IS RESPONSIBLE FOR THE SUCCESSFUL OPERATION OF ANY SYSTEM

NOTE: CLEANOUT REQUIRED EVERY 70 FEET OF SEWER LINE AND/OR AT 90° SWEEPS IN LINES FROM HOUSE TO DRAIN FIELDS, 90° ELBOWS NOT ACCEPTABLE.

NOTE: ALL PARTS OF SEPTIC SYSTEMS (I.E. TANK, DISTRIBUTION BOX TRENCHES) TO BE 100 FEET FROM WELL (UNLESS OTHERWISE SPECIFICALLY AUTHORIZED)

NOTE: IF DEEP TRENCH(ES) ARE USED CALL FOR INSPECTION BEFORE AND AFTER PLACING GRAVEL IN TRENCH(ES)

NOTE: NO DRY WELL SHALL EXCEED 15 FOOT IN DIAMETER NO ABSORPTION TRENCH TO EXCEED 100 FEET IN LENGTH

NOTE: ALL PIPE FROM HOUSE TO SEPTIC TANK MUST BE CAST IRON OR SCHEDULE 35/40 PVC OR ABS

PERMIT VOID AFTER TWO YEARS


NOTE: INSTALL STAND PIPE ON SEPTIC TANK AND DRY WELL STAND PIPES MUST BE 6 INCHES IN DIAMETER CAST IRON. CONCRETE OR TERRA COTTA OR PVA OR ABS ACCEPTED. IF TOP OF SEPTIC TANK IS DEEPER THAN 3 FEET. MANHOLE TO GRADE REQUIRED. gas pipe tank

NOTE: DISTRIBUTION BOXES MUST HAVE BAFFLES

***INSTALLER IS RESPONSIBLE FOR OBTAINING FINAL APPROVAL ON THIS PERMIT**

BLDG. PERMIT SIGNED
AND RETURNED 5/25/95
Serial # 54838

A 39045



BUILDING PERMIT SIGNED AND RETURNED

INDICATE NORTH - NAME ADJOINING ROADWAY AS BASE LINE

FORESTVIEW COURT

SEPTIC TANK LEVEL OK CLEANOUTS S.T. OK

DISTRIBUTION BOX LEVEL OK (Baffles in)

DRAIN FIELD/TITLE DEPTH 8 (average) FT. TRENCH WIDTH 20 FT. INLET DEPTH 4 ± FT.

EFFECTIVE GRAVEL DEPTH 4 ± FT. (① 94' ; ② 89') TOTAL LENGTH 183 FT.

NUMBER OF TRENCHES 2 ONE SIDEWALL/BOTTOM AREA _____ SQ. FT.

DRYWALL INSIDE DIAMETER — FT. EFFECTIVE DEPTH BELOW INLET _____ FT.

ABSORBENT AREA _____ SQ. FT.

REMARKS: P.M. (6/12/95) 2/2/95 Partial = 2 trenches - ok for stones, etc.

2/2/95 Note: No home yet just stakes; CBS NEEDS HOUSE CONNECTION etc. 2/2/95 Later - final by trenches only and to Septic Tank from trenches, only - partial; CBS HOLD FOR A CALL

6/12/95 House connection only - ok; Water Test on pipe House to Tank - Final - CBS

DATE SYSTEM APPROVED 6/12/95 INSPECTOR Charles Bryan Stueck

4/14/87

APPLICATION

PERCOLATION TESTING

A 39045

P _____

HOWARD COUNTY HEALTH DEPARTMENT
BUREAU OF ENVIRONMENTAL HEALTH
P.O. BOX 476 ELLICOTT CITY, MARYLAND 21043
TELEPHONE: 461-9933

DISTRICT 3

DATE 3/4/87

TO: THE COUNTY HEALTH OFFICER
ELLICOTT CITY, MARYLAND

I, HEREBY, APPLY FOR THE NECESSARY TEST IN ORDER TO CONSTRUCT (OR RECONSTRUCT) A SEWAGE DISPOSAL SYSTEM.

PROPERTY OWNER George Arrington - Clinton & Kathy Hake

ADDRESS 1250 Sykesville Rd. West Friendship MD PHONE 301-776-7454

PROSPECTIVE BUYER Amberwoods Limited Partnership

ADDRESS 1420 Fenwick Lane Silver Spring MD PHONE 465-7232
301-587-5455

PROPERTY LOCATION:

SUBDIVISION Amberwoods (S-87-42) LOT NO. 13 NW 12

ROAD AND DESCRIPTION Rt 32 north of Rt 99

TAX MAP 9 PARCEL # 144

SIZE OF LOT 3.0 Ac. TYPE BLDG. Single Family
(SINGLE FAMILY DWELLING OR COMMERCIAL)

BLDG. PERMIT SIGNED
AND RETURNED 2/8/95
Serial # 58056 - SFD-4Bm

THE SYSTEM INSTALLED UNDER THIS APPLICATION IS ACCEPTABLE ONLY UNTIL PUBLIC FACILITIES BECOME AVAILABLE. I FULLY UNDERSTAND THE FEE CONNECTED WITH THE FILING OF THIS PERC TEST APPLICATION IS NON-REFUNDABLE UNDER ANY CIRCUMSTANCES. I ALSO AGREE TO COMPLY WITH ALL M.O.S.H.A. REQUIREMENTS IN TESTING THIS LOT.

Sam Negobla
(SIGNATURE OF APPLICANT)

APPROVED BY Cwellen FOR _____ DATE 4/19/89

REJECTED BY _____ FOR _____ DATE _____



HOLD PENDING FURTHER TESTS _____ DATE _____

REASONS FOR REJECTION OR HOLDING _____

THIS IS NOT A PERMIT

F3A, 13D

SOIL PROFILE




X 8 MIN
180 R
INLET 3'
BOTTOM 8'

INDICATE NORTH - NAME ADJOINING ROADWAY AS BASE LINE.

PROPOSED ST

13C, 13B




DATE	TEST NO.	DEPTH	PRE-WET		TEST - 1" DROP		TIME
			START	STOP	START	STOP	
4/14/87	13 A	7 1/2	12:22	12:32	12:32	12:43	11 MIN
		9	12:22	12:32	12:32	12:41	9 MIN
		13	VIS OK				
4/14/87	13 B	5	12:19	12:19	12:19	12:22	4 MIN
		13	VIS OK				
4/14/87	13 C	7 1/2	12:14	12:15	12:15	12:19	4 MIN
4/14/87	13 D	SIMILAR TO 13 A					
	13 E						

REMARKS _____

TYPE OF SOIL SAND LOAM

TESTED BY C. Williams ALSO PRESENT SKIP, SHAW

EH-12-1079



1-27-95
 Approved copy of SDA
 change
 Amr per CW

NOTE:
 BY COPY OF THIS PLAN, THE HEALTH DEPT. ACCEPTS
 THIS MODIFICATION TO THE RECORDED SEWAGE
 DISPOSAL EASEMENT.

CONTRACTOR IS TO PROVIDE
 POSITIVE DRAINAGE AWAY FROM
 FOUNDATION AT ALL TIMES

LIMIT OF DISTURBANCE
 13,500 SQ. FT.

SITE PLAN
 LOT 12

"AMBERWOODS"
 FORESTVIEW COURT


SCALE: 1"=50'
 ELECTION DISTRICT 3

JAN. 19, 1995
 HOWARD COUNTY, MD.
 REV. 1/25/95
 MR-24

Reduced 77%

McKee & Associates, Inc.
 CIVIL ENGINEERS - LAND SURVEYORS
 SHAWAN PLACE & SHAWAN ROAD
 HUNT VALLEY, MD 21030
 PHONE - (410) 527-1858





COURT

LOT I
3.6 AC

LOT II
3.0 AC

LOT III
3.0 AC

LOT IV
3.3 AC

LOT V
4.75 AC

OPEN SPACE

100 YEAR FLOOD PLAIN

100 YEAR FLOOD

525
6122
72L

120
100'R
30' BR

30' BR
100'R
50' BR

410'
30' BR

475
60' BR
60' BR

100
120
30' BR
70'

100
120
30' BR
70'

10
100'R
100'R

100'R
100'R
50' BR

50' BR
50' BR

480
30' BR
30' BR

40' BR
40' BR

40' BR
40' BR

40' BR
40' BR

715
8.9 800'

120
100'R
75' BR

75' BR
75' BR

480
30' BR
30' BR

480
30' BR
30' BR

480
30' BR
30' BR

480
30' BR
30' BR

715
8.9 800'

120
100'R
75' BR

75' BR
75' BR

480
30' BR
30' BR

480
30' BR
30' BR

480
30' BR
30' BR

480
30' BR
30' BR

715
8.9 800'

120
100'R
75' BR

75' BR
75' BR

480
30' BR
30' BR

480
30' BR
30' BR

480
30' BR
30' BR

480
30' BR
30' BR

715
8.9 800'

120
100'R
75' BR

75' BR
75' BR

480
30' BR
30' BR

480
30' BR
30' BR

480
30' BR
30' BR

480
30' BR
30' BR

715
8.9 800'

120
100'R
75' BR

75' BR
75' BR

480
30' BR
30' BR

480
30' BR
30' BR

480
30' BR
30' BR

480
30' BR
30' BR

715
8.9 800'

120
100'R
75' BR

75' BR
75' BR

480
30' BR
30' BR

480
30' BR
30' BR

480
30' BR
30' BR

480
30' BR
30' BR

715
8.9 800'

120
100'R
75' BR

75' BR
75' BR

480
30' BR
30' BR

480
30' BR
30' BR

480
30' BR
30' BR

480
30' BR
30' BR

715
8.9 800'

120
100'R
75' BR

75' BR
75' BR

480
30' BR
30' BR

480
30' BR
30' BR

480
30' BR
30' BR

480
30' BR
30' BR

FORESTVIEW COURT

N70°35'51"E 850.88'
282.12'

75' B.R.L.

CURVE -33
R=288.00' A=208.00'
A=128.00'

491
240.61'


210' B.R.L.
A=50.00'
658.65' (475)

A=68.68'
N101°00'49"W
70.31'
236'

651

90.62'
75' B.R.L.


N19°24'08"W



LOT 11
3.0000 AC±

30' 30'
BRL BRL

LOT 14
3.0001 AC±



N18°05'47"E


316' B.R.L.

N19°24'08"W

LOT 12
3.0002 AC±

30' 30'
BRL BRL

30' 30'
BRL BRL



LOT 13
3.0003 AC±

N14°07'13"E
163.99'

30' 30'
BRL BRL

470

(OPEN SPACE)
LOT 39
4.8483 AC

TO BE DEDICATED TO
HOWARD COUNTY, MD

100 YR FLOOD PLAIN, DRAINAGE &
UTILITY EASEMENT

60' B.R.L.

65.32'
N40°45'43"W

60' B.R.L. N18°46'49"E
148.037'

64.37'
01458"W

S49°27'39"W

665.81'

875.24'

477.85'

135.37'

60' B.R.L.

S88°49'29"W -159.81'
253

60' B.R.L.

491.30'

253


254

300.01'

60' B.R.L.

253

N61°55'12"E
61.24'



cto Tony Gophardt
 TO: Suburban Propane
 From Prestiga (Mike Roberts)
 527-9546

(13) **B.R. # 59838**

① as shown.
 ① as per partial C.O. 2/2/95
 Requested Location
 of propane tank.
CKD

NOTE:
 BY COPY OF THIS PLAN, THE HEALTH DEPT. ACCEPTS
 THIS MODIFICATION TO THE RECORDED SEWAGE
 DISPOSAL EASEMENT.

CONTRACTOR IS TO PROVIDE
 POSITIVE DRAINAGE AWAY FROM
 FOUNDATION AT ALL TIMES

LIMIT OF DISTURBANCE
 13,000 SQ. FT.

12813 Forest View Ct.
 Hare Residence

SITE PLAN
 LOT 12

FORESTVIEW
 (50' R/W)
 COURT

McKee & Associates, Inc.
 CIVIL ENGINEERS - LAND SURVEYORS
 SHAWAN PLACE 5 SHAWAN ROAD
 HUNT VALLEY, MD 21030
 PHONE - (410) 527-1555



"AMBERWOODS"
 FOREST VIEW COURT
 SCALE: 1" = 50'
 ELECTION DISTRICT 3
 FEBRUARY 3, 1995
 HOWARD COUNTY, MD.
 MR-24-

B 1 1216 SEQUENCE NO. (DP USE ONLY)
(THIS NUMBER IS TO BE PUNCHED IN COLS. 3-6 ON ALL CARDS)


STATE OF MARYLAND
PERMIT TO DRILL WELL
please print or type

STATE PERMIT NUMBER
HD-88-0682
fill in this form completely

Date Received (APA) 042489
OWNER INFORMATION
KOREN DEVELOPMENT
1 CENTRE PARK DR
COLUMBIA MD 21045

B 3 LOCATION OF WELL R-44050
HOWARD COUNTY
AMBERWOODS SUBDIVISION
SECTION 12 LOT 12
SYKESVILLE
MILES FROM TOWN 2 MI

DRILLER INFORMATION
George F. Easterday
Driller's Name L. Franklin Easterday, Inc.
Firm Name 9265 Brown Church Rd., Mt. Airy, Md. 21771
Address George F. Easterday
Signature Date 3-31-89



B 4 (RT 32) NEAR WHAT ROAD
ON WHICH SIDE OF ROAD (CIRCLE APPROPRIATE BOX)
DISTANCE FROM ROAD 100 FT

B 2 WELL INFORMATION
APPROX. PUMPING RATE (GAL. PER MIN.) 5
AVERAGE DAILY QUANTITY NEEDED (GAL. PER DAY) 500

USE FOR WATER (CIRCLE APPROPRIATE BOX)
D HOME (SINGLE OR DOUBLE HOUSEHOLD UNIT ONLY)
F FARMING (LIVESTOCK WATERING & AGRICULTURAL IRRIGATION)
I INDUSTRIAL, COMMERCIAL, STATE AND FEDERAL GOV. OTHER (REQUIRES APPROPRIATION PERMIT)
P PUBLIC OR PRIVATE WATER COMPANY (REQUIRES APPROPRIATION PERMIT AND STATE HEALTH DEPARTMENT APPROVAL)
T TEST, OBSERVATION, MONITORING (MAY REQUIRE APPROPRIATION PERMIT)

NOT TO BE FILLED IN BY DRILLER HEALTH DEPARTMENT APPROVAL
HOWARD COUNTY NAME
A39045 COUNTY NO.
STATE SIGNATURE DATE ISSUED 6/2/90
CO SIGNATURE DATE 6/17/89
NORTH GRID 548000 EAST GRID 0809000

APPROXIMATE DEPTH OF WELL 200 FEET


APPROXIMATE DIAMETER OF WELL 6 INCH

METHOD OF DRILLING (circle one)
BORED (or Augered) JETTED Jetted & DRIVEN
AIR-ROTARY AIR-Percussion ROTARY (Hydraulic Rotary)
CABLE REVerse-ROTary Drive-POINT

SHOW MAJOR FEATURES OF BOX & LOCATE WELL WITH AN X
SOURCES OF DRILLING WATER
1. WELL
WRITE THE BOX NUMBER FROM THE MAP HERE
800 9
580 98

6/2/90 WRITTEN REQUEST
6/25/90 OK

REPLACEMENT OR DEEPEMED WELLS (CIRCLE APPROPRIATE BOX)
N THIS WELL WILL NOT REPLACE AN EXISTING WELL
Y THIS WELL WILL REPLACE A WELL THAT WILL BE ABANDONED AND SEALED
S THIS WELL WILL REPLACE A WELL THAT WILL BE USED AS A STANDBY
D THIS WELL WILL DEEPEM AN EXISTING WELL
PERMIT NUMBER OF WELL TO BE REPLACED OR DEEPEMED (IF AVAILABLE)



Not to be filled in by driller (OEP USE ONLY)
APPROX. PERMIT NUMBER GAP
FORCE PERMIT No. HD-88-0682
SPECIAL CONDITIONS

C1 9914 SEQUENCE NO. (DENY USE ONLY)

STATE OF MARYLAND WELL COMPLETION REPORT

THIS REPORT MUST BE SUBMITTED WITHIN 45 DAYS AFTER WELL IS COMPLETED.

(THIS NUMBER IS TO BE PUNCHED IN COLS. 3-6 ON ALL CARDS)

COUNTY NUMBER A39045

ST/CO USE ONLY DATE RECEIVED

DATE WELL COMPLETED

Depth of Well (TO NEAREST FOOT)

PERMIT NO. FROM "PERMIT TO DRILL WELL"

8 13

15 20

22 26

28 29 30 31 32 33 34 35 36 37

OWNER: Koren Development last name first name TOWN: Sykesville

WELL LOG Not required for driven wells STATE THE KIND OF FORMATIONS PENETRATED...

GROUTING RECORD WELL HAS BEEN GROUTED (Y/N) TYPE OF GROUTING MATERIAL CEMENT BENTONITE CLAY

PUMPING TEST HOURS PUMPED PUMPING RATE METHOD USED TO MEASURE PUMPING RATE WATER LEVEL

Table with columns: DESCRIPTION (Use additional sheets if needed), FEET (FROM, TO), Check if water bearing. Includes handwritten entries like Topsoil, Br. Sand, Br. Mica Schist, Gravelly, etc.

CASING RECORD casing types insert appropriate code below MAIN CASING TYPE Nominal diameter top (main) casing Total depth of main casing

PUMP INSTALLED DRILLER WILL INSTALL PUMP (YES/NO) IF DRILLER INSTALLS PUMP, THIS SECTION MUST BE COMPLETED FOR ALL WELLS EXCEPT HOME USE

OTHER CASING (if used) diameter inch depth (feet) from to screen type or open hole insert appropriate code below

SCREEN RECORD DEPTH (nearest ft.) 1 2 3


CIRCLE APPROPRIATE LETTER A WELL WAS ABANDONED AND SEALED WHEN THIS WELL WAS COMPLETED

SLOT SIZE 1 3 DIAMETER OF SCREEN (NEAREST INCH)

LOCATION OF WELL ON LOT SHOW PERMANENT STRUCTURE SUCH AS BUILDING, SEPTIC TANKS AND/OR LANDMARKS

THEREBY CERTIFY THAT THIS WELL HAS BEEN CONSTRUCTED IN ACCORDANCE WITH COMAR 26.04.04 WELL CONSTRUCTION AND IN CONFORMANCE WITH ALL CONDITIONS STATED IN THE ABOVE CAPTIONED PERMIT


GRAVEL PACK IF WELL DRILLED WAS FLOWING WELL INSERT F IN BOX 68



DRILLERS IDENT. NO. DRILLERS SIGNATURE SITE SUPERVISOR (sign of driller or journeyman responsible for sitework if different from permittee)

OEP USE ONLY (NOT TO BE FILLED IN BY DRILLER) T (E.R.O.S.) W Q TELESCOPE CASING LOG INDICATOR OTHER DATA

COUNTY



(11)
 (12)
 (13) Plenty of
 of Park
 of Enclosure
 Proposed
 8/13/03
 (13) Repair Room

800143570
 NOTE:
 BY COPY OF THIS PLAN, THE
 THIS MODIFICATION TO THE
 DISPOSAL EASEMENT.

CONTRACTOR IS TO PI
 POSITIVE DRAINAGE A
 FOUNDATION AT ALL T

LIMIT OF DISTURBE
 13,800 SQ. FT.

FORESTVIEW
 (50' R/W)

COURT

SITE PLAN