

1/7/92 AM
1/8/92 10:30
3/6/92

Tax ID - 03-315002

PERMIT

SEWAGE DISPOSAL SYSTEM

DEPARTMENT OF HEALTH AND MENTAL HYGIENE

P 47723

A 39067

INDEXED

DISTRICT _____

DATE 01/08/92

HOWARD COUNTY HEALTH DEPARTMENT
BUREAU OF ENVIRONMENTAL HEALTH
461-9933

DATE SYSTEM APPROVED 3/6/92

INSPECTOR M. Ritkin

Paul Schissler/South Carroll Backhoe, Inc. IS PERMITTED TO INSTALL X ALTER _____

ADDRESS 4410 Salem Bottom Road, Westminster, Maryland 21157 PHONE 875-4197

SUBDIVISION Amberwoods LOT 28 ROAD 12832 Forest Creek Court

PROPERTY OWNER Grayson Homes, Inc. Martin Johnson

ADDRESS _____

SEPTIC TANK CAPACITY 1250 GALLONS

NUMBER OF BEDROOMS 4

220 SQUARE FEET PER BEDROOM

LINEAR FEET OF TRENCH REQUIRED _____

Storage Barn
BLDG. PERMIT SIGNED
AND RETURNED 9-6-95
Serial # 61553

TRENCHES - Trench to be 2 feet wide. Inlet 3 feet below original grade. Bottom maximum depth 7 feet below original grade. Effective area begins at 3 feet below original grade. 4 feet of stone below distribution pipe.

LOCATION - Start the first trench 210 feet down the left (519') lot line and 90 feet off that lot line. Run trenches along contour toward left side of property.

NOTE - No trench to exceed 100 feet in length. Provide 6" - 8" diameter cleanout and cap to grade or above on septic tank. *ok/cw*

PLANS APPROVED BY C. Williams DATE 7/16/91

COVER NO WORK UNTIL INSPECTED AND APPROVED

NEITHER THE HOWARD COUNTY COUNCIL NOR THE HEALTH DEPARTMENT IS RESPONSIBLE FOR THE SUCCESSFUL OPERATION OF ANY SYSTEM

NOTE: CLEANOUT REQUIRED EVERY 70 FEET OF SEWER LINE AND/OR AT 90° SWEEPS IN LINES FROM HOUSE TO DRAIN FIELDS, 90° ELBOWS NOT ACCEPTABLE.

NOTE: ALL PARTS OF SEPTIC SYSTEMS (I.E. TANK, DISTRIBUTION BOX TRENCHES) TO BE 100 FEET FROM WELL (UNLESS OTHERWISE SPECIFICALLY AUTHORIZED)

NOTE: IF DEEP TRENCH(ES) ARE USED CALL FOR INSPECTION BEFORE AND AFTER PLACING GRAVEL IN TRENCH(ES)

NOTE: NO DRY WELL SHALL EXCEED 15 FOOT IN DIAMETER NO ABSORPTION TRENCH TO EXCEED 100 FEET IN LENGTH

NOTE: ALL PIPE FROM HOUSE TO SEPTIC TANK MUST BE CAST IRON OR SCHEDULE 35/40 PVC OR ABS

PERMIT VOID AFTER TWO YEARS


BLDG. PERMIT SIGNED
AND RETURNED 7-15-92
Serial # 40655

NOTE: INSTALL STAND PIPE ON SEPTIC TANK AND DRY WELL STAND PIPES MUST BE 6 INCHES IN DIAMETER CAST IRON. CONCRETE OR TERRA COTTA OR PVA OR ABS ACCEPTED. IF TOP OF SEPTIC TANK IS DEEPER THAN 3 FEET. MANHOLE TO GRADE REQUIRED. *SFD - YBm*

NOTE: DISTRIBUTION BOXES MUST HAVE BAFFLES

***INSTALLER IS RESPONSIBLE FOR OBTAINING FINAL APPROVAL ON THIS PERMIT**

A
39067



INDICATE NORTH - NAME ADJOINING ROADWAY AS BASE LINE

SEPTIC TANK LEVEL 1250 ✓ CLEANOUTS ST ✓

DISTRIBUTION BOX LEVEL ✓

DRAIN FIELD/TITLE DEPTH 7' 7' ✓ FT. TRENCH WIDTH 2 FT. INLET DEPTH 3 FT.

EFFECTIVE GRAVEL DEPTH 4 FT. TOTAL LENGTH 220 FT. (110' x 2)

NUMBER OF TRENCHES 2 ONE SIDEWALL/BOTTOM AREA 880 SQ. FT.

DRYWALL INSIDE DIAMETER — FT. EFFECTIVE DEPTH BELOW INLET — FT.

ABSORBENT AREA — SQ. FT.

REMARKS: 1/7/92 1ST TRENCH OK TO ADD GRAVEL. CW 1/8/92 2ND TRENCH OK TO COVER. CW.

DISTRIBUTION BOX MARKED WITH STAKE FOR FUTURE LOCATION. CW,

2/20/92 TANK OK TO COVER, HOUSE CONNECTION NEEDED. CW

3/6/92 HOUSE CONN OK MR

DATE SYSTEM APPROVED 3/6/92 INSPECTOR M. Riffin

APPLICATION

PERCOLATION TESTING

A 39068

P _____

HOWARD COUNTY HEALTH DEPARTMENT
BUREAU OF ENVIRONMENTAL HEALTH
P.O. BOX 476 ELLICOTT CITY, MARYLAND 21043
TELEPHONE: 461-9933

DISTRICT 3

DATE 3/4/87

TO: THE COUNTY HEALTH OFFICER
ELLICOTT CITY, MARYLAND

I, HEREBY, APPLY FOR THE NECESSARY TEST IN ORDER TO CONSTRUCT (OR RECONSTRUCT) A SEWAGE DISPOSAL SYSTEM.

PROPERTY OWNER Richard Arrington Grayson Home

ADDRESS 1050 Sykesville Rd. West Friendship MD PHONE 301-76-7454
461-5900

PROSPECTIVE BUYER Amberwoods Limited Partnership

ADDRESS 1420 Fenwick Lane Silver Spring MD PHONE 301-587-5455

PROPERTY LOCATION:

SUBDIVISION Amberwoods (5-87-42) LOT NO. 3A 28

ROAD AND DESCRIPTION ~~Rt 32 north of Rt 99~~
12832 Forest Creek Court - 21784

TAX MAP 9 PARCEL # 4

SIZE OF LOT 3.0 AC TYPE BLDG Single Family
(SINGLE FAMILY DWELLING OR COMMERCIAL)

THE SYSTEM INSTALLED UNDER THIS APPLICATION IS ACCEPTABLE ONLY UNTIL PUBLIC FACILITIES BECOME AVAILABLE. I FULLY UNDERSTAND THE FEE CONNECTED WITH THE FILING OF THIS PERC TEST APPLICATION IS NON-REFUNDABLE UNDER ANY CIRCUMSTANCES. I ALSO AGREE TO COMPLY WITH ALL M.O.S.H.A. REQUIREMENTS IN TESTING THIS LOT.

Sam Negalle
(SIGNATURE OF APPLICANT)

APPROVED BY Cwell FOR _____ DATE 4/20/89






REJECTED BY _____ FOR _____ DATE _____

HOLD PENDING FURTHER TESTS _____ DATE _____

REASONS FOR REJECTION OR HOLDING _____

BLDG PERMIT SIGNED
AND RETURNED 12/19/91
Serial # 40653
SFD - 4 Bedrooms

THIS IS NOT A PERMIT



INDICATE NORTH - NAME ADJOINING ROADWAY AS BASE LINE.


DATE	TEST NO.	DEPTH	PRE-WET		TEST - 1" DROP		TIME
			START	STOP	START	STOP	
4/20/87	A, B	NO TEST - WATER					
	C	3 7 12	3:20	3:32 VIS OK	3:32	3:51	19
							EST 5 MIN TEST B @ 12.5'
		12		WATER AT 12'			
	D	3 7 12		VIS OK			
					4-12'		
4/21/87	E	3 8 12	2:13	2:16 VIS OK	2:16	2:21	5 MIN
					LOAM		
		12		VIS OK	LOAM		
	F	3 8 12	2:24	2:27 VIS OK	2:27	2:30	3 MIN
					LOAM		
		12					

REMARKS _____

TYPE OF SOIL _____

TESTED BY _____ ALSO PRESENT _____

EH-12-1079



LOT 28
4.3 AC

LOT 29
4.56 AC

LOT 30
3.25 AC

LOT 37
3.25 AC

S 2321 1/2 E

CREEK FLOODPLAIN

MUDS

100' R

30' BRL

100' R

20' BRL

70' BRL

150'

84'

100' R

100' R

60' BRL

512'

77' BRL

100' R

50' BRL

100' R

100' R

100' R

100' R

100' R

50' BRL

30' BRL

30' BRL

495'

100' R

190' R

20' BRL

20' BRL

20' BRL

398.47'

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

210'

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

210'

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

210'

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

210'

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

210'

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

210'

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

210'

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

210'

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

210'

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

210'

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

210'

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

210'

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

210'

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

210'

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

210'

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

210'

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

210'

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

210'

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

210'

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

210'

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

210'

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

210'

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

210'

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

210'

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL

210'

60' BRL

60' BRL

60' BRL

60' BRL

60' BRL


60' BRL

60' BRL

60' BRL

The Lot shown hereon does not lie within the limits of a recorded Floodplain Easement

92 JUN 15 AM 2:18



UNABLE TO CONFIRM DIST TO SEWER TANK CONTRACTOR TO CONFIRM EXACT CHAST. 7/15/92
 5.67° 51' 53" W 605.18' IS AT LEAST "NEARLY" 10'

2 Story Wood Frame + Brick Dwelling with Poured Concrete Foundation. 1st Floor Elev. 490.10

100 Use In Common Easement For Ingress & Egress To Lots 27, 28 & 29 PB-9703

FOREST CREEK COURT




Plat Reference: Amberwoods Plat of Correction Section One - Lots 1 through 42, recorded in Platbook 9703

TITLE LOCATION SURVEY		THIS IS TO CERTIFY THAT WE HAVE CONDUCTED A LOCATION SURVEY OF THE IMPROVEMENTS AND THAT THEY ARE LOCATED AS SHOWN HEREON. <i>William G. Hartel</i>	
PROJECT LOT 28 - AMBERWOODS SECTION ONE		SIGNATURE: <i>William G. Hartel</i>	
LOCATION 3RD ELECTION DISTRICT: HOWARD CO., MD.		REG. NO. 9436 DATE 5-1-92	
FIELD BOOK 130	PAGE NO. 30	DRAWN BY: BH	CHECKED BY: WGH
SCALE 1" = 100'		DATE: 5-1-92	
		JOB NO.: 91008	
THE INFORMATION ON THIS PLAT SHOWS ONLY THAT THE IMPROVEMENTS INDICATED HEREON ARE CONTAINED WITHIN THE CONFINES OF THE LOT UPON WHICH THEY ARE ERECTED. THIS PLAT IS NOT TO BE CONSTRUED AS, OR USED FOR THE ESTABLISHMENT OF PROPERTY LINES.			
Boender Associates ENGINEERS • PLANNERS • SURVEYORS 3230 BETHANY LANE ELLICOTT CITY, MD. 21043 (301) 465-7777 FAX: (301) 465-7966			


Mark John

The Lot shown hereon does not lie within the limits of a recorded Floodplain Easement

9-6-95 NO EXPECTED IMPACT TO WELL OR SEPTIC APPROX SURVEY



8/31 OK USE w/DOWNET
SEPTIC? 8/8
9-6-95 OK 8/8



Plat Reference: Amberwoods Plat of Correction Section One - Lots 1 through 42, recorded in Platbook 2703

TITLE: LOCATION SURVEY					THIS IS TO CERTIFY THAT WE HAVE CONDUCTED A LOCATION SURVEY OF THE IMPROVEMENTS AND THAT THEY ARE LOCATED AS SHOWN HEREON.	
PROJECT: LOT 2B - AMBERWOODS SECTION ONE					SIGNATURE: <i>William G. Hartel</i>	
LOCATION: 3RD ELECTION DISTRICT, HOWARD CO., MD.					REG. NO. 9436 DATE 5-1-92	
FIELD BOOK: 130	PAGE NO.: 30	DRAWN BY: BH	CHECKED BY: WGH	DATE: 5-1-92	Boender Associates ENGINEERS, PLANNERS, SURVEYORS 3230 BETHANY LANE ELLICOTT CITY, MD. 21043 (301) 465-7777 FAX: (301) 465-7966	
SCALE: 1" = 100'			JOB NO.: 91008			
THE INFORMATION ON THIS PLAT SHOWS ONLY THAT THE IMPROVEMENTS INDICATED HEREON ARE CONTAINED WITHIN THE CONFINES OF THE LOT UPON WHICH THEY ARE ERRECTED. THIS PLAT IS NOT TO BE CONSTRUED AS, OR USED FOR THE ESTABLISHMENT OF PROPERTY LINES.						

DEVELOPERS/BUILDER'S CERTIFICATE
 I/WE CERTIFY THAT ALL DEVELOPMENT AND CONSTRUCTION WILL BE DONE ACCORDING TO THESE PLANS, AND THAT ALL RESPONSIBLE PERSONS INVOLVED IN THE CONSTRUCTION PROJECT WILL HAVE A CERTIFICATE OF ATTENDANCE AT A DEPT. OF NATURAL RESOURCES APPROVED TRAINING PROGRAM FOR THE CONTROL OF SEDIMENT AND EROSION CONTROL BEFORE BEGINNING THE PROJECT. I ALSO AUTHORIZE PERIODIC ON-SITE INSPECTION BY THE HOWARD SOIL CONSERVATION DISTRICT OR THEIR AUTHORIZED AGENTS AS DEEMED NECESSARY.

Floyd Grason for Grason Homes, Inc.

DATE



ENGINEERS CERTIFICATE
 I CERTIFY THAT THIS PLAN FOR EROSION AND SEDIMENT CONTROL REPRESENTS A PRACTICAL AND WORKABLE PLAN BASED ON MY PERSONAL KNOWLEDGE OF THE SITE CONDITIONS. THIS WAS PREPARED IN ACCORDANCE WITH THE REQUIREMENTS OF THE HOWARD SOIL CONSERVATION DISTRICT.

Ernest L. Peek
 Ernest L. Peek, ASLA

10/18/89
 DATE

LANDSCAPE ARCHITECT
 REVIEWED FOR HOWARD S.C.D. AND MEETS TECHNICAL REQUIREMENTS

U.S. SOIL CONSERVATION SERVICE DATE


THIS DEVELOPMENT PLAN IS APPROVED FOR SOIL EROSION AND SEDIMENT CONTROL BY THE HOWARD SOIL CONSERVATION DISTRICT

HOWARD S.C.D. DATE

NOTE
 THE CONTRACTOR SHALL REFER TO NOTES ON SHEET 11 OF 11 BEFORE BEGINNING CONSTRUCTION.



LOUIS A. SCHOLZ
 283/272



D. RICHARD ARRINGTON
 174/131

ENV.
 HEAD
 CO

LOT-29
 (SEE SHEET # 7)

LEGEND

- B.R.L. BUILDING RESTRICTION LINE
- 500 BOUNDARY LINE
- 500 EXISTING CONTOUR
- 500 PROPOSED CONTOUR
- EXISTING TREES
- S.C.E. STABILIZED CONSTRUCTION ENTRANCE
- S SILT FENCE

- MINIMUM DISTANCES REQUIRED
- HOUSE TO WELL: 30'
 - HOUSE TO SEWAGE EASEMENT: 20'
 - HOUSE TO SEPTIC TANK: 10'
 - WELL TO SEPTIC TANK OR SEWAGE EASEMENT: 100' (OR AS APPROVED BY HEALTH DEPARTMENT)
 - WELL TO LOT LINES: 10'
 - WELL TO ROADS: 15'
 - SEWAGE EASEMENT TO LOT LINES: 10'

ELEVATIONS REQUIRED

# 25	# 26	# 27	# 28	LOT NUMBER
478.88	484.00	484.00	482.00	BASEMENT ELEVATION (if applicable)
487.50	492.45	492.45	490.00	FIRST FLOOR ELEVATION
489.00	482.00	481.00	480.00	INVERT OUT OF HOUSE
481.50	481.25	479.75	479.70	INVERT INTO SEPTIC TANK
481.50	481.00	479.50	479.60	INVERT OUT OF SEPTIC TANK
479.00	480.40	479.20	479.20	INVERT INTO DISTRIBUTION BOX (if applicable)
478.50	480.00	479.00	479.00	INVERT INTO TRENCH(S)
482.0	482.2	482.0	482.00	EXISTING GRADE AT SEPTIC TANK
480.5	481.5	481.5	482.00	EXISTING GRADE AT DISTRIBUTION BOX (if applicable)
480.5	481.5	481.0	482.00	EXISTING GRADE AT TRENCH(S)
484.0	487.0	489.8	491.7	ELEVATION OF WELL AT GRADE

LAND DESIGN ASSOCIATES
 718 HIGHWOOD DRIVE
 BALTIMORE, MD. 21212 301-323-6344

OFFICE OF PLANNING & ZONING
 P-87-59 S-87-42 VP-87-65
 WP-89-107 WP-88-112

AMBERWOODS **LOT 28 ONLY**
 SECTION ONE PHASE ONE ~~LOTS 25, 26, 27 & 28~~
 SITE DEVELOPMENT & SEDIMENT CONTROL
 SECOND ELECTION DISTRICT
 HOWARD COUNTY, MARYLAND

FOR: GRAYSON HOMES INC.
 9025 CHEVROLET DRIVE
 ELLICOTT CITY MD. 21043

DESIGNED:
 DRAWN: C.D.A.
 CHECKED:

SCALE: 1"=40'
 SHEET 8 OF 11
 DATE: 10/29/91 Lot 25
 12/12/91 Lot 28

B 1 **1232** SEQUENCE NO. (DP USE ONLY)
 (THIS NUMBER IS TO BE PUNCHED IN COLS. 3-6 ON ALL CARDS)

STATE OF MARYLAND
 PERMIT TO DRILL WELL
 please print or type

STATE PERMIT NUMBER
HC-99-0728
 fill in this form completely

Date Received (APA) **04 24 89**
 OWNER INFORMATION
KOREN DEVELOPMENT
 15 Last Name 13 Owner First Name 34
CENTRE PARK DR
 36 Street or RFD 55
COLUMBIA **MD 21045**
 57 Town 70 State 72 Zip 76

B 3 LOCATION OF WELL: **R-44065**
HOWARD
 8 COUNTY 21
AMBERWOODS
 23 SUBDIVISION 42
 SECTION **28**
 44 46 48 50
SYKESVILLE
 52 NEAREST TOWN 71
 MILES FROM TOWN (enter 0 if in town) **2** MI
 73 76 77 78

DRILLER INFORMATION
 George F. Easterday **40**
 77 License No. 80
 Driller's Name
 L. Franklin Easterday, Inc.
 Firm Name
 9265 Brown Church Rd., MT. Airy, Md. 21771
 Address
 Signature *George F. Easterday* Date **3-31-89**

B 4 (RT 32) ROCHESTER CT.
 1 2 DIRECTION OF WELL FROM TOWN (CIRCLE BOX)
 30 NEAR WHAT ROAD
 ON WHICH SIDE OF ROAD (CIRCLE APPROPRIATE BOX)
 NORTH (N) WEST (W) EAST (E) SOUTH (S)
 34 **200** 37 DISTANCE FROM ROAD
 ENTER FT or MI **FT**
 38 39

B 2 WELL INFORMATION
 APPROX. PUMPING RATE (GAL. PER MIN.) **5**
 8 12
 AVERAGE DAILY QUANTITY NEEDED (GAL. PER DAY) **500**
 14 20

USE FOR WATER (CIRCLE APPROPRIATE BOX)
 HOME (SINGLE OR DOUBLE HOUSEHOLD UNIT ONLY)
 FARMING (LIVESTOCK WATERING & AGRICULTURAL IRRIGATION)
 INDUSTRIAL, COMMERCIAL, STATE AND FEDERAL GOV. OTHER (REQUIRES APPROPRIATION PERMIT)
 PUBLIC OR PRIVATE WATER COMPANY (REQUIRES APPROPRIATION PERMIT AND STATE HEALTH DEPARTMENT APPROVAL)
 TEST, OBSERVATION, MONITORING (MAY REQUIRE APPROPRIATION PERMIT)

NOT TO BE FILLED IN BY DRILLER HEALTH DEPARTMENT APPROVAL
Howard **A39067**
 COUNTY NAME COUNTY NO.
 STATE SIGNATURE _____ INSERT S
 DATE ISSUED **010 09 89** *Chris Williams* **12/9/89**
 43 CO SIGNATURE EXP. DATE
 NORTH GRID **599000** EAST GRID **0811000**
 50 55 57 63


APPROXIMATE DEPTH OF WELL **200** FEET
 24 28

APPROXIMATE DIAMETER OF WELL **6** INCH
 NEAREST INCH

METHOD OF DRILLING (circle one)
 BORED (or Augered) JETTED Jetted & DRIVEN
 AIR-ROTARY AIR-PERCussion ROTARY (Hydraulic Rotary)
 CABLE REVERSE-ROTary DRIVE-POINT
 other _____

SHOW MAJOR FEATURES OF BOX & LOCATE WELL WITH AN X
 SOURCES OF DRILLING WATER
 1. WELL
 2.
 3.
 WRITE THE BOX NUMBER FROM THE MAP HERE
 E **810**
 N **549**
 000 000

REPLACEMENT OR DEEPEMED WELLS (CIRCLE APPROPRIATE BOX)
 THIS WELL WILL NOT REPLACE AN EXISTING WELL
 THIS WELL WILL REPLACE A WELL THAT WILL BE ABANDONED AND SEALED
 THIS WELL WILL REPLACE A WELL THAT WILL BE USED AS A STANDBY
 THIS WELL WILL DEEPEM AN EXISTING WELL
 PERMIT NUMBER OF WELL TO BE REPLACED OR DEEPEMED (IF AVAILABLE) _____



Not to be filled in by driller (OEP USE ONLY)
 APPROP. PERMIT NUMBER _____ GAP _____
 54 63
 FORCE **01** INITIALS IN BOX PERMIT No. **HC-99-0728**
 67 68 70 71 72 73 74 75 76 77 78 79

SPECIAL CONDITIONS

C1 9926 SEQUENCE NO. (DENV USE ONLY)
 (THIS NUMBER IS TO BE PUNCHED IN COLS. 3-6 ON ALL CARDS)

STATE OF MARYLAND
 WELL COMPLETION REPORT
 FILL IN THIS FORM COMPLETELY
 PLEASE PRINT OR TYPE

THIS REPORT MUST BE SUBMITTED WITHIN 45 DAYS AFTER WELL IS COMPLETED.
 COUNTY NUMBER A 39067

ST/CO USE ONLY DATE Received [] [] [] [] [] [] DATE WELL COMPLETED 04/28/77 Depth of Well 200 (TO NEAREST FOOT) PERMIT NO. FROM "PERMIT TO DRILL WELL" 80-88-0728

OWNER Koran Development last name first name TOWN Sykesville
 STREET OR RFD Rockwater Ct.
 SUBDIVISION Amberwoods SECTION [] LOT 28

WELL LOG
 Not required for driven wells

STATE THE KIND OF FORMATIONS PENETRATED, THEIR COLOR, DEPTH, THICKNESS AND IF WATER BEARING

DESCRIPTION (Use additional sheets if needed)	FEET		Check if water bearing
	FROM	TO	
Top soil	0	2	
Shale	2	12	
Tan Mica	12	35	
Brown Mica	35	80	✓
Grey Mica	80	108	
Brown Mica	108	112	✓
Grey Mica	112	137	
Brown Mica	137	140	
Grey Mica	140	200	

GROUTING RECORD
 WELL HAS BEEN GROUTED (Circle Appropriate Box) Y N
 TYPE OF GROUTING MATERIAL CEMENT M BENTONITE CLAY BC
 NO. OF BAGS 7 NO. OF POUNDS 200
 GALLONS OF WATER 5
 DEPTH OF GROUT SEAL (to nearest foot) from 17 ft. to 20 ft.

CASING RECORD
 casing types insert appropriate code below
 ST CO STEEL CONCRETE
 PL OT PLASTIC OTHER
 MAIN CASING TYPE ST Nominal diameter top (main) casing (nearest inch) 1 1/2 Total depth of main casing (nearest foot) 42

OTHER CASING (if used)
 diameter inch [] [] depth (feet) from [] to []

SCREEN RECORD
 screen type or open hole insert appropriate code below
 ST BR HO STEEL BRASS OPEN HOLE
 PL OT PLASTIC OTHER

C2
 DEPTH (nearest ft.)
 EACH SCREEN 1 HO 40 200
 2 [] [] [] [] [] [] [] [] [] []
 3 [] [] [] [] [] [] [] [] [] []
 SLOT SIZE 1 [] 2 [] 3 []
 DIAMETER OF SCREEN [] [] [] (NEAREST INCH)
 from [] to []

CIRCLE APPROPRIATE LETTER
 A A WELL WAS ABANDONED AND SEALED WHEN THIS WELL WAS COMPLETED
 E ELECTRIC LOG OBTAINED
 P TEST WELL CONVERTED TO PRODUCTION WELL

I HEREBY CERTIFY THAT THIS WELL HAS BEEN CONSTRUCTED IN ACCORDANCE WITH COMAR 26.04.04 "WELL CONSTRUCTION" AND IN CONFORMANCE WITH ALL CONDITIONS STATED IN THE ABOVE CAPTIONED PERMIT, AND THAT THE INFORMATION PRESENTED HEREIN IS ACCURATE AND COMPLETE TO THE BEST OF MY KNOWLEDGE.

DRILLERS IDENT. NO. 40
 DRILLERS SIGNATURE (MUST MATCH SIGNATURE ON APPLICATION)
 SITE SUPERVISOR (sign of driller or journeyman responsible for sitework if different from permittee)

GRAVEL PACK [] IF WELL DRILLED WAS FLOWING WELL INSERT F IN BOX 68

OEP USE ONLY (NOT TO BE FILLED IN BY DRILLER)
 T (E.R.O.S.) W Q
 70 [] 72 [] 74 [] 75 [] 76 []
 TELESCOPE CASING LOG INDICATOR OTHER DATA

C3
 PUMPING TEST
 HOURS PUMPED (nearest hour) 4
 PUMPING RATE (gal. per min. to nearest gal.) 10
 METHOD USED TO MEASURE PUMPING RATE Direct
 WATER LEVEL (distance from land surface) BEFORE PUMPING 16 WHEN PUMPING 20
 TYPE OF PUMP USED (for test) A air P piston T turbine C centrifugal R rotary O other (describe below) J jet S submersible

PUMP INSTALLED
 DRILLER WILL INSTALL PUMP YES NO
 IF DRILLER INSTALLS PUMP, THIS SECTION MUST BE COMPLETED FOR ALL WELLS EXCEPT HOME USE
 TYPE OF PUMP INSTALLED PLACE (A,C,J,P,R,S,T,O) IN BOX - SEE ABOVE: 29
 CAPACITY: GALLONS PER MINUTE (to nearest gallon) [] [] [] [] PUMP HORSE POWER [] [] [] [] PUMP COLUMN LENGTH (nearest ft.) [] [] [] [] CASING HEIGHT (circle appropriate box and enter casing height) above below LAND SURFACE 2 (nearest foot)

LOCATION OF WELL ON LOT
 SHOW PERMANENT STRUCTURE SUCH AS BUILDING, SEPTIC TANKS, AND/OR LANDMARKS AND INDICATE NOT LESS THAN TWO DISTANCES (MEASUREMENTS TO WELL)