

7/20/95 12:00
11/30/95
ASAP
10:00-12:00
house conn.
11/27/95
10:00-12:00
house conn.

PERMIT

SEWAGE DISPOSAL SYSTEM

DEPARTMENT OF HEALTH AND MENTAL HYGIENE

P 50781 D

A 49337G

DISTRICT 5th

DATE 7-18-95

HOWARD COUNTY HEALTH DEPARTMENT 05-417953

BUREAU OF ENVIRONMENTAL HEALTH

~~XXXX-XXXX~~ 313-2640

INDEXED

DATE SYSTEM APPROVED 11-30-95

INSPECTOR DKS
(per contractor)

Adamson Plumbing & Heating IS PERMITTED TO INSTALL X ALTER

ADDRESS 7825 McCellan Avenue, Boonsboro, Maryland 21713 PHONE 301-416-3969

SUBDIVISION Fulton Manor LOT 8 ROAD 12332 Pleasant View Drive
12301 Carol Drive

PROPERTY OWNER Mr. and Mrs. Joe ~~Biliszynski~~ Buczynski

ADDRESS _____

BUILDING PERMIT SIGNED AND RETURNED

SEPTIC TANK CAPACITY 1250 GALLONS

NUMBER OF BEDROOMS 4

210
4
840

210
4
840

6-12-03 800142392 - IG POOL
6-1-05 800154152 - SHED

210 SQUARE FEET PER BEDROOM

LINEAR FEET OF TRENCH REQUIRED 210

TRENCHES - Trench to be 2 feet wide. Inlet 4 feet below original grade. Bottom maximum depth 8 feet below original grade. Effective area begins at 4 feet below original grade. 4 feet of stone below distribution pipe.

LOCATION - Beginning from the left back lot corner, place distribution box 195 feet up the back lot line (381.4) and 35 feet off that same lot line when facing the lot from Pleasant View Drive. Run trenches on contour toward the front lot line.

NOTES - No trench to exceed 100 feet in length. Provide 6" - 8" diameter cleanout and cap to grade or above on septic tank. OK 5/3/95 DKS

PLANS APPROVED BY Amy McMillen DATE 12/09/94

COVER NO WORK UNTIL INSPECTED AND APPROVED

NEITHER THE HOWARD COUNTY COUNCIL NOR THE HEALTH DEPARTMENT IS RESPONSIBLE FOR THE SUCCESSFUL OPERATION OF ANY SYSTEM

NOTE: CLEANOUT REQUIRED EVERY 70 FEET OF SEWER LINE AND/OR AT 90° SWEEPS IN LINES FROM HOUSE TO DRAIN FIELDS, 90° ELBOWS NOT ACCEPTABLE.

NOTE: ALL PARTS OF SEPTIC SYSTEMS (I.E. TANK, DISTRIBUTION BOX TRENCHES) TO BE 100 FEET FROM WELL (UNLESS OTHERWISE SPECIFICALLY AUTHORIZED)

NOTE: IF DEEP TRENCH(ES) ARE USED CALL FOR INSPECTION BEFORE AND AFTER PLACING GRAVEL IN TRENCH(ES)

NOTE: NO DRY WELL SHALL EXCEED 15 FOOT IN DIAMETER NO ABSORPTION TRENCH TO EXCEED 100 FEET IN LENGTH

NOTE: ALL PIPE FROM HOUSE TO SEPTIC TANK MUST BE CAST IRON OR SCHEDULE 35/40 PVC OR ABS

BLDG. PERMIT SIGNED
AND RETURNED 9-17-97
Smith 410107940
check

PERMIT VOID AFTER TWO YEARS


NOTE: INSTALL STAND PIPE ON SEPTIC TANK AND DRY WELL STAND PIPES MUST BE 6 INCHES IN DIAMETER CAST IRON, CONCRETE OR TERRA COTTA OR PVA OR ABS ACCEPTED. IF TOP OF SEPTIC TANK IS DEEPER THAN 3 FEET. MANHOLE TO GRADE REQUIRED.

NOTE: DISTRIBUTION BOXES MUST HAVE BAFFLES

4/10/03 1300141175 INGROUND POOL

***INSTALLER IS RESPONSIBLE FOR OBTAINING FINAL APPROVAL ON THIS PERMIT**

A
49337G



22
 26
 29
 39
 36
 162
 52
 14

SEPTIC TANK LEVEL 1250 gal CLEANOUTS OK
 DISTRIBUTION BOX LEVEL OK baffle 15 in
 DRAIN FIELD/TITLE DEPTH 8' FT. TRENCH WIDTH 2 FT. INLET DEPTH 4' FT.
 EFFECTIVE GRAVEL DEPTH 4' FT. TOTAL LENGTH 2.22 4.39 2.26 5.36 3.29 6.52 FT. = 214 total linear ft
 NUMBER OF TRENCHES 6 ONE SIDEWALL/BOTTOM AREA 856 SQ. FT. 214
 DRYWALL INSIDE DIAMETER FT. EFFECTIVE DEPTH BELOW INLET FT. 4
 ABSORBENT AREA SQ. FT. 856

REMARKS: 7-10-95 - OK to stone all trenches and OK to cover work -
house connection ^{not} made until 11-15-95 house conn not usable,
cleanout at wall (outside) of house and on tank. NO ONE
PRESENT AT INSPECTION TIME 11-27-95 RE-INSPECTION, NO ONE HOME
11/10, I STOPPED IN AT JAMESTOWN BURGERS OFFICE, SPOKE w/ JERRY, BURGER DOES NOT
HAVE CODE TO TURN OFF ALARM SYSTEM, HOME OWNER HAD INTENDED TO BE PRESENT. J

DATE SYSTEM APPROVED 11/30/95 INSPECTOR NO WSP - CONTRACTOR HAD NO TOOLS TO REMOVE C/O CAP. J

APPLICATION

PERCOLATION TESTING

A 49337G

P _____

HOWARD COUNTY HEALTH DEPARTMENT
BUREAU OF ENVIRONMENTAL HEALTH
3525-H ELLICOTT MILLS DRIVE/ELLICOTT CITY, MARYLAND 21043
TELEPHONE: 313-2640

DISTRICT Fifth

DATE JUNE 8, 1993

TO: THE COUNTY HEALTH OFFICER
ELLICOTT CITY, MARYLAND

I HEREBY APPLY FOR THE NECESSARY TEST PRIOR TO APPLICATION FOR PERMIT TO CONSTRUCT (OR RECONSTRUCT) A SEWAGE DISPOSAL SYSTEM.

PROPERTY OWNER OTHA D. UPCHURCH Mr. + Mrs. JOE BILLZYNSKI

ADDRESS 457 Old Orchard Circle PHONE 725-5450

AGENT OR PROSPECTIVE BUYER SAME AS OWNER

ADDRESS _____ PHONE _____

PROPERTY LOCATION:

SUBDIVISION UPCHURCH PROPERTY LOT NO. 8

ROAD AND DESCRIPTION 12276 HALL SHOP ROAD 12332 PLEASANT VIEW DRIVE

HIGHLAND MARYLAND

TAX MAP 40 PARCEL # 1646205

SIZE OF LOT 55,300 TYPE BLDG. BLDG. PERMIT SIGNED AND RETURNED 4/18/93 Serial # 57965 - 4/18/93
SINGLE FAMILY DWELLING
(SINGLE FAMILY DWELLING OR COMMERCIAL)

THE SYSTEM INSTALLED UNDER THIS APPLICATION IS ACCEPTABLE ONLY UNTIL PUBLIC FACILITIES BECOME AVAILABLE. I FULLY UNDERSTAND THE FEE CONNECTED WITH THE FILING OF THIS PERC TEST APPLICATION IS NON-REFUNDABLE UNDER ANY CIRCUMSTANCES. I ALSO AGREE TO COMPLY WITH ALL M.O.S.H.A. REQUIREMENTS IN TESTING THIS LOT.

[Handwritten Signature]

(SIGNATURE OF APPLICANT)

APPROVED BY _____ FOR _____ DATE _____

DISAPPROVED BY _____ FOR _____ DATE _____

HOLD PENDING FURTHER TESTS _____

REASONS FOR REJECTION OR HOLDING _____

PERCOLATION TEST PLAT/PRELIMINARY PLAT - TITLE OR I.D. # _____ DATE _____

SITE DEVELOPMENT PLAN/FINAL PLAT - TITLE OR I.D. # _____ DATE _____

THIS IS NOT A PERMIT

OWNER AND DEVELOPER


UPCHURCH PROPERTY PARTNERSHIP
 P.O. BOX 1371
 ELLICOTT CITY, MARYLAND 21041

FISHER, COLLINS & CARTER, INC.

CIVIL ENGINEERING CONSULTANTS & LAND SURVEYORS
 971 BALTIMORE NATIONAL PIKE, SUITE 100
 ELLICOTT CITY, MARYLAND 21042
 (410) 481-2855

AREA TABULATION FOR SHEET 3

| | |
|--|-------------|
| TOTAL NUMBER OF BUILDABLE LOTS TO BE RECORDED | 18 |
| TOTAL NUMBER OF OPEN SPACE LOTS TO BE RECORDED | 3 |
| TOTAL NUMBER OF LOTS TO BE RECORDED | 21 |
| TOTAL AREA OF BUILDABLE LOTS TO BE RECORDED | 20.749 AC.± |
| TOTAL AREA OF OPEN SPACE LOTS TO BE RECORDED | 11.253 AC.± |
| TOTAL AREA OF LOTS TO BE RECORDED | 32.002 AC.± |
| TOTAL AREA OF ROADWAY TO BE RECORDED | 2.384 AC.± |
| TOTAL AREA TO BE RECORDED | 34.386 AC.± |



PROPERTY OF
 CARLETON & DOROTHY
 HEINICKE
 LIBER 312, FOLIO 310

APPROVED: FOR PRIVATE WATER AND PRIVATE SEWERAGE SYSTEMS, HOWARD COUNTY HEALTH DEPARTMENT.

Joyce M. Boyd 12/16/94
 HOWARD COUNTY HEALTH OFFICER DATE

APPROVED: HOWARD COUNTY DEPARTMENT OF PLANNING AND ZONING.

Jessica Smith 12/28/94
 DIRECTOR DATE

APPROVED: FOR STORM DRAINAGE SYSTEMS, AND PUBLIC ROADS. HOWARD COUNTY DEPARTMENT OF PUBLIC WORKS.

Jane P. Shive 12/28/94
 DIRECTOR DATE

OWNER'S CERTIFICATE

UPCHURCH PROPERTY PARTNERSHIP, BY EARL D. COLLINS, OWNER OF THE PROPERTY SHOWN AND DEED ADOPT THIS PLAN OF SUBDIVISION AND IN CONSIDERATION OF THE APPROVAL OF THIS FINAL PLAT BY PLANNING AND ZONING, ESTABLISH THE MINIMUM BUILDING RESTRICTION LINES AND GRANT UNTO HOWARD COUNTY ITS SUCCESSORS AND ASSIGNS; (1) THE RIGHT TO LAY, CONSTRUCT AND MAINTAIN SEWERS, DRAINS, MUNICIPAL UTILITIES AND OTHER SERVICES IN AND UNDER ALL ROADS OR STREET RIGHTS-OF-WAY AND EASEMENT AREAS SHOWN HEREON; (2) THE RIGHT TO REQUIRE DEDICATION FOR PUBLIC USE THE BEDS AND/OR ROADS AND FLOODPLAINS AND OPEN SPACE WHERE APPLICABLE AND FOR GOOD AND OTHER V HEREBY GRANT THE RIGHT AND OPTION TO HOWARD COUNTY TO ACQUIRE THE FEE SIMPLE TITLE TO ALL STREETS AND/OR ROADS AND FLOODPLAINS, STORM DRAINAGE FACILITIES AND OPEN SPACE WHERE APPLICABLE RIGHT TO REQUIRE DEDICATION OF WATER WAYS AND DRAINAGE EASEMENTS FOR THE SPECIFIC PURPOSE OF CONSTRUCTION REPAIR AND MAINTENANCE AND (4) THAT NO BUILDING OR SIMILAR STRUCTURE OF ANY KIND BE ERECTED ON OR OVER THE SAID EASEMENTS AND RIGHTS-OF-WAY. WITNESS MY HAND THIS 2ND DAY OF DECEMBER 1994.


Earl D. Collins
 UPCHURCH PROPERTY PARTNERSHIP
 BY: EARL D. COLLINS

Cheryl
 WITNESS

Approved Septic System Plan
Howard County Health Department

Amy McMiller
Signature

4-18-95
Date



SEPTIC DATA

| | |
|----------------|-------|
| HOUSE FIN. FL. | 488.5 |
| " BSMT | 479.0 |
| " SEWER INV. | 484.0 |
| SEPTIC INV. IN | 483.6 |
| TANK INV. OUT | 483.3 |
| " FIN. GR. | 487.0 |
| DISTR. INV. IN | 483.0 |
| BOX FIN. GR. | 487.0 |
| WATER EX GR. | 489.0 |
| WELL PROP GR. | " |

NOTE: TRENCH LENGTH TO BE DETERMINED AT TIME OF SEPTIC PERMIT ISSUANCE.

RECORD PLAT NO 11569

ENGINEER
JOHN L. SCHNEIDER, P.E.
100 N. ROLLING RD.
CATONSVILLE, MD. 21228
410-744-1945

GRADING STUDY


LOT B "FULTON MANOR"

5th ELECTION DISTRICT

HOWARD COUNTY, MARYLAND

SCALE: 1" = 50'

DATE: MARCH 27, 1995



LANDSCAPING PERIMETER No. 11
TYPE 'A'

LIMIT OF SUBMISSION

SUBMISSION

20' DRAIN AND UTILITY EASEMENT

OPEN SPACE

OPEN SPACE LOTS


LANDSCAPING PERIMETER No. 3
TYPE 'A'

DRIVE

2/23/95
Lot with
CROP
site
D/KS

INELIGIBLE FOR BUILDING PERMIT REVIEW, SEE GENERAL NOTE # 7 ON OLD SHEET!

PROPERTY OF
CARLTON AND DOROTHY
HEINICKE
L. 312 F. 310
ZONED RR-020



C1 3572

SEQUENCE NO. (DENV USE ONLY)

STATE OF MARYLAND WELL COMPLETION REPORT

THIS REPORT MUST BE SUBMITTED WITHIN 45 DAYS AFTER WELL IS COMPLETED.

COUNTY NUMBER A49337G

(THIS NUMBER IS TO BE PUNCHED IN COLS. 3-6 ON ALL CARDS)

DATE RECEIVED 03 21 95

DATE WELL COMPLETED 02 27 95

DEPTH OF WELL 245 (TO NEAREST FOOT)

PERMIT NO. FROM "PERMIT TO DRILL WELL" H0-94-0357

OWNER FC & C last name Carol Drive first name TOWN Highland SUBDIVISION Fu Hon Manor SECTION LOT 8

WELL LOG Not required for driven wells STATE THE KIND OF FORMATIONS PENETRATED, THEIR COLOR, DEPTH, THICKNESS AND IF WATER BEARING

Table with columns: DESCRIPTION, FEET (FROM, TO), Check if water bearing. Rows include Top Soil, Sandy, Sand Stone, MICKA, Sand Stone, MICKA.

GROUTING RECORD: WELL HAS BEEN GROUTED (Y), TYPE OF GROUTING MATERIAL CEMENT (CM), BENTONITE CLAY (BC), NO. OF BAGS 8, NO. OF POUNDS 800, DEPTH OF GROUT SEAL 23 ft.

CASING RECORD: MAIN CASING TYPE PL, Nominal diameter 6, Total depth 26 ft.

OTHER CASING (if used) diameter inch, depth (feet) from to

SCREEN RECORD: screen type or open hole (HO), SLOT SIZE, DIAMETER OF SCREEN

IN HARD ROCK AREAS, IDENTIFY SPECIFICALLY WHERE SATURATED FRACTURES WERE OBSERVED. WELL HYDROFRACTURED (Y)

Table for screen depth: E A C H S C R E E N, DEPTH (nearest ft.) with handwritten values H0 24, 245.

CIRCLE APPROPRIATE LETTER: A WELL WAS ABANDONED AND SEALED WHEN THIS WELL WAS COMPLETED

I HEREBY CERTIFY THAT THIS WELL HAS BEEN CONSTRUCTED IN ACCORDANCE WITH COMAR 26.04.04 "WELL CONSTRUCTION"


DRILLERS IDENT NO. 116, DRILLERS SIGNATURE Ralph Mayne

GRAVEL PACK IF WELL DRILLED WAS FLOWING WELL INSERT F IN BOX 68

MDE USE ONLY (NOT TO BE FILLED IN BY DRILLER): TELESCOPE CASING, LOG INDICATOR, OTHER DATA


PUMPING TEST: HOURS PUMPED 3, PUMPING RATE 6 gal. per min., TYPE OF PUMP USED (S) submersible

PUMP INSTALLED: DRILLER WILL INSTALL PUMP (NO), TYPE OF PUMP INSTALLED, CAPACITY, PUMP HORSE POWER, PUMP COLUMN LENGTH, CASING HEIGHT



Revised Plot Plan (New drive way location) 12301 Carol Drive

9/17/97
Proposed deck location OK as shown - contractor guarantees min separation of 10' deck to septic tank. (DKS)



SEPTIC DATA

| | |
|----------------|------|
| HOUSE FIN. FL. | 4885 |
| " BSMT | 4790 |
| " SEWER INV. | 4840 |
| SEPTIC INV. IN | 4830 |
| TANK INV. OUT | 4833 |
| " FIN. GR. | 4870 |
| DISTR. INV. IN | 4830 |
| BOX FIN. GR. | 4870 |
| WATER EX GR. | 4890 |
| WELL PROP GR. | " |

NOTE: TRENCH LENGTH TO BE DETERMINED AT TIME OF SEPTIC PERMIT ISSUANCE

ENGINEER
JOHN L. SCHNEIDER, P.E.
100 N. ROLLING RD.
CATONSVILLE, MD. 21228
410-744-1945

RECORD PLAT NO 11569

GRADING STUDY

LOT 8 "FULTON MANOR"

5th ELECTION DISTRICT

HOWARD COUNTY, MARYLAND

SCALE: 1" = 50'

DATE: MAR 1995



NOTES:

- 1) B.L.L. information, if shown, was obtained from existing record plat or deed agreement and is not guaranteed by NTT, Inc.
- 2) Building line and/or Flood Zone information is subject to the interpretation of the engineer.
- 3) NTT, Inc. does not certify to or warrant its accuracy or completeness or accuracy.
- 4) Property markers not found, or represented by this location.
- 5) Setback distance occurred.


STATE OF CERTIFICATION

I hereby certify to the Howard County Department of Inspection, Landmarks and Historic Preservation that the above described improvements, measurements, and surveys were made in compliance with the provisions of the Flood Insurance Rate Map of Howard County, Maryland, Panel 17 of 45 Community Panel 240044-0017, effective date: December 4, 1986.

I, the undersigned, being duly sworn, depose and say that the above described improvements, measurements, and surveys were made in compliance with the provisions of the Flood Insurance Rate Map of Howard County, Maryland, Panel 17 of 45 Community Panel 240044-0017, effective date: December 4, 1986.

I, the undersigned, being duly sworn, depose and say that the above described improvements, measurements, and surveys were made in compliance with the provisions of the Flood Insurance Rate Map of Howard County, Maryland, Panel 17 of 45 Community Panel 240044-0017, effective date: December 4, 1986.

I, the undersigned, being duly sworn, depose and say that the above described improvements, measurements, and surveys were made in compliance with the provisions of the Flood Insurance Rate Map of Howard County, Maryland, Panel 17 of 45 Community Panel 240044-0017, effective date: December 4, 1986.



Subject property is shown in Zone C on the National Flood Insurance Program Flood Insurance Rate Map of Howard County, Maryland, Panel 17 of 45 Community Panel 240044-0017, effective date: December 4, 1986.

This is to certify that I have surveyed the property shown hereon, being known as **LOT 8 12301 CAROL DRIVE** recorded in the Land Records of Howard County, Maryland in Plat Bk 11569 Liber Folio for the purpose of locating the improvements thereon:

- This plat is of benefit to the consumer only insofar as it is required by a lender or a title insurance company or its agent in connection with contemplated transfer, financing or refinancing purposes.
- This plat is not to be relied upon for the establishment of location of fences, garages, buildings or other existing or future structures.
- This plat does not provide for the accurate identification of property boundary lines, but such identification may not be required for the transfer of title or for securing financing or refinancing.



LOCATION DRAWING
12301 CAROL DRIVE
FULTON MANOR
5TH ELECTION DISTRICT
HOWARD COUNTY, MARYLAND

NTT Associates, Inc.
 16205 Old Frederick Road
 Mt Airy, Maryland 21771
 Ph (410)442-2031
 Fax No. (410)442-1315

| | |
|-----------|------------------|
| Scale: | 1" = 60' |
| Date: | NOVEMBER 8, 1995 |
| Field by: | JLH |
| Drawn by: | JLH |
| Drawing # | BSC 2269 |

12301 Carol Drive
Fulton, MD 20759
September 22, 1997

Bureau of Environmental Health
3525 Ellicott Mills Drive
Suite H
Ellicott City, MD 21742

Re: Request for Variance
Bldg. Permit No. B00107940


To Whom It May Concern:

We have obtained a building permit to construct a wooden deck on the back of our home at the above address. At the time of obtaining the permit, the deck plans appeared to indicate that the deck would be no closer than 10 feet from our septic tank. However, I was informed by our contractor, who began mapping out the deck on our property today, that the deck would need to be as close as 7 feet from the septic tank in order to preserve the original deck design.

Hence, at the instruction of Mr. Ronald Pinkley in your office, we are hereby requesting, in writing, a variance which will permit us to construct the deck up to 7 feet from our septic tank. The size of our property and the location of the septic tank in relation to our house and the deck will still allow sufficient space to remain for maintenance, repair or replacement of the septic tank.

Thank you for your consideration.

Sincerely,


Joseph J. Buczynski


Marlene Buczynski

9/23/97 Health Dept. accepts this condition - OK for deck to be 7' off septic tank. Accessibility to tank still possible.



CC: Health Dept

May 20, 2003

TO: Aris L. Corbin, Chief
Permits

From: Jim Romano
Stevenson Pools

Re: Permit B00141175 - Revision
12301 Carol Dr.
Fulton, MD 21079

We wish to revise the above permit issued on
4/10/03. The pool will be moved further left
on the property to the back of the existing
deck. This pool was originally approved in
back of driveway. If you should have any
questions please give me a call 301 855 6512 /
240 417 8730. Thank you!

00142392

0-12-03
No septic, SDA
or well
concerns
(KN)

NOTES:

- 1) B.R.L. Information, if shown, was obtained from existing record plat or local agencies and is not guaranteed by NTT, Inc.
- 2) Building line and/or Flood Zone information is subject to the interpretation of the originator.
- 3) NTT, Inc. does not certify to unshown or unrecorded encroachments or overlaps.
- 4) Property markers not found, or guaranteed by this location.
- 5) Setback distance accuracy: 1±.

STEVENOR'S CERTIFICATION

I, hereby, certify to the Howard County Department of Inspections, Measurements, and Surveys (I.D.S.) that a site inspection (based on field observations, measurements, and surveys) was made under my direction on November 8, 1995 at 12301 Carol Drive. This lot has been approved in compliance with the approved Site Development and Grading Plan or, if none, the approved Grading and Sediment Control Plan and Grading Plan. In addition to general compliance with the applicable plan, this inspection was made with the following items being checked:

1. Drainage Courses: correct direction of flow, (if applicable) located within minimum
2. Drainage Courses: correct direction of flow, (if applicable) located within
3. Drainage Courses: correct direction of flow, (if applicable) located within
4. Drainage Courses: correct direction of flow, (if applicable) located within
5. Drainage Courses: correct direction of flow, (if applicable) located within

1. Drainage Courses: correct direction of flow, (if applicable) located within minimum

2. Drainage Courses: correct direction of flow, (if applicable) located within

3. Drainage Courses: correct direction of flow, (if applicable) located within

4. Drainage Courses: correct direction of flow, (if applicable) located within

5. Drainage Courses: correct direction of flow, (if applicable) located within


1. Drainage Courses: correct direction of flow, (if applicable) located within minimum

2. Drainage Courses: correct direction of flow, (if applicable) located within

3. Drainage Courses: correct direction of flow, (if applicable) located within

4. Drainage Courses: correct direction of flow, (if applicable) located within


5. Drainage Courses: correct direction of flow, (if applicable) located within



Subject property is shown in Zone C on the National Flood Insurance Program Flood Insurance Rate Map of Howard County, Maryland, Panel # 37 of 45 Community Panel # 240044-00 378 Effective date: December 4, 1986

This is to certify that I have surveyed the property shown hereon, being known as **LOT 8 12301 CAROL DRIVE** recorded in the Land Records of Howard County, Maryland in Plat Bk. 11569 Liber Folio for the purpose of locating the improvements thereon.

* This plat is of benefit to the consumer only insofar as it is required by a lender or a title insurance company or its agent in connection with contemplated transfer, financing, or refinancing purposes.
 * This plat is not to be relied upon for the establishment of location of fences, garages, buildings, or other existing or future structures.
 * This plat does not provide for the accurate identification of property boundary lines, but such identification may not be required for the transfer of title or for securing financing or refinancing.



LOCATION DRAWING
12301 CAROL DRIVE
FULTON MANOR
5TH ELECTION DISTRICT
HOWARD COUNTY, MARYLAND

NTT Associates, Inc.
16205 Old Frederick Road
Mt. Airy, Maryland 21771
Ph. (410)442-2031
Fax No. (410)442-1315

| | |
|-----------|------------------|
| Scale: | 1" = 60' |
| Date: | NOVEMBER 8, 1995 |
| Field by: | JLM |
| Drawn by: | JLM |
| Drawing # | MISC 2269 |

- NOTES:
- 1) S.T.C. information, if shown, was obtained from existing record plot or local agencies and is not guaranteed by NTT, Inc.
 - 2) Building line and/or Flood Zone information is subject to the interpretation of the originator.
 - 3) NTT, Inc. does not certify to unshown or unrecorded encroachments or overlaps.
 - 4) Property markers not found, or guaranteed by this location.
 - 5) Setback distance accuracy: 1:2.

APPROVED
WALK-THRU BUILDING PERMIT
 BP# 800/34152 A# 49337-6
 APP. SAN KACU NORDEN DATE: 6/1/05
 DESC OF WORK: shed
CONDITIONAL TO
NO SLAB


STREATOR'S CERTIFICATION

I hereby certify to the Howard County Department of Inspections, Licenses and Permits that a site inspection (based on field observations, measurements, and surveys) was made under my direction on November 8, 1995 at 12301 Carol Drive. Except as noted below, to the best of my knowledge, information and belief, this lot has been final graded in compliance with the approved Site Development Plan or, if none, the applicable Erosion and Sediment Control Plan and Grading Plan. In addition to general compliance with the applicable plan, this inspection was made with the following items being checked:

1. Lot Grading - positive drainage away from the structure, fine graded with no maximum
2. Drainage Courses - correct direction of flow, (if applicable) located within drainage easements, constructed with a positive and uniform grade, and
3. Lot Grading - positive drainage away from the structure, fine graded with no maximum

1. Lot Grading - positive drainage away from the structure, fine graded with no maximum
 2. Drainage Courses - correct direction of flow, (if applicable) located within drainage easements, constructed with a positive and uniform grade, and
 3. Lot Grading - positive drainage away from the structure, fine graded with no maximum

Local flow spots
 Easements
 This certification is only to the contours and drainage shown on the survey.
 This certification in no way guarantees the function of the original design grades, merely that these grades have been established.




APPROV
S.T. LOC

APPROV
well
loc.

Subject property is shown in Zone C on the National Flood Insurance Program Flood Insurance Rate Map of Howard County, Maryland, Panel # 37 of 45 Community Panel # 240044-00 37B Effective date: December 4, 1986

This is to certify that I have surveyed the property shown hereon, being known as **LOT 8** recorded in the Land Records of Howard County, Maryland in Plat Bk. **11569** Liber **Folio** for the purpose of locating the improvements thereon.

- * This plat is of benefit to the consumer only insofar as it is required by a lender or a title insurance company or its agent in connection with contemplated transfer, financing, or refinancing purposes.
- * This plat is not to be relied upon for the establishment of location of fences, garages, buildings, or other existing or future structures.
- * This plat does not provide for the accurate identification of property boundary lines, but such identification may not be required for the transfer of title or for securing financing or refinancing.



Carl Hudgins PLS #96

LOCATION DRAWING
 12301 CAROL DRIVE
 FULTON MANOR
 5TH ELECTION DISTRICT
 HOWARD COUNTY, MARYLAND

| | |
|--|------------------------|
| NTT Associates, Inc. | Scale: 1" = 60' |
| 16205 Old Frederick Road Mt. Airy, Maryland 21771 | Date: NOVEMBER 8, 1995 |
| Ph. (410)442-2031 | Field by: JLM |
| Fax No. (410)442-1315 | Drawn by: JLM |
| | Drawing # MSC 2269 |