

PERMIT

P. 06988 06980A. 06386

SEWAGE DISPOSAL SYSTEM

MARYLAND STATE DEPARTMENT OF HEALTH

HOWARD COUNTY

ELLICOTT CITY

DISTRICT 5**INDEXED**DATE 6/20/63Harmony Hall Dev. IS PERMITTED TO INSTALL ALTER

ADDRESS _____ PHONE _____

A SEWAGE DISPOSAL SYSTEM LOCATED AT _____

SUBDIVISION Moorasfield ROAD Cherry Tree Dr. LOT 16, blk. c
(of plat 1)PROPERTY OWNER Richard DresserADDRESS 10 313 Julep Ave. S.S.

SPECIFICATIONS

DRAIN FIELD _____ DEPTH _____ FEET, BOTTOM AREA _____ SQ. FT.

SEEPAGE PITS ABSORBENT SIDE-WALL AREA 300 SQ. FT. below inlet pipe *SEPTIC TANK CAPACITY 750 GALLONS

FOR GARBAGE GRINDER, INCREASE DISPOSAL AREA 22% & TANK CAPACITY 50%.

OTHER * First 4 ft. of original ground is not to be included in sidewall area.Place Dry well about 45 ft. from front of lot and about 39 ft. from right sidedetermined as you face lot from Cherry Tree Dr.PLANS APPROVED BY DwMonaghan DATE 3/14/63

FILL SEPTIC TANK AND DISTRIBUTION BOX WITH WATER BEFORE CALLING FOR AN INSPECTION. COVER NO WORK UNTIL INSPECTED AND APPROVED.

NEITHER THE HOWARD COUNTY COMMISSIONERS NOR THE HEALTH DEPARTMENT IS RESPONSIBLE FOR THE SUCCESSFUL OPERATION OF ANY SYSTEM.

A 06386