

PERMIT

SEWAGE DISPOSAL SYSTEM

DEPARTMENT OF HEALTH AND MENTAL HYGIENE

P 511993

A 50548-B

DISTRICT _____

DATE 7/6/99

DATE SYSTEM APPROVED 10/27/99

INSPECTOR MR

INDEXED

04-357736

HOWARD COUNTY HEALTH DEPARTMENT

BUREAU OF ENVIRONMENTAL HEALTH

~~XXXXXXX~~ 410-313-2640

INSTALL SEPTIC SYSTEM PRIOR TO PLUMBING IN HOUSE

Fogle's Septic Clean, Inc. IS PERMITTED TO INSTALL ALTER _____

ADDRESS 558 Obrecht Road, Sykesville, Maryland PHONE 410-795-5674

SUBDIVISION Harris Property LOT 3 ROAD 16196 Frederick Road

PROPERTY OWNER Tracy Greenfield

ADDRESS _____

SEPTIC TANK CAPACITY 1000 GALLONS

NUMBER OF BEDROOMS 3

180 SQUARE FEET PER BEDROOM

LINEAR FEET OF TRENCH REQUIRED 180

PUMPED SEPTIC SYSTEM

INSTALL: 1-1000 GALLON PUMP CHAMBER

NOTES: - Septic pump detail to be provided by installer prior to issuance of septic permit.

- Pump performance test is necessary prior to Health Department approval of pumped septic system.

TRENCHES - Trench to be 3 feet wide. Inlet 3 feet below original grade. Bottom maximum depth 5.0 feet below original grade. Effective area begins at 3.0 feet below original grade. 2 feet of stone below distribution pipe.

LOCATION - Place distribution box 75 feet up the left (644.71') lot line and 40 feet off that same lot line as seen when facing the lot from Route 144. Run 1st trench on contour toward Route 144 and all other trenches to be run on contour in both directions.

NOTES - No trench to exceed 100 feet in length. Provide 6" - 8" diameter cleanout and cap to grade or above on septic tank.

***** - FIRST FLOOR GRAVITY SERVICE ONLY *ok/cw*

***** - OWNER INTENDS TO BUILD WRAP AROUND PORCH - SET TANKS AS FAR FROM HOUSE AS POSSIBLE.

PLANS APPROVED BY Amy McMillen DATE 12/22/98

COVER NO WORK UNTIL INSPECTED AND APPROVED

NEITHER THE HOWARD COUNTY COUNCIL NOR THE HEALTH DEPARTMENT IS RESPONSIBLE FOR THE SUCCESSFUL OPERATION OF ANY SYSTEM

NOTE: CLEANOUT REQUIRED EVERY 70 FEET OF SEWER LINE AND/OR AT 90° SWEEPS IN LINES FROM HOUSE TO DRAIN FIELDS. 90° ELBOWS NOT ACCEPTABLE.

BUILDING PERMIT SIGNED AND RETURNED

NOTE: ALL PARTS OF SEPTIC SYSTEMS (I.E. TANK, DISTRIBUTION BOX TRENCHES) TO BE 100 FEET FROM WELL UNLESS OTHERWISE SPECIFICALLY AUTHORIZED)

52704 B0014504 - BARN

NOTE: IF DEEP TRENCH(ES) ARE USED CALL FOR INSPECTION BEFORE AND AFTER PLACING GRAVEL IN TRENCH(ES)

NOTE: NO DRY WELL SHALL EXCEED 15 FOOT IN DIAMETER NO ABSORPTION TRENCH TO EXCEED 100 FEET IN LENGTH

NOTE: ALL PIPE FROM HOUSE TO SEPTIC TANK MUST BE CAST IRON OR SCHEDULE 35/40 PVC OR ABS

PERMIT VOID AFTER TWO YEARS


NOTE: INSTALL STAND PIPE ON SEPTIC TANK AND DRY WELL STAND PIPES MUST BE 6 INCHES IN DIAMETER CAST IRON. CONCRETE OR TERRA COTTA OR PVA OR ABS ACCEPTED. IF TOP OF SEPTIC TANK IS DEEPER THAN 3 FEET, MANHOLE TO GRADE REQUIRED.

NOTE: DISTRIBUTION BOXES MUST HAVE BAFFLES

***INSTALLER IS RESPONSIBLE FOR OBTAINING FINAL APPROVAL ON THIS PERMIT**

***CALL 461-9933 FOR INSPECTION OF SEPTIC SYSTEM.**

A50548-B



INDICATE NORTH - NAME ADJOINING ROADWAY AS BASE LINE

Frederick Rd

SEPTIC TANK LEVEL 1-1000 CLEANOUTS 1-6" tank

DISTRIBUTION BOX LEVEL O.K.

DRAIN FIELD/TITLE DEPTH 56 FT. TRENCH WIDTH 3 FT. INLET DEPTH 46" FT.

EFFECTIVE GRAVEL DEPTH 2 FT. TOTAL LENGTH 3x60 FT. (180)

NUMBER OF TRENCHES 3 ~~ONE SIDEWALL~~ BOTTOM AREA 540 SQ. FT.

DRYWALL INSIDE DIAMETER — FT. EFFECTIVE DEPTH BELOW INLET — FT.

ABSORBENT AREA — SQ. FT.

REMARKS: No House Connection. Installer wants to dig deeper trenches in order to avoid using septic pump. Told him to call Ron. 7/15/99 (BB) 7/16/99 O.K. to cover system. Final approval pending 5' section that needs to be connected to house. System design changed so that pump not needed. Two trenches from house almost a foot deeper than specs. (BB) 10/27/99 HOUSE CONN CERTIFIED BY OWNER HR/

DATE SYSTEM APPROVED 10/27/99 INSPECTOR M. Ripkin

Howard County Health Department

To: File - Hourri's Prop. Lot 3
16196 Frederick Rd

I spoke to Kurt @ Fogle's -
he explained that a pumped
septic system may not be
necessary if they were
able to install the high
trench 8"-12" deep than
specified. Due to my know-
ledge of soil conditions @
site, I approved change
in trench depth.

From: Kim

Date: 7/16

APPLICATION

4/17/95

PERCOLATION TESTING

A 50548B

P _____

HOWARD COUNTY HEALTH DEPARTMENT
BUREAU OF ENVIRONMENTAL HEALTH
3525-H ELLICOTT MILLS DRIVE/ELLICOTT CITY, MARYLAND 21043
TELEPHONE: 313-2640

DISTRICT _____

DATE 2/27/95

TO: THE COUNTY HEALTH OFFICER
ELLICOTT CITY, MARYLAND

I HEREBY APPLY FOR THE NECESSARY TEST PRIOR TO APPLICATION FOR PERMIT TO CONSTRUCT (OR RECONSTRUCT) A SEWAGE DISPOSAL SYSTEM.

PROPERTY OWNER STEPHEN S. HARRIS & CHRISTINE M. LAMBRIS TRACY GREENFIELD

ADDRESS 2402 NOBLE MANOR LANE PHONE (W) 410-388-6148
(H) 301-695-0132

(AGENT) OR PROSPECTIVE BUYER SHANBERGER & LANE

ADDRESS 8726 TOWN & COUNTRY BLVD., SUITE 104, F.C., MD. 21043 PHONE 461-9563

PROPERTY LOCATION:

SUBDIVISION HARRIS PROPERTY, LOTS 1-3 LOT NO. 3

ROAD AND DESCRIPTION N. SIDE ROUTE 144, 1250' WEST OF RT. 94 (16196 Frederick Road)

TAX MAP 7 PARCEL # 425

SIZE OF LOT 2.9781 AC. ±

BLDG. PERMIT SIGNED
AND RETURNED 12-22-90
Serial # BR 115084
TYPE BLDG. SINGLE-FAMILY DETACHED DWELLING
(SINGLE FAMILY DWELLING OR COMMERCIAL)

THE SYSTEM INSTALLED UNDER THIS APPLICATION IS ACCEPTABLE ONLY UNTIL PUBLIC FACILITIES BECOME AVAILABLE. I FULLY UNDERSTAND THE FEE CONNECTED WITH THE FILING OF THIS PERC TEST APPLICATION IS NON-REFUNDABLE UNDER ANY CIRCUMSTANCES. I ALSO AGREE TO COMPLY WITH ALL M.O.S.H.A. REQUIREMENTS IN TESTING THIS LOT. [Signature]
(SIGNATURE OF APPLICANT)

APPROVED BY _____ FOR _____ DATE _____

DISAPPROVED BY _____ FOR _____ DATE _____

HOLD PENDING FURTHER TESTS _____

REASONS FOR REJECTION OR HOLDING _____

PERCOLATION TEST PLAT/PRELIMINARY PLAT - TITLE OR I.D. # _____ DATE _____

SITE DEVELOPMENT PLAN/FINAL PLAT - TITLE OR I.D. # _____ DATE _____


THIS IS NOT A PERMIT

SOIL PROFILE


0' topsoil
 6' orange brn SiClm
 3' dark pink SaLm
 15-20% suprolite black white
 9' orange horizontal bands from parent rock
 12'

10.8

gravelly yellow brn SiClm micaceous
 3' red orange SiSaLm
 <50% shale or
 11.5



SOIL PROFILE



INDICATE NORTH - NAME ADJOINING ROADWAY AS BASE LINE.

DATE	TEST NO.	DEPTH	PRE-WET		TEST - 1" DROP		TIME
			START	STOP	START	STOP	
4-17-95	7	8' V12'	11:44	11:45	11:45	11:47	2min
	7	3' V12	11:46 ³⁰	11:47 ¹⁵	11:47 ¹⁵	11:48 ¹⁵	1min
	7	repour	11:48 ³⁰	11:50 ¹⁵	11:50 ¹⁵	11:53	2 3/4 min
	10	4' V11.5	11:52 ³⁰	11:54	11:54	11:57	3min
	9	3' V11'	11:58	12:00	12:00	12:02 ¹⁵	2 1/4 min
	8	Visual to 12'					OK

REMARKS locate wells and septic on all surrounding property

TYPE OF SOIL _____
 TESTED BY Amy McMillen ALSO PRESENT Dian
 TRENCH DESIGN DATA: AVERAGE PERCOLATION TIME 2min TRENCH WIDTH 3'
 INLET DEPTH 3' MAXIMUM BOTTOM DEPTH 5' SQ. FT./BEDROOM 180 ft²

B 1 **3098** SEQUENCE NO. (MDE USE ONLY) STATE OF MARYLAND PERMIT TO DRILL WELL please print or type STATE PERMIT NUMBER **HO-94-0816**
70 fill in this form completely 79

OWNER INFORMATION
 Date Received (APA) **06/09/96**
HARRIS **STEPHEN**
 Last Name Owner First Name
2402 MOBILE MANOR LANE
 Street or RFD
FREDERICK **MD 21702**
 Town State Zip

B 3 **LOCATION OF WELL**
HOWARD COUNTY
HARRIS PROPERTY SUBDIVISION
 SECTION **3** LOT **3**
LISBON NEAREST TOWN
 MILES FROM TOWN (enter 0 if in town) **2** **M I**

DRILLER INFORMATION CIRCLE: MSD/MGD/MWD
Joseph L. Mayne License No. **24**
 Driller's Name
Joseph L. Mayne Well Drilling Firm Name
5512 Ridge Rd. Mt. Airy Md 21771 Address
Joseph L. Mayne 6/10/96 Signature Date

B 4 **DIRECTION OF WELL FROM TOWN (CIRCLE BOX)**
 NEAR WHAT ROAD **MD 144**
 ON WHICH SIDE OF ROAD (CIRCLE APPROPRIATE BOX)
 DISTANCE FROM ROAD **290**
 ENTER FT OR MI **FT**
 TAX MAP: _____ BLK: _____ PARCEL _____

B 2 **WELL INFORMATION**
 APPROX. PUMPING RATE (GAL. PER MIN.) **5**
 AVERAGE DAILY QUANTITY NEEDED (GAL. PER DAY) **500**

USE FOR WATER (CIRCLE APPROPRIATE BOX)
 HOME (SINGLE OR DOUBLE HOUSEHOLD UNIT ONLY)
 FARMING (LIVESTOCK WATERING & AGRICULTURAL IRRIGATION)
 INDUSTRIAL, COMMERCIAL, STATE AND FEDERAL GOV. OTHER (REQUIRES APPROPRIATION PERMIT)
 PUBLIC OR PRIVATE WATER COMPANY (REQUIRES APPROPRIATION PERMIT AND STATE HEALTH DEPARTMENT APPROVAL)
 TEST, OBSERVATION, MONITORING (MAY REQUIRE APPROPRIATION PERMIT)


NOT TO BE FILLED IN BY DRILLER HEALTH DEPARTMENT APPROVAL
Howard Co COUNTY NAME **A50548-B** COUNTY NO.
 STATE SIGNATURE _____ INSERT S _____
 DATE ISSUED **06/17/96** **A. McMele** **6/16/97**
 NORTH GRID **550000** EAST GRID **0774000**

APPROXIMATE DEPTH OF WELL **300** FEET
 APPROXIMATE DIAMETER OF WELL **6** INCH

SHOW MAJOR FEATURES OF BOX & LOCATE WELL WITH AN X
 SOURCES OF DRILLING WATER
 1. **Well**
 2.
 3.
 WRITE THE BOX NUMBER FROM THE MAP HERE
 E **7704**
 N **54050**

METHOD OF DRILLING (circle one)
 BORED (or Augered) JETTED Jetted & DRIVEN
 AIR-ROTARY AIR-PERCussion ROTARY (Hydraulic Rotary)
 CABLE REVerse-ROTary DRive-POINT
 other _____

REPLACEMENT OR DEEPEMED WELLS (CIRCLE APPROPRIATE BOX)
 THIS WELL WILL NOT REPLACE AN EXISTING WELL
 THIS WELL WILL REPLACE A WELL THAT WILL BE ABANDONED AND SEALED
 THIS WELL WILL REPLACE A WELL THAT WILL BE USED AS A STANDBY-CONTACT LOCAL APPROVING AUTHORITY FOR POLICY ON STANDBY WELLS
 THIS WELL WILL DEEPEM AN EXISTING WELL
 PERMIT NUMBER OF WELL TO BE REPLACED OR DEEPEMED (IF AVAILABLE) _____



Not to be filled in by driller (MDE OR COUNTY USE ONLY)
 APPROP. PERMIT NUMBER **GAP**
 FORCE **AM** WRITE INITIALS IN BOX PERMIT No. **HO-94-0816**

C1 7926 SEQUENCE NO. (MDE USE ONLY)

STATE OF MARYLAND WELL COMPLETION REPORT

THIS REPORT MUST BE SUBMITTED WITHIN 45 DAYS AFTER WELL IS COMPLETED.

COUNTY NUMBER A50548-B

(THIS NUMBER IS TO BE PUNCHED IN COLS. 3-6 ON ALL CARDS)

FILL IN THIS FORM COMPLETELY PLEASE PRINT OR TYPE

DATE RECEIVED

DATE WELL COMPLETED 062796

DEPTH OF WELL 380 (TO NEAREST FOOT)

PERMIT NO. FROM "PERMIT TO DRILL WELL" H0-94-0816

OWNER: Harris Stephen, first name; STREET OR RFD: Rt. 144; TOWN: Lisbon; SUBDIVISION: Harris Property; SECTION: ; LOT: 3

WELL LOG: Not required for driven wells. STATE THE KIND OF FORMATIONS PENETRATED, THEIR COLOR, DEPTH, THICKNESS AND IF WATER BEARING

Table with columns: DESCRIPTION (Use additional sheets if needed), FEET (FROM, TO), check if water bearing. Rows: Brown Shale (0-90), Blue Rock (90-380).

GROUTING RECORD: WELL HAS BEEN GROUTED (Y), TYPE OF GROUTING MATERIAL (CM), CEMENT, BENTONITE CLAY (BC), NO. OF BAGS 28, NO. OF POUNDS 2632, GALLONS OF WATER 168, DEPTH OF GROUT SEAL (0-80 ft).

CASING RECORD: casing types insert appropriate code below (S, T, C, O, P, L, O, T), MAIN CASING TYPE (S, T), Nominal diameter (6), Total depth of main casing (95).

OTHER CASING (if used): diameter inch, depth (feet) from to

SCREEN RECORD: screen type or open hole insert appropriate code below (S, T, B, R, H, O, P, L, O, T), STEEL, BRASS, BRONZE, PLASTIC, OPEN HOLE, OTHER.

NUMBER OF UNSUCCESSFUL WELLS: 0; WELL HYDROFRACTURED: Y

CIRCLE APPROPRIATE LETTER: A WELL WAS ABANDONED AND SEALED WHEN THIS WELL WAS COMPLETED; E ELECTRIC LOG OBTAINED; P TEST WELL CONVERTED TO PRODUCTION WELL.

I HEREBY CERTIFY THAT THIS WELL HAS BEEN CONSTRUCTED IN ACCORDANCE WITH COMAR 26.04.04 "WELL CONSTRUCTION" AND IN CONFORMANCE WITH ALL CONDITIONS STATED IN THE ABOVE CAPTIONED PERMIT...

TYPE: MWD/MSD/MGD; DRILLERS LIC. NO. 24; DRILLERS SIGNATURE: Joseph M. Mayne


DRILLERS SIGNATURE (MUST MATCH SIGNATURE ON APPLICATION); LIC. NO.



DEPTH (nearest ft.): H0 93 380; SLOTTED SIZE 1, 2, 3; DIAMETER OF SCREEN (NEAREST INCH); GRAVEL PACK IF WELL DRILLED WAS FLOWING WELL INSERT F IN BOX 68

MDE USE ONLY (NOT TO BE FILLED IN BY DRILLER): T (E.R.O.S.), W Q (74, 75, 76); TELESCOPE CASING, LOG INDICATOR, OTHER DATA

PUMPING TEST: HOURS PUMPED (6), PUMPING RATE (001.3), METHOD USED TO MEASURE PUMPING RATE (Bucket), WATER LEVEL (distance from land surface) BEFORE PUMPING (32), WHEN PUMPING (351), TYPE OF PUMP USED (S) submersible.

PUMP INSTALLED: DRILLER WILL INSTALL PUMP (NO); IF DRILLER INSTALLS PUMP, THIS SECTION MUST BE COMPLETED FOR ALL WELLS; TYPE OF PUMP INSTALLED PLACE (A, C, J, P, R, S, T, O) IN BOX 29; CAPACITY: GALLONS PER MINUTE; PUMP HORSE POWER; PUMP COLUMN LENGTH; CASING HEIGHT (+ above, - below) LAND SURFACE (24) (nearest foot).





Copy of
Signed
Perc. Cert.
10-24-95

BEARING	
N65°43'57" E	76.51'
N65°43'57" E	70.71'
N65°43'57" E	59.69'
N89°27'45" E	59.69'

13. SAFE REQUIREMENT - 12 FEET WIDTH - 6 INCH COATING.
- A.) SURFACE - MAXIMUM 15% GRADE.
- B.) GEOMETRY - (CULVERTS, BRIDGES) CAPABLE OF PASSING 100-YEAR FLOODPLAIN SURFACE.
- C.) MINIMUM OF 45 FOOT TURNING RADIUS.
- D.) STRUCTURES - (MINIMUM 12 FEET TONS (H25 LOADING).
- E.) DRAINAGE ELEMENTS - CAPABLE OF PASSING 1 FOOT DEPTH OVER DRIVEWAY SURFACE.
- F.) STRUCTURE CLEARANCES - MINIMUM 12 FEET.
- G.) MAINTENANCE - SUFFICIENT TO INSURE ALL WEATHER USE.

14. DECLARATION OF MAINTENANCE OBLIGATION FOR PRIVATE USE-IN-COMMON DRIVEWAY SERVING LOTS 1, 2, & 3 IS RECORDED IN LIBER FOLIO
15. NO CLEARING, GRADING OR CONSTRUCTION IS PERMITTED WITH THE FORE CONSERVATION EASEMENTS, OR 100 YEAR FLOODPLAIN.

AVOLIO
1224/67

SWADOW
1250/001

DEWBERRY
3195/969

Copy of signed record pkt F-96-64 (4-96)

RADY 906/01


65dBA NOISE CONTOUR

VEHICULAR INGRESS & EGRESS IS RESTRICTED

MD. ROUTE 144 (MINOR ARTERIAL)

VEHICULAR INGRESS & EGRESS IS RESTRICTED

FUTURE 80' R/W



84

645.00'


488.21'

30'

6.79'

88

83



150.00'

60'

60'

644.71'

30'

30'

30'

30'

30'

30'

30'

30'

30'

30'

30'

30'

203.37'

60'

60'

644.71'

30'

30'

30'

30'

30'

30'

30'

30'

30'

30'

30'

30'

203.37'

60'

60'

644.71'

30'

30'

30'

30'

30'

30'

30'

30'

30'

30'

30'

30'

103.36'

99.98'

42.76'

160.54'

60'

60'

60'

60'

60'

60'

60'

60'

60'

60'

60'

60'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

610.00'

required 180 feet

Width of trench(es) 3.0 feet

Depth of trench(es) 5.0 feet

Approved Septic System Plan Howard County Health Department

Notes:

- Pump System Only
- Install septic system prior to plumbing in house

Depth of stone required below

distribution pipe 2.0 feet

- 1st floor gravity service only

- Owner intends to build wrap around porch-set tanks as far

John M. Mc...
Signature 12/22/98
Date

from house as possible




FAX

BENEFIT TO A CONSUMER IS REQUIRED BY A LENDER IN CONNECTION WITH A FINANCING. NOT TO BE RELIED UPON FOR THE ESTABLISHMENT OR ACCURACY OF SETBACK DIMENSIONS: 0.1' OR REFRAINING. ACCURACY OF ELEVATIONS: 0.1' DOES NOT PROVIDE FOR THE ACCURATE IDENTIFICATION OF BOUNDARY LINES, BUT SUCH IDENTIFICATION MAY BE REQUIRED FOR THE TRANSFER OF TITLE OR SECURING INTERESTS IN REAL PROPERTY. GARAGES, BUILDINGS, POOLS, BUILDING ADDITIONS OR OTHER IMPROVEMENTS. FINANCING. NOT TO BE RELIED UPON FOR THE ESTABLISHMENT OR ACCURACY OF SETBACK DIMENSIONS: 0.1' OR REFRAINING. ACCURACY OF ELEVATIONS: 0.1'


7/10/99

House has been shifted 22'± towards the road - slight modification to septic area OK as shown.



DETAIL SCALE: 1" = 30'

LOT 2




24' PRIVATE USE-IN COMMON ESMT. FOR INGRESS, EGRESS & MAINTENANCE FOR LOTS 1, 2, & 3

MD. ROUTE 144 (FUTURE 80' R/W)



FOUNDATION LOCATED HARRIS PROJECT LOT

FOURTH ELECTION DISTRICT TAX MAP 7, DEED REFERENCE PLAT & DATE



APPROVED
 WALKTHRU BUILDING PERMIT
 BR# 00548504 CAR 50548-B
 APR SAN JOSE DATE: 5/27/64
 DESC. OF WORK: [unclear]

LAND TO BE DEDICATED TO THE
 STATE HIGHWAY ADMINISTRATIVE
 FOR ROAD R/W WIDENING : 0.098

