

7/27/99  
Septic & WPT 1pm

# PERMIT

## SEWAGE DISPOSAL SYSTEM

P 511949

A 564302

DEPARTMENT OF HEALTH AND MENTAL HYGIENE

TAX ID - 03-326454

DISTRICT \_\_\_\_\_

HOWARD COUNTY HEALTH DEPARTMENT

INDEXED

DATE 6/16/99

BUREAU OF ENVIRONMENTAL HEALTH  
~~XXXXXX~~ 410-313-2640

DATE SYSTEM APPROVED 7/27/99

INSPECTOR DLS

INDEXED

Lehsac Plumbing & Heating IS PERMITTED TO INSTALL X ALTER \_\_\_\_\_

ADDRESS 202 Azar Court, Baltimore, MD 21227 PHONE 410-242-6888

SUBDIVISION Gaither Hunt LOT 68 ROAD 11050 Dorsch Farm Road

PROPERTY OWNER Ryan Homes

ADDRESS \_\_\_\_\_

SEPTIC TANK CAPACITY 1250 GALLONS

NUMBER OF BEDROOMS 4

210 SQUARE FEET PER BEDROOM

LINEAR FEET OF TRENCH REQUIRED 280

TRENCHES - Trench to be 3 feet wide. Inlet 4 feet below original grade. Bottom maximum depth 6 feet below original grade. Effective area begins at 4 feet below original grade. 2 feet of stone below distribution pipe.

LOCATION - Place the distribution box 115 feet down the right lot line and 10 feet off this same lot line. Run trenches on contour to left side of lot.

NOTES - No trench to exceed 100 feet in length. Provide 6" - 8" diameter cleanout and cap to grade or above on septic tank. 1/7/98 OK AM

PLANS APPROVED BY Mark E. Rifkin DATE 12-28-98

COVER NO WORK UNTIL INSPECTED AND APPROVED

NEITHER THE HOWARD COUNTY COUNCIL NOR THE HEALTH DEPARTMENT IS RESPONSIBLE FOR THE SUCCESSFUL OPERATION OF ANY SYSTEM

NOTE: CLEANOUT REQUIRED EVERY 70 FEET OF SEWER LINE AND/OR AT 90° SWEEPS IN LINES FROM HOUSE TO DRAIN FIELDS. 90° ELBOWS NOT ACCEPTABLE.

NOTE: ALL PARTS OF SEPTIC SYSTEMS (I.E. TANK, DISTRIBUTION BOX TRENCHES) TO BE 100 FEET FROM WELL (UNLESS OTHERWISE SPECIFICALLY AUTHORIZED)

NOTE: IF DEEP TRENCH(ES) ARE USED CALL FOR INSPECTION BEFORE AND AFTER PLACING GRAVEL IN TRENCHES

NOTE: NO DRY WELL SHALL EXCEED 15 FOOT IN DIAMETER NO ABSORPTION TRENCH TO EXCEED 100 FEET IN LENGTH

NOTE: ALL PIPE FROM HOUSE TO SEPTIC TANK MUST BE CAST IRON OR SCHEDULE 35/40 PVC OR ABS

PERMIT VOID AFTER TWO YEARS

NOTE: INSTALL STAND PIPE ON SEPTIC TANK AND DRY WELL STAND PIPES MUST BE 6 INCHES IN DIAMETER CAST IRON, CONCRETE OR TERRA COTTA OR PVA OR ABS ACCEPTED. IF TOP OF SEPTIC TANK IS DEEPER THAN 3 FEET, MANHOLE TO GRADE REQUIRED.

NOTE: DISTRIBUTION BOXES MUST HAVE BAFFLES


\*INSTALLER IS RESPONSIBLE FOR OBTAINING FINAL APPROVAL ON THIS PERMIT

\*CALL 461-9933 FOR INSPECTION OF SEPTIC SYSTEM.

**BUILDING PERMIT SIGNED AND RETURNED**  
4/4/02  
BOD 135280 - TWO DECK

564302

NOT TO SCALE



INDICATE NORTH - NAME ADJOINING ROADWAY AS BASE LINE  
DORSCH FARM RD

SEPTIC TANK LEVEL 1250 gallon midstream CLEANOUTS one on s.t.

DISTRIBUTION BOX LEVEL  Baffle is in

DRAIN FIELD/TILE DEPTH 6 FT. TRENCH WIDTH 3 FT. INLET DEPTH 4 FT.

EFFECTIVE GRAVEL DEPTH 2 FT. TOTAL LENGTH 3 x 70 + 75 FT. (285)

NUMBER OF TRENCHES 4 ONE-SIDEWALL/BOTTOM AREA 855 SQ. FT.

DRYWELL INSIDE DIAMETER N/A FT. EFFECTIVE DEPTH BELOW INLET N/A FT.

ABSORBENT AREA N/A SQ. FT.

REMARKS: 7/26/99 - OK TO CONTINUE WORK (SRH)

7/27/99 - OK TO COVER ALL WORK. DCS

AND RETURNED

DATE SYSTEM APPROVED 7/27/99

INSPECTOR [Signature]

# APPLICATION

PERCOLATION TESTING

A 56429

P \_\_\_\_\_

HOWARD COUNTY HEALTH DEPARTMENT  
BUREAU OF ENVIRONMENTAL HEALTH  
3525-H ELLICOTT MILLS DRIVE/ELLICOTT CITY, MARYLAND 21043  
TELEPHONE: 313-2640

DISTRICT \_\_\_\_\_

DATE 4/3/96

TO: THE COUNTY HEALTH OFFICER  
ELLICOTT CITY, MARYLAND

I HEREBY APPLY FOR THE NECESSARY TEST PRIOR TO APPLICATION FOR PERMIT TO CONSTRUCT (OR RECONSTRUCT) A SEWAGE DISPOSAL SYSTEM.

PROPERTY OWNER J Thomas Scriwener RYAN HOMES

ADDRESS c/o Land Design & Development PHONE 410 740 5176

AGENT OR PROSPECTIVE BUYER Donald R. Reuwer Jr

ADDRESS 10805 Hickory Ridge Rd PHONE \_\_\_\_\_  
21044

PROPERTY LOCATION:

SUBDIVISION \_\_\_\_\_ LOT NO. 86 68

ROAD AND DESCRIPTION (11050 Dokesch Farm Road)

TAX MAP 29 PARCEL # 21 BLDG. PERMIT SIGNED  
AND RETURNED 12-28-98  
Health # 500 115562  
SIZE OF LOT 1+ Acres TYPE BLDG. SFD - 4Bom  
(SINGLE FAMILY DWELLING OR COMMERCIAL)

THE SYSTEM INSTALLED UNDER THIS APPLICATION IS ACCEPTABLE ONLY UNTIL PUBLIC FACILITIES BECOME AVAILABLE. I FULLY UNDERSTAND THE FEE CONNECTED WITH THE FILING OF THIS PERC TEST APPLICATION IS NON-REFUNDABLE UNDER ANY CIRCUMSTANCES. I ALSO AGREE TO COMPLY WITH ALL M.O.S.H.A. REQUIREMENTS IN TESTING THIS LOT.

[Signature]  
(SIGNATURE OF APPLICANT)

APPROVED BY \_\_\_\_\_ FOR \_\_\_\_\_ DATE \_\_\_\_\_

DISAPPROVED BY \_\_\_\_\_ FOR \_\_\_\_\_ DATE \_\_\_\_\_

HOLD PENDING FURTHER TESTS \_\_\_\_\_

REASONS FOR REJECTION OR HOLDING \_\_\_\_\_

PERCOLATION TEST PLAT/PRELIMINARY PLAT - TITLE OR I.D. # \_\_\_\_\_ DATE \_\_\_\_\_

SITE DEVELOPMENT PLAN/FINAL PLAT - TITLE OR I.D. # \_\_\_\_\_ DATE \_\_\_\_\_

# THIS IS NOT A PERMIT

56429


COUNTY #

SOIL PROFILE


0' [Empty box for soil profile]

[Empty box for soil profile]

[Empty box for soil profile]



SOIL PROFILE



PROP. ROAD

INDICATE NORTH - NAME ADJOINING ROADWAY AS BASE LINE.

DATE	TEST NO.	DEPTH	PRE-WET		TEST - 1" DROP		TIME	
			START	STOP	START	STOP		
4/3/96	225	5'	1:30	1:36	1:36	1:54	18 min	
	226	4' 6"	1:32	1:33	1:35	1:37	2 min	
	227	5'	SEE LOT 87 SHEET					2 min
	228	5'	"	"	"		10 min	


REMARKS LOT 86 DUG PER MAT

TYPE OF SOIL 68

TESTED BY G. SAUSAGE ALSO PRESENT MIKE, DON REWVER

TRENCH DESIGN DATA: AVERAGE PERCOLATION TIME 10 min TRENCH WIDTH 3

INLET DEPTH 4 MAXIMUM BOTTOM DEPTH 6 SQ. FT./BEDROOM 2/0



MATCH

10/7/98  
 WELL SITE  
 STAKED IN  
 FRONT  
 OF LOT - NOT  
 ACCEPTABLE

HOW  
 FOR RESPONSE  
 CAN ANSWER  
 10/14/98

WT  
 REFUSE TO  
 MATCH AGAIN  
 ON PROPER ADJUST  
 IN ORDER CHANGE  
 10/30 WSI NO CHANGE  
 FROM 10/7/98

VERTIBLE  
 EASEMENT  
 (TYPICAL)  
 LIMIT OF  
 PROPOSED  
 PAVING  
 6+27  
 N03°07'10"E  
 50.14'

PROPOSED PAVING  
 ROAD

W.Q. DRAINAGE &  
 UTILITY EASEMENT

W.Q. AREA  
 21' R.O.C.P.

10' PRIVATE WATER  
 SUPPLY EASMT. FOR  
 THE BENEFIT OF LOT 69

10' PUBLIC FREE  
 MAINTENANCE  
 EASEMENT

DORSH  
 FARM

DORSH

P.I.=24+13.89  
 0+00

P.C.=24+63.89

976.29'

P13-500

P12-126' 126'

P11-141'

P10-354'

P.I.=24+13.89  
 0+00

P.C.=24+63.89

LOT 24  
 49,439 SF

LOT 66  
 49,007 SF

LOT 67  
 49,045 SF

LOT 68  
 49,002 SF

LOT 69  
 30,000 SF

LOT 70  
 50,000 SF

LOT 24  
 49,439 SF

LOT 66  
 49,007 SF


LOT 67  
 49,045 SF

LOT 68  
 49,002 SF

LOT 69  
 30,000 SF

LOT 70  
 50,000 SF





FOX

PROPOSED HOUSE  
G.P. 98-138

FF=400.70  
\* B=481.70

FF=488.0  
B=470.0

FF=487.30  
B=478.30

1,500 GAL SEPTIC TANK  
Inv. In=482.8  
Inv. Out=482.5

1,500 GAL SEPTIC TANK  
Inv. In=477.5  
Inv. Out=477.2

1,500 GAL SEPTIC TANK  
Inv. In=476.0  
Inv. Out=475.7

DIST. BOX  
Ex. Grnd=485.30  
Inv.=482.30

DIST. BOX  
Ex. Grnd=490.0  
Inv.=477.0

DIST. BOX  
Ex. Grnd=478.5  
Inv.=475.5

\*BSMT. WILL NOT SEWER BY GRAVITY

Forest Conservation Easement

Ex Well 2

68

49,962 sq ft  
65

49,886 sq ft  
66

49,838 sq ft  
67

470

472

476

478

480

100.00'

100.00'

100.00'

499.24'

498.50'

498.42'

89'

Inv. 483.3

Inv. 78

Inv. 76

L.O.D.

W.O.B.

BRL

BRL

BRL

BRL

BRL

BRL

SF

SF

SF

SF

SF

SF

SF

SF

SF

SF

SF

SF

SF

SF

SF

SF

SF

SF

SF

SF

SF

SF

SF

SF

SF

SF

SF

SF

SF

SF

SF

SF

SF

SF

SF

SF

SF

SF

SF

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

88°

Total linear feet of trench required 280 feet

Width of trench(es) 3 feet


Depth of trench(es) 6 feet

Depth of stone required below distribution pipe 2 feet

Approved Septic System Plan  
Howard County Health Department

Mark E. Rifkin 12/28/98  
Signature Date

Post-It Fax Note	7671	Date	12-16-98	# of pages	1
To	Scott James	From	Joey		
Co/Dpt	Ryand	Co	QFS		
Phone #	GATNER	Phone #			
Fax #	LOT 68	Fax #			



CONSERVATION EAS.  
10' PUBLIC TREE MAINTENANCE ESM'T.

476  
478  
480  
482

SEWER BY RU 70

68  
49,874 SF  
30' BRL

380.3024'E  
10' BRL

SEPTIC EASEMENT  
Distribution Box  
Ex. Grd. 480.0  
Inv. In 477.0

SEPTIC EASEMENT  
Distribution Box  
Ex. Grd. 480.3  
Inv. 477.3

SEPTIC EASEMENT  
Distribution Box  
Ex. Grd. 480.3  
Inv. 477.3

1250 Gal. Septic Tank  
Inv. In 477.8  
Inv. Out. 477.5

1250 Gal. Septic Tank  
Inv. In 477.8  
Inv. Out. 477.5

FF 483.60  
B 474.90

FF 484.60  
B 475.86

FF 485.60  
B 476.99

10' BRL

L=101.32'

L=100.03'

L=100.01'

L=302.86'

L.O.D. 498.42'

C1 9330

SEQUENCE NO. (MDE USE ONLY)

STATE OF MARYLAND WELL COMPLETION REPORT

THIS REPORT MUST BE SUBMITTED AFTER WELL IS COMPLETED.

COUNTY NUMBER A 570.53J

ST/CO USE ONLY DATE RECEIVED

DATE WELL COMPLETED

Depth of Well

PERMIT NO. FROM "PERMIT TO DRILL WELL" HO-94-1965

OWNER RUSSELL DEV. LLC last name DORSEY Farm Road first name TOWN ELLEOTT CITY SUBDIVISION GATHER HUNT SECTION LOT 68

WELL LOG

Not required for driven wells

STATE THE KIND OF FORMATIONS PENETRATED, THEIR COLOR, DEPTH, THICKNESS AND IF WATER BEARING

Table with columns: DESCRIPTION (Use additional sheets if needed), FEET (FROM, TO), check if water bearing. Rows: Brown sandstone 0-40, HARD GRAY GRANITE 40-100. Checkmarks at 65, 70, 90.

10:11 AM 11:01

GROUTING RECORD

WELL HAS BEEN GROUTED (Circle Appropriate Box) YES [Y] NO [N] TYPE OF GROUTING MATERIAL (Circle one) CEMENT [CM] BENTONITE CLAY [BC] NO. OF BAGS 13 NO. OF POUNDS 1279 GALLONS OF WATER 78 DEPTH OF GROUT SEAL (to nearest foot) from 0 ft. to 50 ft.

CASING RECORD

caseing types insert appropriate code below [ST] STEEL [CO] CONCRETE [PL] PLASTIC [OT] OTHER MAIN CASING TYPE [ST] Nominal diameter top (main) casing (nearest inch)! 06 Total depth of main casing (nearest foot) 50

OTHER CASING (if used)

diameter inch from depth (feet) to [ST] 05 37 100

SCREEN RECORD

screen type or open hole insert appropriate code below [ST] STEEL [BR] BRASS [HO] OPEN HOLE [PL] PLASTIC [OT] OTHER

DEPTH (nearest ft.)

1 40 50 100 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80

GRAVEL PACK IF WELL DRILLED WAS FLOWING WELL INSERT F IN BOX 68

MDE USE ONLY (NOT TO BE FILLED IN BY DRILLER) T (E.R.O.S.) W Q LOG INDICATOR OTHER DATA


C 3

PUMPING TEST

HOURS PUMPED (nearest hour) 3 PUMPING RATE (gal. per min.) 12. METHOD USED TO MEASURE PUMPING RATE Watch + Bucket WATER LEVEL (distance from land surface) BEFORE PUMPING 25 ft. WHEN PUMPING 26 ft. TYPE OF PUMP USED (for test) [S] submersible

PUMP INSTALLED

DRILLER INSTALLED PUMP (CIRCLE) (YES or NO) YES [NO] IF DRILLER INSTALLS PUMP, THIS SECTION MUST BE COMPLETED FOR ALL WELLS. TYPE OF PUMP INSTALLED PLACE (A,C,J,P,R,S,T,O) IN BOX 29. CAPACITY: GALLONS PER MINUTE (to nearest gallon) 31 35 PUMP HORSE POWER 37 41 PUMP COLUMN LENGTH (nearest ft.) 43 47 CASING HEIGHT (circle appropriate box and enter casing height) [+] above LAND SURFACE [-] below 2 (nearest foot)



NUMBER OF UNSUCCESSFUL WELLS: 0

WELL HYDROFRACTURED YES [Y] NO [N]

CIRCLE APPROPRIATE LETTER A WELL WAS ABANDONED AND SEALED WHEN THIS WELL WAS COMPLETED E ELECTRIC LOG OBTAINED P TEST WELL CONVERTED TO PRODUCTION WELL

I HEREBY CERTIFY THAT THIS WELL HAS BEEN CONSTRUCTED IN ACCORDANCE WITH COMAR 26.04.04 "WELL CONSTRUCTION" AND IN CONFORMANCE WITH ALL CONDITIONS STATED IN THE ABOVE CAPTIONED PERMIT, AND THAT THE INFORMATION PRESENTED HEREIN IS ACCURATE AND COMPLETE TO THE BEST OF MY KNOWLEDGE.

DRILLERS LIC. NO. MJD 355 DRILLERS SIGNATURE (MUST MATCH SIGNATURE ON APPLICATION)

LIC. NO. JW 341 Max B. Jones

SITE SUPERVISOR (sign. of driller or journeyman responsible for sitework if different from permittee)

B 1 8072

SEQUENCE NO. (MDE USE ONLY)

STATE OF MARYLAND PERMIT TO DRILL WELL please print or type

STATE PERMIT NUMBER

Ho-94-1965 fill in this form completely

Date Received (APA)

OWNER INFORMATION

8 MM DD YY 13

RUSSELL DEVELOPMENT, LLC

8808 CENTRE PARK DRIVE SUITE 209

Columbia MD 21045

LOCATION OF WELL

Howard COUNTY

GATHER HUNT

SECTION 1 LOT 68

ELICOTT CITY

MILES FROM TOWN (enter 0 if in town) 4 MI

DRILLER INFORMATION


MICHAEL BARLOW MW D 355

MICHAEL BARLOW Well Drilling Service Inc

912 Fawn Ct Joppa MD 21085

Signature Date 12/10/98

DIRECTION OF WELL FROM TOWN (CIRCLE BOX)



Dorish Farm Rd

ON WHICH SIDE OF ROAD (CIRCLE APPROPRIATE BOX) NORTH WEST SOUTH EAST

DISTANCE FROM ROAD 450 FT

TAX MAP 29 BLK 11 PARCEL 322

WELL INFORMATION

APPROX. PUMPING RATE (GAL. PER MIN.) 5

AVERAGE DAILY QUANTITY NEEDED (GAL. PER DAY) 500

USE FOR WATER (CIRCLE APPROPRIATE BOX)

- Domestic Potable Supply & Residential Irrigation (D)
Farming (Livestock Watering & Agricultural Irrigation) (F)
Industrial, Commercial Dewatering (I)
Public Water Supply Well (P)
Test, Observation, Monitoring (T)
Geo-Thermal (G)

NOT TO BE FILLED IN BY DRILLER HEALTH DEPARTMENT APPROVAL

Howard COUNTY NAME A-570535 COUNTY NO

DATE ISSUED 11/16/98 CO SIGNATURE EXP. DATE 11/16/99

NORTH GRID 520 000 EAST GRID 830 000

APPROXIMATE DEPTH OF WELL 200 FEET

APPROXIMATE DIAMETER OF WELL 6" NEAREST INCH

METHOD OF DRILLING (circle one)

- Bored (or Augered)
JETTED
Jetted & DRIVEN
AIR-ROTARY
AIR-PERCussion (circled)
ROTARY (Hydraulic Rotary)
CABLE
REverse-ROTary
DRive-POINT

REPLACEMENT OR DEEPEMED WELLS (CIRCLE APPROPRIATE BOX)

- This well will not replace an existing well (N)
This well will replace a well that will be abandoned and sealed (Y)
This well will replace a well that will be used as a standby-contact local approving authority for policy on standby wells (S)
This well will deepen an existing well (D)

PERMIT NUMBER OF WELL TO BE REPLACED OR DEEPEMED (IF AVAILABLE) 41

Not to be filled in by driller (MDE OR COUNTY USE ONLY)

APPROX. PERMIT NUMBER 54 PERMIT NO. Ho-94-1965

SHOW MAJOR FEATURES OF BOX & LOCATE WELL WITH AN X


- SOURCES OF DRILLING WATER
1.
2.
3.

WRITE THE BOX NUMBER FROM THE MAP HERE

E 830 N 520

12/16/98 Grout 11:00

DRAW A SKETCH BELOW SHOWING LOCATION OF WELL IN RELATION TO NEARBY TOWNS AND ROADS AND GIVE DISTANCE FROM WELL TO NEAREST ROAD JUNCTION



SPECIAL CONDITIONS

NOTE - APPROVING AUTHORITIES SHOULD USE SEPARATE SHEET IF NEEDED

GALTNER HUNT REVISION 10/29/98

CONFERENCE: ZACH FISH JOEY ECKER WAYNE BLACK

LOTS 67 OK MINOR TO REAR-  
SDA REVIEW NO TEST NEEDED

LOT 66 - WET SEASON TEST

LOT 68 - OK

WELLS TO BE UNCHANGED

LOT 8 TO STAY W RE-CERTIFICATION

LOT 66 PROPOSAL TO PUSH SDA  
TOWARDS FRONT OF LOT  
OK W 1 + 2 TEST NO CBS  
TEST ANYTIME.

10/30 LET. MSG. FOR JOEY ECKER



50,005 SF

49,874 SF

CONSERVATION EASEMENT

EASEMENTS WILL NOT SEWER BY GRAVITY LOTS 60 THRU 70

SEPTIC EASEMENT

SEPTIC EASEMENT

Distribution Box  
Ex. Grd. 480.3  
Inv. 477.3

Distribution Box  
Ex. Grd. 480.3  
Inv. 477.3

1250 Gal. Septic Tank  
Inv. In 477.8  
Inv. Out 477.5

1250 Gal. Septic Tank  
Inv. In 477.8  
Inv. Out 477.5

FF 404.50  
B 475.80

AV ALON 478.06  
SR FF 435.60  
B 476.99

This site plan  
not approvable  
w/ this site

House site  
address  
in rear of  
lot, well etc

in front but  
house does not

meeting w/ monica  
manning  
10/16/00

GCW & plan

shall discuss  
not approved  
pump septic

EXISTING SOA

20' SETBACK

PUBLIC TREE  
MAINTENANCE ESMIT

FOX HAVEN WAY  
(PUBLIC ROAD)

HOWARD COUNTY HEALTH DEPARTMENT  
Bureau of Environmental Health  
3525-H Ellicott Mills Drive  
Ellicott City, MD 21043  
461-9933

APPLICATION FOR PITLESS ADAPTER, WELL PUMP AND PRESSURE TANK INSTALLATION

New Installation X  
Replacement \_\_\_\_\_

Receipt # \_\_\_\_\_  
Date \_\_\_\_\_

Name of Installer LEHSAC CORP

Telephone 410-242-6888

License Number 3344

Certified Well Pump Installer \_\_\_\_\_ Well Driller \_\_\_\_\_ Registered Plumber X

Name of Property Owner Ryan

Telephone 410-654-0501

Subdivision Gaithor Hunt Lot # 68

Well Tag # HO-94-1965

Site Address 11050 Dorsch Farm Rd

Pump

- Type
  - Deep well jet X
  - Shallow well jet \_\_\_\_\_
  - Submersible \_\_\_\_\_
- Make JACUZZI
- Model # SF47-9
- Capacity 7 GPM

Motor

- Horsepower 1/2
- RPM \_\_\_\_\_
- Voltage \_\_\_\_\_
  - 110 \_\_\_\_\_
  - 220 X

Pitless Adapter

- Make WILKINS
- Model # \_\_\_\_\_
- Depth 42"

- Pump exceeds well capacity Yes  No X
- If Yes, is low pressure cutoff switch installed? Yes \_\_\_\_\_ No X
- What methods are used to protect the pump and electrical wiring from vibrations? Torque arrestors X Cable guards X Other \_\_\_\_\_

Tank

- Capacity 82
- Pressure relief valve? Y

Piping

- Type Poly
- Size 1"
- NSF and/or BOCA Code approved Y
- Depth of supply line 42"

Well data

- Depth 100 ft.
- Yield 12 GPM
- Static water level 50 ft.
- Will water supply be disinfected by installer? N

Trench dug but supply line not installed.  
6/21/99 B/B

6/22/99

I understand that it is my responsibility to notify the Howard County Health Department when the installation is ready for inspection (otherwise this permit is null and void).

All information given above is true to the best of my knowledge.

well line, P.A. 4.5' b.g.

well casing 1.5' a.g.

PVC conduit to be installed

Zpc cap ok.


Signature of Applicant: [Signature]

Date: 6/16/99

Note: A sticker indicating approval/status of the installation will be placed on the well casing at the time of the inspection.

7/27/99

well  
100'±



NEW DECK 1

APPROX FIRST TRENCH

S-T.


DECKS OK

MR 4/4/02

NEW DECK 2

N80°30'29" W

S80°30'29" W



R=11,208.51'

L=100.01'

FARM

50' R/W

RD.

Building Address 11050 DORSCH FARM RD  
ELLICOTT CITY, MD 21042

Suite/Apt. #:     / SDP/WP/Petition #:    

Census Tract 6037 Subdivision GATHER HUNT

Section 1 Area 1 Lot 6B

Tax Map 29 Parcel 21 Grid 14

Zoning U-DRP Map Coordinates 1751 Lot size 49,874 #

Property Owner's Name J ERIC BRYARS

Address SAME AS BLDG ADDRESS

City     State     Zip Code    

Home Phone 410 740 7078 Work Phone 410 997 6639

Applicant's Name & Mailing Address, (if other than stated hereon):

Existing Use SGL FAMILY HOME

Proposed Use SAME

Estimated Construction Cost \$ 4,000

Description of Work ADD TWO DECKS  
20' x 12' 8' x 5'

Contractor Company    

Contact Person    

Address    

City     State     Zip Code    

License No.    

Phone     Fax    

Occupant or Tenant    

Contact Name    

Address    

City     State     Zip Code    

Phone     Fax    

Engineer or Architect Company    

Contact Person    

Address    

City     State     Zip Code    

Phone     Fax    

BUILDING DESCRIPTION - COMMERCIAL		BUILDING DESCRIPTION - RESIDENTIAL	
Building Characteristics	Utilities	Building Characteristics	Utilities
Height:	Water Supply: <input type="checkbox"/> Public <input type="checkbox"/> Private	SF Dwelling <input type="checkbox"/> SF Townhouse <input type="checkbox"/> Depth Width	Water Supply: <input type="checkbox"/> Public <input type="checkbox"/> Private
No. of stories:	Sewage Disposal: <input type="checkbox"/> Public <input type="checkbox"/> Private	1st floor: 50' 70' 2nd floor: 50' 70' Basement: 50' 70'	Sewage Disposal: <input type="checkbox"/> Public <input checked="" type="checkbox"/> Private
Gross area, sq. ft. per floor:	Electric Yes <input type="checkbox"/> No <input type="checkbox"/> Gas Yes <input type="checkbox"/> No <input type="checkbox"/>	Finished Basement <input type="checkbox"/> Unfinished Basement <input checked="" type="checkbox"/> Crawl space <input type="checkbox"/> Slab on Grade <input type="checkbox"/> No. of Bedrooms <u>5</u>	Electric Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Gas Yes <input type="checkbox"/> No <input type="checkbox"/>
Use group:	Heating System: Electric <input type="checkbox"/> Oil <input type="checkbox"/> Natural Gas <input type="checkbox"/> Propane Gas <input type="checkbox"/>	Multi-family dwellings: No. of efficiency units: <u>   </u> No. of 1 BR units: <u>   </u> No. of 2 BR units: <u>   </u> No. of 3 BR units: <u>   </u>	Heating System: Electric <input checked="" type="checkbox"/> Oil <input type="checkbox"/> Natural Gas <input type="checkbox"/> Propane Gas <input type="checkbox"/>
Construction type: <input type="checkbox"/> Reinforced Concrete <input type="checkbox"/> Structural Steel <input type="checkbox"/> Masonry <input type="checkbox"/> Wood Frame  <input type="checkbox"/> State Certified Modular	Sprinkler system: N/A <input type="checkbox"/> <input type="checkbox"/> Full <input type="checkbox"/> Partial <input type="checkbox"/> Other Suppression # of Heads <u>   </u>	Other Structure: <u>   </u> Dimensions: <u>   </u> Footings: <u>   </u> Roof: <u>   </u>  <input type="checkbox"/> State Certified Modular <input type="checkbox"/> Manufactured Home	Sprinkler system: N/A <input checked="" type="checkbox"/> <input type="checkbox"/> NFPA #13D <input type="checkbox"/> NFPA #13R <input type="checkbox"/> Other:

THE UNDERSIGNED HEREBY CERTIFIES AND AGREES AS FOLLOWS: (1) THAT HE/SHE IS AUTHORIZED TO MAKE THIS APPLICATION; (2) THAT THE INFORMATION IS CORRECT; (3) THAT HE/SHE WILL COMPLY WITH ALL REGULATIONS OF HOWARD COUNTY WHICH ARE APPLICABLE THERETO; (4) THAT HE/SHE WILL PERFORM NO WORK ON THE ABOVE REFERENCED PROPERTY NOT SPECIFICALLY DESCRIBED IN THIS APPLICATION; (5) THAT HE/SHE GRANTS COUNTY OFFICIALS THE RIGHT TO ENTER ONTO THIS PROPERTY FOR THE PURPOSE OF INSPECTING THE WORK PERMITTED AND POSTING NOTICES.

Applicant's Signature J ERIC BRYARS

Print Name J ERIC BRYARS

Title/Company    

Date 4/4/02

Checks payable to: **DIRECTOR OF FINANCE OF HOWARD COUNTY**  
 \*\* PLEASE WRITE NEATLY AND LEGIBLY \*\*  
 - FOR OFFICE USE ONLY -

AGENCY	DATE	SIGNATURE APPROVAL	DPZ SETBACK INFORMATION	PROPERTY ID#
Land Development, DPZ			Front: <u>   </u>	Filing fee \$ <u>   </u>
State Highways			Rear: <u>   </u>	Permit fee \$ <u>   </u>
Building Official			Side: <u>   </u>	Excise tax \$ <u>   </u>
Dev. Engineering, DPZ	<u>4/4/02</u>	<u>Mark Ruffin</u>	Side St.: <u>   </u>	Add'l per. fee \$ <u>   </u>
Health			All minimum setbacks met?	TOTAL FEES \$ <u>   </u>
Fire Protection			YES <input type="checkbox"/> NO <input type="checkbox"/>	Sub-total paid \$ <u>   </u>
Is Seicment Control approval required prior to issuance?			YES <input type="checkbox"/> NO <input type="checkbox"/>	Balances due \$ <u>   </u>
YES <input type="checkbox"/> NO <input type="checkbox"/>			Historic District?	Check # <u>   </u>
CONTINGENCY CONSTRUCTION START: <input type="checkbox"/>			YES <input type="checkbox"/> NO <input type="checkbox"/>	Validation # <u>   </u>
ONE STOP SHOP: <input type="checkbox"/>			Lot Coverage for New Town Zone <u>   </u>	
			SDP/Red-line approval date <u>   </u>	Accepted by <u>   </u>